SITE ASSESSMENT REPORT FOR THE MERIDIAN AUTOMOTIVE SYSTEMS SITE JACKSON, JACKSON COUNTY, OHIO

NPL STATUS: NON-NPL

Prepared for:

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Emergency Response Branch Region V 25089 Center Ridge Road Westlake, Ohio 44145

Prepared by:

WESTON SOLUTIONS, INC.

6779 Engle Road Suites I & J Middleburg Heights, Ohio 44130

Date Prepared November 19, 2009
TDD Number S05-0001-0910-021
Document Control Number 813-2A-AFED
Contract Number EP-S5-06-04
START Project Manager Frank Beodray
Telephone Number (440) 202-2806
U.S. EPA On-Scene Coordinator Lori Muller

SITE ASSESSMENT REPORT FOR THE MERIDIAN AUTOMOTIVE SYSTEMS SITE JACKSON, JACKSON COUNTY, OHIO

NPL STATUS: NON-NPL

Prepared for:

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Emergency Response Branch Region V 25089 Center Ridge Road Westlake, Ohio 44145

Prepared by:

WESTON SOLUTIONS, INC.

6779 Engle Road Suites I & J Middleburg Heights, Ohio 44130

November 19, 2009

| Prepared by: _ | Ryan Green START Site Lead | Date: | 11/16/2009 |
|--------------------------------|-------------------------------------|-----------|------------|
| Reviewed and Approved by: _ | Frank Beodray START Project Manager | Date: | 11/16/2009 |

TABLE OF CONTENTS

| 1. | INT | RODUCTION | 1 |
|----|------|---|----|
| 2. | SITI | E BACKGROUND | 2 |
| | 2.1 | SITE DESCRIPTION | 2 |
| | 2.2 | SITE HISTORY | 2 |
| 3. | SITI | E ASSESSMENT TASKS | 5 |
| | 3.1 | SITE RECONNAISSANCE | 5 |
| | 3.2 | SUB-FLOOR PIT AND TANK, DRUM, AND CONTAINER INVENTORY | 6 |
| | 3.3 | SAMPLE COLLECTION | 8 |
| 4. | ANA | ALYTICAL RESULTS | 10 |
| | 4.1 | IGNITABILITY AND CORROSIVITY RESULTS | 10 |
| | 4.2 | TCLP METALS RESULTS | 11 |
| | 4.3 | PCB RESULTS | 11 |
| | 4.4 | TCLP VOC AND TOTAL VOC RESULTS | 11 |
| 5 | THR | REATS TO HUMAN HEALTH AND THE ENVIRONMENT | 14 |

LIST OF FIGURES

- 1 Site Location Map
- 2 Site Layout Map
- 3 Sampling Location Map

LIST OF TABLES

- 1 Sub-Floor Pit Inventory
- 2 Drum Inventory
- 3 Tank Inventory
- 4 Small Container Inventory
- 5 Sub-Floor Pit Sample Analytical Results
- 6 Drum Sample Analytical Results
- 7 Tank Sample Analytical Results
- 8 Small Container Sample Analytical Results

LIST OF APPENDICES

- A Figures
- B Container Inventory Tables and Validated Analytical Results Summary Tables
- C Photographic Documentation
- D Validated Laboratory Analytical Report

LIST OF ABBREVIATIONS AND ACRONYMS

AST Aboveground storage tank

CFR Code of Federal Regulations

DHWM Division of Hazardous Waste Management

ERB Emergency Response Branch

FSP Field sampling plan

MAS Meridian Automotive Systems

MSDS Material Safety Data Sheet

mg/kg Milligram per kilogram

NCP National Oil and Hazardous Substances Pollution Contingency Plan

OAC Ohio Administrative Code

OEPA Ohio Environmental Protection Agency

OSC On-Scene Coordinator

PCB Polychlorinated biphenyl
PID Photoionization detector

PPE Personal protective equipment

ppm Part per million

SEDO Southeast District Office
SMC Sheet molding compound

START Superfund Technical Assessment and Response Team

SU Standard unit

TCLP Toxicity characteristic leaching procedure

TDD Technical Direction Document

U.S. EPA United States Environmental Protection Agency

VOC Volatile organic compound

WESTON Weston Solutions, Inc.

Revision: 0

Date: November 19, 2009 Page 1

1. INTRODUCTION

The United States Environmental Protection Agency (U.S. EPA) Region V Emergency Response

Branch (ERB) tasked the Weston Solutions, Inc. (WESTON®), Superfund Technical Assessment and

Response Team (START) to assist in performing a site assessment at the former Meridian

Automotive Services Site in Jackson, Jackson County, Ohio (the Site). Under Technical Direction

Document (TDD) No. S05-0001-0910-021, U.S. EPA instructed WESTON START to inventory

abandoned containers; collect samples of wastes in tanks, drums, sub-floor pits, and small containers

for laboratory analysis; and document and characterize any potential Site-related threats to human

health, human welfare, or the environment. WESTON START personnel mobilized to the Site and

conducted the site assessment tasks on October 28 and 29, 2009, under the direction of On-Scene

Coordinator (OSC) Lori Muller.

This site assessment report is organized into the following sections:

• **Introduction** – Provides a brief description of the objective and scope of site assessment

activities;

• **Site Background** – Details the Site description and history;

• Site Assessment Activities – Discusses the methods and procedures used during the site

assessment;

• Analytical Results – Discusses analytical results for samples collected during the site

assessment; and

Threats to Human Health and the Environment – Identifies conditions at the Site that warrant a removal action under the National Oil and Hazardous Substances Pollution

Contingency Plan (NCP).

I:\WO\START3\813\41216RPT.DOC

813-2A-AFED

Revision: 0

Date: November 19, 2009

Page 2

2. SITE BACKGROUND

This section discusses the Site description and history.

2.1 SITE DESCRIPTION

The Site is located in a mixed residential, agrarian, commercial, and industrial area at 1020 East

Main Street in Jackson, Jackson County, Ohio (Appendix A, Figure 1). The Site coordinates are

39.033964 degrees North latitude and 82.622629 degrees West longitude. On-site structures consist

of one large production building occupying approximately 300,000 square feet and several

unattached chemical and waste storage buildings and tank farms. The Site property is enclosed by a

chain-link fence with padlocked gates.

According to the City of Jackson Mayor's Office, the following are located within 1 mile of the Site:

3,365 homes, 4 schools, 1 community college, 3 nursing homes, 2 retirement communities, and 1

hospital. The current population of Jackson, Ohio, is approximately 6,200.

2.2 SITE HISTORY

Meridian Automotive Systems, Inc. (MAS), formerly used the Site to manufacture and paint

fiberglass autobody panels, truck panels, and other parts. MAS also produced a sheet resin material

known as "sheet molding compound" (SMC). SMC was a fiberglass-reinforced thermosetting

compound manufactured by dispensing mixed resin, maturation agent, fillers, catalyst, and mold-

release agent onto sheets of polyethylene film. MAS leased the Site structures from a non-profit

organization that currently owns the Site property.

MAS ceased all manufacturing operations at the Site in 2007, after which most hydraulic presses and

other production equipment were removed from the production building. The Ohio Environmental

Protection Agency (OEPA) Southeast District Office (SEDO) Division of Hazardous Waste

Management (DHWM) ordered MAS to begin removal activities in 2007 in compliance with the

I:\WO\START3\813\41216RPT.DOC

813-2A-AFED

Revision: 0

Date: November 19, 2009 Page 3

Cessation of Regulated Operations requirements in Ohio Administrative Code (OAC), Chapter 3745-

352. However, removal activities had not completed before MAS declared bankruptcy in 2009 and

abandoned the Site.

Recent Site activities have included metal scrapping operations and occasional vandalism and

thievery. On August 23, 2009, a small fire was started near the former press line in the on-site

production building from metal scrapping operations using an acetylene torch. The local fire

department extinguished the fire. During the response, the local acting Fire Chief found the

production building's sprinkler system to be non-functional and observed large volumes of flammable

hydraulic oil waste staged in open sub-floor pits. In addition, electrical wiring inside the production

building had been compromised by unauthorized scrapping of copper wire and electrical components,

resulting in electrical shock hazards from exposed wiring. The local acting Fire Chief ordered that the

scrapping contractor could conduct no further work inside the production building and notified OEPA

SEDO of the fire hazards and wastes observed at the Site. After the fire, the City of Jackson stationed

personnel at the Site for round-the-clock fire-watch duty.

OEPA SEDO inspected the Site from August 24 through 26, 2009, and documented large quantities of

abandoned manufacturing wastes, including the following:

• Used oil wastes in six hydraulic press pits totaling an estimated 8,000 to 10,000 gallons;

• Drums containing styrene monomer, flammable liquids, and corrosives, and unlabeled

drums with unknown contents;

• Universal waste fluorescent lamps;

One cardboard box labeled "PCB Ballast";

Numerous small containers and aerosol cans, including pesticides and laboratory

chemicals;

• An instrument containing a radioactive source (americium 241 and beryllium) formerly

used to evaluate the thickness and density of fiberglass material; and

Multiple aboveground storage tanks (AST) with unknown quantities of fuel oil, hydraulic

oil, used oil, propane, and resins.

Meridian Automotive Systems Site

Draft Site Assessment Report

Revision: 0

Date: November 19, 2009

Page 4

On September 8, 2009, OEPA SEDO requested the assistance of the U.S. EPA Region V ERB in

performing a removal site assessment at the Site. In late September and early October 2009, U.S. EPA

Region V coordinated with the Ohio Department of Health to remove the radioactive source from the

Site for proper disposal.

Revision: 0

Date: November 19, 2009 Page 5

3. SITE ASSESSMENT TASKS

The site assessment tasks were requested by the OSC to evaluate potential Site-related threats to

human health, human welfare, and the environment. Site assessment tasks included an initial site

reconnaissance (Section 3.1); a comprehensive inventory of sub-floor pits and containers (Section

3.2); and sample collection (Section 3.3). Section 5 discusses observations relevant to potential

threats to human health and the environment.

3.1 SITE RECONNAISSANCE

On October 22, 2009, OSC Lori Muller and WESTON START member Ryan Green met with OEPA

SEDO DHWM Manager David Chenault and District Representative John Rochotte. During the site

reconnaissance, the inspection team obtained a former Site layout that shows the production

building's former manufacturing areas and storm water and sanitary sewer lines beneath the building

(Appendix A, Figure 2). WESTON START collected air monitoring readings using a MultiRAE

Plus five-gas monitor with a photoionization detector (PID) calibrated to 100 parts per million (ppm)

isobutylene, and screened the production building interior using a Ludlum Model 19 Micro-R

gamma radiation detector, and collected written and photographic documentation of Site conditions.

Air monitoring readings collected by WESTON START remained at background levels within the

production building except for a maximum reading of 7.8 ppm total volatile organic compounds

(VOC) near a styrene monomer drum in the SMC Mix Room (Room 18). No readings recorded with

the gamma radiation detector exceeded background levels.

Observations made during the site reconnaissance included the following:

• 12 sub-floor pits containing oily liquid wastes;

• Missing railings around at least 15 sub-floor pits;

• Numerous uncontrolled wastes in drums and small containers;

• Unlabelled drums containing unknown materials;

> Revision: 0 Date: November 19, 2009

Page 6

- Exposed electrical wiring throughout the production building;
- Spilled oily liquids on the floor in the former press line area;
- An oil sheen and oil-contaminated soil in the containment ponds and ditch at the south side of the Site;
- 14 ASTs with unknown contents or volumes; and,
- Water-filled secondary containment around the former resin and fuel oil ASTs.

Observations from the site reconnaissance were used to develop the sample collection strategy and targeted analyses documented in the site-specific field sampling plan (FSP) prepared by WESTON START on October 27, 2009, and approved by the OSC on October 29, 2009.

3.2 SUB-FLOOR PIT AND CONTAINER INVENTORY

On November 28, 2009, the OSC and WESTON START members Ryan Green and TJ McFarland mobilized to the Site to begin site assessment activities requested by the OSC. On November 28 and 29, 2009, WESTON START members completed a comprehensive inventory of sub-floor pits and abandoned containers in the main production building, external storage buildings, and surrounding Site grounds within the perimeter fencing. Numbers were assigned to each area or room within the production building and to each external storage building on the property to track locations. A total of 41 rooms within the production building and 9 external storage buildings were designated with unique identification numbers (Appendix A, Figure 3). Two former offices and the former dispensary within the production building were locked and inaccessible. The former peroxide storage building and yard gang building on the north side of the Site also were locked and inaccessible during the site assessment. The contents of the locked rooms and storage buildings were not evaluated as part of this site assessment.

The 26 sub-floor pits along the former press line and in the former freightliner assembly area were measured and designated P001 through P026. Measurements of the dimensions of each sub-floor pit were used to calculate the volume of wastes and estimate the amount of backfill material required for

Revision: 0

Date: November 19, 2009

Page 7

proper abandonment of the pits. Table 1 in Appendix B summarizes the dimensions, volume of

waste, and total empty volume of each sub-floor pit, and Appendix C provides photographic

documentation of the pits. A total of 26 sub-floor pits containing an estimated total of 18,203

gallons of oil and water wastes were documented at the Site (Appendix B, Table 1). The empty, dry

volume of the sub-floor pits would require an estimated 836 cubic yards of backfill material for

proper abandonment.

In addition, each tank and drum was assigned a unique identification, and photographed (Appendix

C). Small containers were counted and labeling information was logged, but individual

identification numbers were not assigned to small containers. Tables 2, 3, and 4 in Appendix B

provide the tank, drum, and small container inventories. Photos of each tank, drum, and sub-floor pit

referenced in the inventory are provided in the Site photo log in Appendix C.

A total of 66 drums containing an estimated total of 1,886 gallons of abandoned products and waste

were documented at the Site (Appendix B, Table 2).

A total of 45 tanks containing an estimated total of 807 gallons of abandoned product and waste were

documented at the Site (Appendix B, Table 3). WESTON START members were unable to confirm

the contents or volume of wastes in some of the ASTs observed at the Site, including three former

fuel oil tanks at the east side of the Site and eight tanks marked "hydraulic oil" and "used oil" in

Room 40. The containment ponds and ditch at the south side of the property also contain unknown

volumes of oil-contaminated water and soil. Tanks T030 and T032 at the south side of the property

were determined to contain less than 7 inches of thick resin product in each, and tank T031 was

empty.

A total of 504 small containers were documented at the site (Appendix B, Table 4). Some of the

small containers were labeled flammable, corrosive, or poison, and one small container in the

Number 5 Paint System in Room 35 was labeled "Organic Peroxide Trigonex-C, UN 3101." One

cardboard box in Room 17 was marked "PCB ballast" in permanent marker.

I:\WO\START3\813\41216RPT.DOC

813-2A-AFED

3.3 SAMPLE COLLECTION

On October 29, 2009, WESTON START members collected 12 investigative samples and 2 duplicate samples from sub-floor pits, tanks, drums, and small containers. The table below summarizes the sample identification numbers, matrices, source containers, and requested analyses.

| Sample ID No. | Matrix Description | Container Sampled | Requested Analyses |
|--------------------------|--|-----------------------|-------------------------|
| MAS-P001-L-01 | Clear liquid with oily | Sub-floor pit P001 in | TCLP VOCs, TCLP metals, |
| MAS-F001-L-01 | sheen | Room 2 | PCBs |
| MAS-P004-L-01 | Clear liquid with oily Sub-floor pit P004 in | | TCLP VOCs, TCLP metals, |
| WIAS-1 004-L-01 | sheen | Room 3 | PCBs |
| MAS-P007-L-01 | Brown oily liquid | Sub-floor pit P007 in | TCLP VOCs, TCLP metals, |
| WIAS-1 007-L-01 | Drown ony nquid | Room 3 | PCBs |
| MAS-P009-L-01 | Brown oily liquid | Sub-floor pit P009 in | TCLP VOCs, TCLP metals, |
| WIAS-1 007-L-01 | Drown ony nquid | Room 3 | PCBs |
| MAS-P012-L-01 | Reddish-brown oily | Sub-floor pit P012 in | TCLP VOCs, TCLP metals, |
| WIND-1 012-L-01 | liquid | Room 3 | PCBs |
| MAS-P012-L-01-D | Reddish-brown oily | Sub-floor pit P012 in | TCLP VOCs, TCLP metals, |
| WAS-1 012-L-01-D | liquid | Room 3 | PCB |
| MAS-T004-L-01 | Resinous translucent | Tank T004 in Room | TCLP VOCs, Flashpoint |
| MAS-1004-L-01 | liquid | 18 | Tell voes, Plashpoint |
| MAS-T020-S-01 | White crystal solids | Tank T020 in Room | TCLP VOCs, pH |
| WIT IS-1020-S-01 | with clear liquid | 31 | Tell Voes, pii |
| MAS-D036-L-01-MS | Brown oily liquid | Drum D036 in Room | TCLP VOCs, TCLP metals, |
| WIT IS-DOSU-L-01-IVIS | Brown ony nquid | 3 | PCBs |
| MAS-D041-L-01 | Clear liquid | Drum D041 in Room | TCLP VOCs, Flashpoint |
| WIND DOTT E OT | Cicar riquia | 18 | Tell Vees, Hushpoint |
| MAS-D047-L-01 | Resinous green | Drum D047 in Room | TCLP VOCs, Flashpoint |
| WIND DOTT E OT | liquid | 38 | Tell Vees, Hushpoint |
| MAS-D050-S-01-MS | White powder solids | Drum D050 in Room | TCLP VOCs, pH |
| 1,11,15 D 05 0 B 01 1415 | inte povider sonds | 38 | 1021 1005, pii |
| MAS-S001-S-01 | White powder solids | Small container | TCLP VOCs, pH |
| 1,11,15, 5001 5 01 | inte povider sonds | S001 in Room 9 | 1021 1005, pii |
| MAS-S001-S-01-D | White powder solids | Small container | TCLP VOCs, pH |
| 11112 2001 2 01 B | Into powder sonds | S001 in Room 9 | 1021 , 00s, p11 |

Notes:

ID = Identification

TCLP = Toxicity characteristic leaching procedure

PCB = Polychlorinated biphenyl

VOC = Volatile organic compound

Sample collection of liquids from open-top pits was conducted in Level D personal protective equipment (PPE). Sample collection of liquids from labeled drums and solids from open-top drums I:\WO\START3\813\41216RPT.DOC 813-2A-AFED

Revision: 0

Date: November 19, 2009

Page 9

was conducted in Level C PPE. WESTON START performed continuous air monitoring in the

breathing zone during sampling activities using a MultiRAE Plus. Air monitoring readings remained

at background levels in the breathing zone during the collection of sample material from all sub-floor

pits, tank T020, small container S001, and drums D036, D047, and D050. Sustained air monitoring

readings recorded during the collection of sample material from D041 ranged from 0.0 to 78 ppm in

the breathing zone and from 35 to 155 ppm near the open bunghole. Two momentary peak readings

ranging from 1,800 to 2,200 ppm were recorded near the open bung during the collection of sample

material from D041. After the collection of sample material from D041, the external filter was

replaced on the MultiRAE Plus and the unit was given sufficient time to reach background level.

Sustained air monitoring readings recorded during the collection of sample material from T004

ranged from 0.0 to 90 ppm in the breathing zone. Headspace readings were not collected at the top

of T004 using the MultiRAE Plus in order to avoid saturation of the external filter.

WESTON START members attempted to collect samples of resinous liquids from tanks T030 and

T032. However, the viscous consistency and low volume of material within the tanks prevented the

collection of sufficient sample volume.

After the completion of sampling activities, the sample containers were wiped with paper towels,

labeled, and packaged in coolers with ice. All samples were delivered under chain of custody to a

courier of the designated laboratory, EA Group in Mentor, Ohio, on October 30, 2009.

I:\WO\START3\813\41216RPT.DOC

813-2A-AFED

Revision: 0

Date: November 19, 2009 Page 10

4. ANALYTICAL RESULTS

EA Group in Mentor, Ohio, performed the necessary extractions and analyses with a 5-day

turnaround time. EA Group electronically transmitted the analytical data package to WESTON

START on November 9, 2009, and a WESTON START chemist validated the results. Tables 5

through 8 in Appendix B summarize the validated analytical results. Appendix D provides a copy of

the validated laboratory report. The results are briefly discussed below.

4.1 IGNITABILITY AND CORROSIVITY RESULTS

A solid waste, as defined in Title 40 of the Code of Federal Regulations (CFR) Part 261.2, which is

not excluded from regulation as a hazardous waste under 40 CFR 261.4(b) is classified a hazardous

waste if it exhibits any of the characteristics of ignitability (40 CFR 261.21), corrosivity (40 CFR

261.22), reactivity (40 CFR 261.23), or toxicity (40 CFR 261.24).

According to 40 CFR 261.21(a)(1), a solid waste exhibits the characteristic of ignitability if a

representative sample of the waste is a liquid other than an aqueous solution containing less than 24

percent alcohol by volume and has flash point of less than 140 °F. Liquid waste samples MAS-

D041-L-01, MAS-D047-L-01, and MAS-T004-L-01 were analyzed for flashpoint using U.S. EPA

Method SW846-1010M/D93. Analytical results for all three samples were less than or equal to 92

°F (Appendix B, Tables 6 and 7). Therefore, all three samples meet the criterion for classification as

hazardous waste by virtue of the characteristics of ignitability. In addition, the flashpoint of less than

70 °F reported by the laboratory for sampled liquid waste from Drum D047 (labeled as Pliogrip 9115

Adhesive) did not correlate with the flashpoint of less than 200.1 °F reported by the product

manufacturer in the material data safety sheet (MSDS) for Pliogrip 9115 Adhesive, which was

obtained from the Ashland Chemical, Inc., website (<u>www.Ashland.com</u>).

According to 40 CFR 261.22 (a)(1), a solid waste exhibits the characteristic of corrosivity if a

representative sample of the waste is aqueous and has a pH less than or equal to 2 or greater than or

I:\WO\START3\813\41216RPT.DOC

813-2A-AFED

Revision: 0

Date: November 19, 2009
Page 11

equal to 12.5 standard units (SU). Samples MAS-D050-S-01-MS, MAS-T020-S-01, MAS-S001-S-

01, and MAS-S001-S-01-D contained unknown solids analyzed for corrosivity using U.S. EPA

Method SW846-9045C. Using this method, the solid waste sample is mixed with reagent-grade

water and the pH of the aqueous solution is measured. Analytical results for all four samples were

greater than 2 and less than 12.5 SUs (Appendix D, Tables 6 through 8). Therefore, none of the

samples meet the criterion for classification as hazardous waste by virtue of the characteristics of

corrosivity.

4.2 TCLP METALS RESULTS

Samples MAS-P001-L-01, MAS-P004-L-01, MAS-P007-L-01, MAS-P009-L-01, MAS-P012-L-01,

MAS-P012-L-01-D, and MAS-D036-L-01-MS were analyzed for toxicity characteristic leaching

procedure (TCLP) metals using U.S. EPA Methods SW846-6010A and SW846-7470A. No

concentrations exceeded the reporting limit in these samples.

4.3 PCB RESULTS

Samples MAS-P001-L-01, MAS-P004-L-01, MAS-P007-L-01, MAS-P009-L-01, MAS-P012-L-01,

MAS-P012-L-01-D, and MAS-D036-L-01-MS were analyzed for polychlorinated biphenyls (PCB)

using U.S. EPA Method SW846-3510. No concentrations exceeded the reporting limit in these

samples.

4.4 TCLP VOC AND TOTAL VOC RESULTS

TCLP VOC analysis was requested for all 14 samples submitted to the laboratory. However, some

of the sample matrices contained too much oil to be extracted for TCLP VOC analysis according to

the laboratory. Samples containing viscous oil were analyzed instead for total VOCs. The table

below summarizes the type of VOC analysis for each sample.

I:\WO\START3\813\41216RPT.DOC

813-2A-AFED

Page 12

| Sample ID No. | VOC Analysis |
|------------------|--------------|
| MAS-P001-L-01 | TCLP VOCs |
| MAS-P004-L-01 | TCLP VOCs |
| MAS-D050-S-01-MS | TCLP VOCs |
| MAS-T004-L-01 | TCLP VOCs |
| MAS-T020-S-01 | TCLP VOCs |
| MAS-S001-S-01 | TCLP VOCs |
| MAS-S001-S-01-DP | TCLP VOCs |
| MAS-P007-L-01 | Total VOCs |
| MAS-P009-L-01 | Total VOCs |
| MAS-P012-L-01 | Total VOCs |
| MAS-P012-L-01-D | Total VOCs |
| MAS-D036-L-01-MS | Total VOCs |
| MAS-D041-L-01 | Total VOCs |
| MAS-D047-L-01 | Total VOCs |

Notes:

ID = Identification

TCLP = Toxicity characteristic leaching procedure

VOC = Volatile organic compound

All TCLP VOC sample results were reported at less than or equal to the reporting limits (undetected). Total VOC results for sample MAS-P009-L-01 were also less than or equal to the reporting limits (undetected).

Styrene was detected in three liquid samples MAS-D036-L-01-MS, MAS-D041-L-01, and MAS-D047-L-01 analyzed for Total VOCs. Styrene monomer formerly was used to manufacture SMC in Rooms 18 and 20 of the production building. Drum D041 was labeled as "Styrene Monomer 50T," and the styrene sample result of 170,000 mg/kg confirms this labeling. Drum D047 in Room 38 was labeled as "Pliogrip 9115 Adhesive," and the styrene sample result was 170 mg/kg styrene. Styrene is not among the constituents of Pliogrip 9115 as reported in the MSDS obtained from the Ashland Chemical, Inc., website (www.Ashland.com). This VOC result, combined with the lack of correlation between the laboratory-reported flashpoint for the sample from D047 and the manufacturer-reported flashpoint of Pliogrip 9115 Adhesive discussed in Section 4.1 suggests that the contents of D047 may have been altered, added to, or replaced. Drum D036 was unlabeled with

Revision: 0

Date: November 19, 2009 Page 13

an open top and contained oil waste reportedly removed from former press line equipment or sub-

floor pits.

Styrene was also detected in two liquid samples collected from sub-floor pit P012, MAS-P012-L-01

and MAS-P012-L-01-D, analyzed for Total VOCs. The sample results for styrene were 2.7 mg/kg

and 510 mg/kg, respectively. The difference between sample results may be attributed to the

presence of two-or-more oily liquids that appeared to be immiscible, or emulsified, due to the

swirling blooms of alternately colored dark brown and light brown oil that were observed when the

surface was disturbed by the sample collection container. The sample material was decanted from

the pole-mounted sample collection container into two 9-ounce glass jars, which may have separated

the immiscible layers. Also, the sample collection container was dipped twice into the liquid within

the pit to obtain sufficient volume. The VOC concentrations of samples collected from P012 may

have differed due to all or some of the above circumstances.

Other VOC analytes detected above the reporting limits included ethylbenzene in the oil sample

collected from P007 at a concentration of 1.6 mg/kg and in the oil sample collected from D036 at a

concentration of 34 mg/kg; chloromethane in the oil sample collected from P012 at a concentration

of 9.8 mg/kg and in the liquid sample collected from D041 at 2,400 mg/kg; and 1,2,4-

trimethylbenzene in the oil sample collected from P012 at a concentration of 4.2 mg/kg.

I:\WO\START3\813\41216RPT.DOC

813-2A-AFED

5. THREATS TO HUMAN HEALTH AND THE ENVIRONMENT

Factors to be considered in determining the appropriateness of a potential removal action at a site are delineated in the NCP at 40 CFR 300.415(b)(2). A summary of the factors applicable to the Site are presented below.

• Actual or potential exposure of nearby human populations, animals, or the food chain to hazardous substances or pollutants or contaminants

Signs of animals, vandals, and thieves were observed within the production building. Several doors to the production building had been removed, and any humans or animals that bypass the perimeter fencing can freely enter the unlit production building and unlocked storage buildings. During the site reconnaissance on October 22, 2009, a live raccoon was observed trapped within sub-floor pit P002 in Room 2. During the site assessment on October 29, 2009, animal remains of a suspected opossum were observed in sub-floor pit P006. In addition, an insurance agency has informed U.S. EPA that an investigation is still underway regarding a pipe fitter contractor who was severely injured after falling into sub-floor pit P002 while attempting to repair the sprinkler system in the production building. Many of the sub-floor pits are difficult to see in the unlit production building.

During the site assessment activities, the following wastes and conditions were observed at the Site:

- 12 sub-floor pits containing an estimated total of 18,203 gallons of combustible oil wastes:
- 66 drums containing an estimated total of 1,886 gallons of abandoned products and wastes:
- 45 tanks containing an estimated total of 807 gallons of abandoned product and wastes;
- 504 small containers including corrosives, flammables, poison, laboratory containers, one cardboard box labeled "PCB ballast," and one container labeled "Organic Peroxide Trigonex-C, UN 3101";
- Missing railings around at least 15 sub-floor pits;
- Exposed electrical wiring throughout the production building;
- Spilled oily liquids on the floor along the former press line area; and
- Water-filled secondary containment around the former resin and fuel oil ASTs.

Meridian Automotive Systems Site Draft Site Assessment Report Revision: 0 Date: November 19, 2009 Page 15

Analytical results from samples collected in conjunction with this site assessment identified ignitable hazardous wastes as characterized in 40 CFR 261.21(a)(1) within two closed-top drums and one open-top tank. Flashpoint results ranged from less than 70 to 92 °F. Elevated concentrations of styrene also were detected in liquids within open-top sub-floor pits and closed- and open-top drums and tanks. The maximum styrene concentration was 170,000 mg/kg. Air monitoring readings at the open bung of one of these drums ranged up to 2,200 ppm PID units for total VOCs. A locked peroxide storage building is also located at the northwest side of the Site, and the contents of this building were not evaluated during the site assessment.

According to the City of Jackson Mayor's Office, the following are located within 1 mile of the Site: 3,365 homes, 4 schools, 3 nursing homes, 2 retirement communities, and 1 hospital.

Additional unauthorized scrapping activities, vandalism, or thievery at the Site could result in an accidental or intentional release of hazardous materials. The close proximity of residences and other vulnerable populations to the Site would greatly increase the likelihood of human health and environmental impacts if a release occurs.

• Actual or potential contamination of drinking water supplies or sensitive ecosystems

The hydraulic oil tank farm in Room 40 contains eight tanks ranging in capacity from approximately 3,000 to 6,000 gallons each, with no secondary containment. Secondary containment structures around the resin tank farm at the south side of the Site and the fuel oil tank farm at the east side of the Site are partially filled with water and would not completely contain a release.

Waste oil has been observed outside the production building in the unlined containment ponds and ditch on the south side of the Site. OEPA believes that the oil was released onto the ground surface from scrapped hydraulic equipment and then gravity-drained into the containment ditch. The oil skimming system that formerly removed oil sheen from the containment ponds is outdated and not operational. The containment ponds and ditch discharge directly into a storm water ditch that flows east to the edge of the Site property. Salt Lick Creek is located approximately 0.4 mile east of the Site.

According to a layout map obtained during the site reconnaissance, numerous storm water drains and sanitary sewer lines are located under the production building. These drains and lines exit on the north, south, and east sides of the production building. At least one storm water drain discharges to the storm water ditch at the east side of the Site. The sanitary sewer lines discharge to the on-site former wastewater treatment pits at the north side of the Site.

Meridian Automotive Systems Site Draft Site Assessment Report Revision: 0 Date: November 19, 2009 Page 16

Hazardous substances or pollutants or contaminants in drums, barrels, tanks, or other bulk storage containers that may pose a threat of release


During site assessment, numerous sub-floor pits, tanks, drums, and small containers were observed throughout the production and storage buildings. Many of the containers were uncovered and in poor condition. Further deterioration of these containers may permit hazardous substances to migrate to the environment. Some of the containers were labeled as hazardous materials (corrosive, flammable, poison, "PCB ballast," "Organic Peroxide Trigonex-C, UN 3101," and hazardous waste). Sample collection in conjunction with this site assessment confirmed the presence of ignitable hazardous wastes as characterized in 40 CFR 261.21(a)(1) as well as elevated concentrations of styrene and other VOCs in liquids within pits, tanks, and drums. Additional unauthorized scrapping activities, vandalism, or thievery at the Site could result in an accidental or intentional release of hazardous materials.


• Threat of fire or explosion


Scrapping activities with an acetylene torch resulted in a fire within the production building on August 22, 2009. The fire occurred next to the former press line, where an estimated total of 18,203 gallons of uncontrolled combustible oil waste is staged in 12 open-top sub-floor pits. The electrical wiring within the production building has been compromised by unauthorized scrapping or vandalism and may pose electrical shock and fire hazards from the abundant exposed wiring. The electrical mains have been deactivated because of the poor state of the wiring within the production building.

The fire protection sprinkler system in the production building reportedly was disassembled during the extraction of large hydraulic presses from the former press line and currently is inoperable. The local acting Fire Chief has declared that fire fighters will not be permitted to enter the building in the event of another fire, due to the large quantities of combustible oil and drummed waste in the production building. The City of Jackson has stationed personnel at the Site for round-the-clock fire-watch duty because of the imminent threat of fire at the Site and because drummed wastes staged at the Site could be ignited in the event of a fire.

APPENDIX A FIGURES







APPENDIX B CONTAINER INVENTORY TABLES AND VALIDATED ANALYTICAL RESULTS SUMMARY TABLES

Table 1
Sub-Floor Pit Inventory
Meridian Automotive Systems Site Assessment
Jackson, Jackson County, Ohio

| | | Length | Width | Depth | | Total Dry Volume | Liquid Waste | | Container | | Photograph | |
|--------|----------|--------|-------|-------|-----------------|------------------|------------------|-----------------------------------|---------------|---------------|------------|-----------------------------------|
| ID No. | Location | (ft) | (ft) | (ft) | Sub-pits | (yd^3) | Volume (gallons) | Contents | Type | Sample No. | No. | Additional Information |
| P001 | Room 1 | 12.7 | 16.2 | 9 | | 139.2 | 1,031 | Oil on water | Sub-floor Pit | MAS-P001-L-01 | 1 | |
| P002 | Room 2 | 22 | 12.4 | 7 | 1 | 66.7 | 0 | | Sub-floor Pit | | 2 | Two ledges 22 x 2 .5 x 2 ft; |
| | | | | | | | | | | | | raccoon |
| P003 | Room 2 | 22.8 | 12.8 | 7.3 | 4 | 114.6 | 374 | Oil liquid | Sub-floor Pit | | 3 | Four 6 x 6 x 6.7 ft sub-pits; oil |
| | | | | | | | | | | | | liquid |
| P004 | Room 3 | 12 | 16 | 14.5 | 2 | 115.4 | 711 | Oil liquid | Sub-floor Pit | MAS-P004-L-01 | 4 | Press 10 |
| P005 | Room 3 | 12.6 | 8.2 | 2.9 | | 11 | 541 | Oil liquid | Sub-floor Pit | | 5 | Press 11 |
| P006 | Room 3 | 12.3 | 8.3 | 4.5 | | 17 | 0 | Empty | Sub-floor Pit | | 6 and 7 | Opossum remains |
| P007 | Room 3 | 12.5 | 8.2 | 2 | | 7.6 | 192 | Oil liquid | Sub-floor Pit | MAS-P007-L-01 | 8 | |
| P008 | Room 3 | 12.5 | 8.2 | 1.7 | | 6.5 | 0 | Empty | Sub-floor Pit | | 9 | |
| P009 | Room 3 | 10.7 | 6.7 | 1.7 | | 4.5 | 594 | Oil liquid | Sub-floor Pit | MAS-P009-L-01 | 10 | |
| P010 | Room 3 | 10.4 | 6.9 | 1.7 | | 4.5 | 376 | Oil liquid | Sub-floor Pit | | 11 | |
| P011 | Room 3 | 10.1 | 5.1 | 1 | | 1.9 | 95 | Oil liquid | Sub-floor Pit | | 12 | |
| P012 | Room 3 | 16 | 11 | 4 | | 26 | 3,291 | Oil liquid; 10 yd ³ of | Sub-floor Pit | MAS-P012-L-01 | 13 | Duplicate sample MAS-P012-L- |
| | | | | | | | | sand on bottom | | | | 01-DP also collected |
| P013 | Room 3 | 37.3 | 5 | 0.4 | | 2.7 | 558 | Oil liquid | Sub-floor Pit | | 14 | |
| P014 | Room 3 | 10.1 | 5.1 | 1 | | 1.9 | 97 | Oil liquid | Sub-floor Pit | | 15 | |
| P015 | Room 3 | 18.3 | 12 | 6.7 | | 54.5 | 10,345 | Oil liquid | Sub-floor Pit | | 16 | |
| P016 | Room 17 | 26.7 | 11.2 | 2.5 | | 27.7 | 0 | Empty | Sub-floor Pit | | | Partially filled with concrete |
| P017 | Room 17 | 11 | 11.2 | 3 | | 13.7 | 0 | Empty | Sub-floor Pit | | | Partially filled with concrete |
| P018 | Room 17 | 32 | 11 | 2.7 | | 35.2 | 0 | Empty | Sub-floor Pit | | | Partially filled with concrete |
| P019 | Room 17 | 31 | 11 | 2.6 | | 32.8 | 0 | Empty | Sub-floor Pit | | | Partially filled with concrete |
| P020 | Room 17 | 30 | 11 | 2.4 | | 29.3 | 0 | Empty | Sub-floor Pit | | | Partially filled with concrete |
| P021 | Room 17 | 40 | 15.5 | 1 | | 23 | 0 | Empty | Sub-floor Pit | | | Partially filled with concrete |
| P022 | Room 17 | 30 | 11.3 | 2.3 | | 28.9 | 0 | Empty | Sub-floor Pit | | | Partially filled with concrete |
| P023 | Room 17 | 36.4 | 16.5 | 1.2 | | 26.7 | 0 | Empty | Sub-floor Pit | | | Partially filled with concrete |
| P024 | Room 17 | 27 | 11 | 2.2 | | 24.2 | 0 | Empty | Sub-floor Pit | | | Partially filled with concrete |
| P025 | Room 17 | 14.5 | 17 | 1.5 | | 13.7 | 0 | Empty | Sub-floor Pit | | | Partially filled with concrete |
| P026 | Room 17 | 11 | 11 | 1.5 | | 6.7 | 0 | Empty | Sub-floor Pit | | | Partially filled with concrete |

Notes:

ft = Foot

ID = Identification

 $yd^3 = Cubic yard$

Table 2 **Drum Inventory** Merio ment

| idia | n Auton | notive Sys | stems | Site A | ssessn |
|------|----------|------------|-------|--------|--------|
| J | lackson, | Jackson | Coun | ty, Ol | hio |

| ID No. | Location | Size (gallons) | % Full | Container Type | Тор | Condition | Labeling | Manufacturer | Sample No. | Photograph No. | Additional Information |
|--------|----------|-------------------|--------|-------------------|--------|-----------|---|------------------------------|----------------------|-------------------|--|
| D001 | Room 5 | 55 | 0 | Steel drum | Closed | Good | None | Dayton Industrial Drum, Inc. | | 17 | |
| D002 | Room 5 | 55 | 0 | Steel drum | Closed | Fair | Diesel Fuel | | | 18 | |
| D003 | Room 2 | 55 | 100 | Steel drum | Closed | Good | None | | | 19 | OEPA 4; oily exterior |
| D004 | Room 2 | 55 | 100 | Steel drum | Closed | Good | None | | | 20 | OEPA 4; oily exterior |
| D005 | Room 2 | 55 | 100 | Steel drum | Closed | Good | None | | | 20 | OEPA 4; oily exterior |
| D006 | Room 2 | 55 | 100 | Steel drum | Closed | Good | None | | | 20 | OEPA 4; oily exterior |
| D007 | Room 2 | 55 | 100 | Steel drum | Closed | Good | None | | | 21 | OEPA 4; oily exterior |
| D008 | Room 2 | 55 | 100 | Steel drum | Closed | Good | None | | | 21 | OEPA 4; oily exterior |
| D009 | Room 2 | 55 | 100 | Steel drum | Closed | Good | None | | | 21 | OEPA 4; oily exterior |
| D010 | Room 2 | 55 | 100 | Steel drum | Closed | Good | None | | | 22 | |
| D011 | Room 2 | 55 | 0 | Steel drum | Open | Fair | None | | | 22 | |
| D012 | Room 2 | 55 | 20 | Steel drum | Open | Good | None | | | 23, 24 | |
| D013 | Room 6 | 55 | 100 | Steel drum | Closed | Fair | Pliogrip 9100 Adhesive | Ashland Chemical | | 25, 26 | |
| D014 | Room 6 | 55 | 100 | Steel drum | Open | Poor | Hazardous Waste and Flammable labels | | | 27 | OEPA 6; markings state "Place bad IMC Pumps in Barrel and Flush" |
| D015 | Room 6 | 55 | 0 | Steel drum | Open | Fair | Tellus Oil 32 | Shell Oil | | 28 | OEPA 6 |
| D016 | Room 6 | 55 | 0 | Steel drum | Closed | Fair | Tellus Oil 32 | Shell Oil | | 29 | OEPA 6 |
| D017 | Room 6 | 55 | 20 | Steel drum | Open | Fair | None | | | 30, 31 | OEPA 6; used aerosol cans |
| D018 | Room 6 | 55 | 0 | Poly drum | Closed | Fair | Frequency 64 Neutral Disinfectant | Ramsey | | 32 | OEPA 6; on cart |
| D019 | Room 6 | 55 | 100 | Steel drum | Closed | Fair | None | | | 33 | OEPA 6; hand pump installed in top |
| D020 | Room 9 | 55 | 100 | Poly drum | Closed | Fair | Nalsperse 7308 Dispersant | | | 37 | Health = 2, Flammability = 1 |
| D021 | Room 9 | 55 | 0 | Steel drum | Closed | Fair | XL700 Reciprocating Compressor Lubricant | Ingersoll-Rand | | 38 | |
| D022 | Room 9 | 55 | 100 | Poly drum | Closed | Fair | Caustic Soda 50% liquid, Corrosive | | | 39 | |
| D023 | Room 9 | 25 | 100 | Poly drum | Closed | Fair | Nacool Dispersant | Nalco | | 40 | |
| D024 | Room 9 | 55 | 100 | Poly drum | Closed | Poor | Industrial Solvent | | | 40 | Label damaged, partially unreadable |
| D025 | Room 9 | 35 | 20 | Steel drum | Closed | Fair | Breakthrough, Combustible label | Inland Technology, Inc. | | 41 | |
| D026 | Room 9 | 25 | 100 | Poly drum | Closed | Fair | Nexguard 22352 | Nalco | | 42 | Health hazard = 3 |
| D027 | Room 9 | 25 | 100 | Poly drum | Closed | Fair | 7330, Corrosive label | Nalco | | 42 | |
| D028 | Room 9 | 55 | 5 | Poly drum | Closed | Poor | Spectrus NX108 | Betz-Dearborn, Inc. | | 43 | Health hazard = 3 |
| D029 | Room 9 | 25 | 100 | Poly drum | Closed | Fair | 3D Trasar 3DT288 | Nalco | | 45 | |
| D030 | Room 9 | 55 | 80 | Poly drum | Closed | Fair | Limsol Water Scale Solvent | | | 46 | Odor |
| D031 | Room 12 | 55 | 100 | Steel drum | Open | Good | Endura Air Tool Oil | Interlube Corporation | | 47 | |
| D032 | Room 13 | 55 | 50 | Steel drum | Open | | Hazardous Waste and Flammable labels | ' | | 51 | OEPA 19; used aerosol cans |
| D033 | Room 3 | 55 | 50 | Steel drum | Open | | Styrene Monomer 50T | | | 54, 55 | OEPA 18; liquid oil waste, blue drum |
| D034 | Room 3 | 55 | 0 | Steel drum | Open | | Pliogrip 9100 Adhesive | Ashland Chemical | | 56, 57 | Drum inside waste container |
| D035 | Room 3 | 55 | 100 | Steel drum | Closed | Good | None | | | 58 | OEPA 17 |
| D036 | Room 3 | 55 | 50 | Steel drum | Open | Good | None | | MAS-D036-L-01- MS | 58, 59 | OEPA 17 |

Table 2 Drum Inventory Meridian Automotive Systems Site Assessment Jackson, Jackson County, Ohio

| ID No. | Location | Size (gallons) | % Full | Container Type | Тор | Condition | Labeling | Manufacturer | Sample No. | Photograph No. | Additional Information |
|--------|----------|-------------------|--------|-------------------|--------|-----------|--|-----------------------------------|----------------------|-------------------|--|
| D037 | Room 3 | 35 | 3 | Steel drum | Open | Fair | None | | | 61, 62 | Liquid oil waste, red drum |
| D038 | Room 17 | 55 | 100 | Steel drum | Closed | Poor | "DGE" marking | | | 60 | OEPA 2, green drum |
| D039 | Room 18 | 55 | 100 | Steel drum | Open | Good | Styrene Monomer 50T | | | 63 | OEPA 16; in SMC mix room; solidified product in bung |
| D040 | Room 18 | 35 | 80 | Fiber drum | Open | Poor | VR3 | Ashland Chemical | | 63, 64, 65, 66 | White powder, Health = 1, Flammability = 1 |
| D041 | Room 18 | 55 | 70 | Steel drum | Closed | Good | Styrene Monomer 50T | | MAS-D041-L-01 | 67 | OEPA 16; in SMC mix room |
| D042 | Room 20 | 55 | 100 | Steel drum | Closed | Fair | Petroleum distillate 70%, Paraffin oil 30% | | | 76 | Hand pump installed in top |
| D043 | Room 17 | 55 | 50 | Steel drum | Open | Fair | Hazardous Waste and Flammable labels | | | 83, 84 | OEPA 15; Used aerosol cans, trash, liquid oil waste |
| D044 | Room 17 | 55 | 25 | Steel drum | Open | Fair | Pliogrip 9100 Adhesive | Ashland Chemical | | 88 | waste |
| D045 | Room 38 | 55 | 0 | Steel drum | Open | Fair | Styrene Monomer, Flammable label | Hycar Reactive Liquid Monomers | | 90 | OEPA 10 |
| D046 | Room 38 | 55 | 100 | Steel drum | Closed | Poor | Pliogrip 9100 Adhesive | Ashland Chemical | | 91 | OEPA 10 |
| D047 | Room 38 | 55 | 100 | Steel drum | Closed | Poor | Pliogrip 9115 Adhesive | Ashland Chemical | MAS-D047-L-01 | 92 | OEPA 10 |
| D048 | Room 38 | 55 | 20 | Steel drum | Closed | Poor | Pliogrip 9115 Adhesive | Ashland Chemical | | 93 | OEPA 10 |
| D049 | Room 38 | 55 | 0 | Steel drum | Closed | Poor | Pliogrip 9100 Adhesive | Ashland Chemical | | 94 | OEPA 10 |
| D050 | Room 38 | 55 | 100 | Steel drum | Open | Fair | None | | MAS-D050-S-01- MS | 95 | OEPA 11; white powder |
| D051 | Area N | 55 | 50 | Steel drum | Closed | Poor | "Kerosene" marking | | | 96 | OEPA 12; adjacent to Room 39 |
| D052 | Room 39 | 55 | 0 | Steel drum | Open | Poor | None | | | 97 | OEPA 12; drum inside poly rinse tub |
| D053 | Room 39 | 55 | 0 | Steel drum | Open | Poor | Pliogrip 9100 Adhesive | Ashland Chemical | | 98 | OEPA 12 |
| D054 | Area N | 55 | 0 | Steel drum | Open | Poor | "Do not drink" marking | | | 99 | |
| D055 | Room 40 | 55 | 0 | Poly drum | Closed | Poor | Ecosorb odor management | | | 112 | |
| D056 | Room 40 | 55 | 0 | Poly drum | Open | Poor | None | | | 113 | |
| D057 | Room 41 | 55 | 10 | Poly drum | Open | Poor | None | | | 114 | OEPA 23 |
| D058 | Room 41 | 55 | 0 | Steel drum | Closed | Fair | Pliogrip 9115 Adhesive | Ashland Chemical | | 115 | OEPA 23; mounted on rack, connected to D059 |
| D059 | Room 41 | 55 | 100 | Steel drum | Closed | Fair | Pliogrip 9115 Adhesive | Ashland Chemical | | 115 | OEPA 23; mounted on rack, connected to D058 |
| D060 | Room 41 | 55 | 100 | Steel drum | Closed | Fair | Pliogrip 9100 Adhesive | Ashland Chemical | | 116 | OEPA 23; mounted on rack, connected to D061 |
| D061 | Room 41 | 55 | 100 | Steel drum | Closed | Fair | Pliogrip 9100 Adhesive | Ashland Chemical | | 116 | OEPA 23; mounted on rack, connected to D060 |
| D062 | Room 41 | 55 | 10 | Steel drum | Open | Poor | None | | | 117 | OEPA 23; white solid |
| D063 | Area S | 55 | 20 | Steel drum | Open | Poor | None | | | 118 | Liquid oil waste, from collection pond, in poly overpack |
| D064 | Area S | 55 | 25 | Steel drum | Open | Poor | None | | | 119 | Liquid oil waste, from collection pond, in poly overpack |
| D065 | Area S | 55 | 100 | Steel drum | Open | Poor | None | | | 120 | Liquid oil waste, from collection pond, in poly overpack |
| D066 | Area S | 55 | 25 | Steel drum | Open | Poor | Combustible label | | | 122 | OEPA 9 |

Notes: ID = Identification Poly = Polyethylene OEPA = Ohio Environmental Protection Agency

Table 3
Tank Inventory
Meridian Automotive Systems Site Assessment
Jackson, Jackson County, Ohio

| ID No. | Location | Size (gallons) | % Full | Container Type | Тор | Condition | Labelling | Manufacturer | Sample No. | Photograph No. | Additional Information |
|--------|----------|-------------------|---------|-------------------|----------------|-----------|---|--------------|---------------|-------------------|--|
| T001 | Room 9 | 200 | 0 | Steel tank | Closed | Fair | None | | | 52 | |
| T002 | Room 9 | 200 | 0 | Steel tank | Closed | Fair | None | | | 52 | |
| T003 | Room 18 | 300 | Unknown | Steel tank | Open, with lid | Fair | None | | | 68 | SMC mix room, with wheels |
| T004 | Room 18 | 250 | 90 | Steel tank | Open, with lid | Fair | J-861 Bar #4, AOC Resin N630, Bad do not use | | MAS-T004-L-01 | 70 | SMC mix room, with wheels |
| T005 | Room 18 | 250 | Unknown | Steel tank | Open, with lid | Fair | None | | | 69 | SMC mix room, with wheels |
| T006 | Room 18 | 300 | 0 | Steel tank | Open, with lid | Fair | None | | | 70 | SMC mix room, with wheels |
| T007 | Room 18 | 250 | 0 | Steel tank | Open, with lid | Fair | None | | | 71 | SMC mix room, with wheels |
| T008 | Room 18 | 250 | 0 | Steel tank | Open, with lid | Fair | None | | | 71 | SMC mix room, with wheels |
| T009 | Room 18 | 300 | Unknown | Steel tank | Open, with lid | Fair | None | | | 72, 73 | SMC mix room, with wheels |
| T010 | Room 18 | 300 | Unknown | Steel tank | Open, with lid | Fair | None | | | 73, 74 | SMC mix room, with wheels |
| T011 | Room 18 | 300 | Unknown | Steel tank | Open, with lid | Fair | None | | | 74 | SMC mix room, with wheels |
| T012 | Room 18 | 300 | Unknown | Steel tank | Open, with lid | Fair | None | | | 75 | SMC mix room, with wheels |
| T013 | Room 18 | 300 | Unknown | Steel tank | Open, with lid | Fair | None | | | 75 | SMC mix room, with wheels |
| T014 | Room 20 | 300 | 10 | Steel tank | Open | Fair | None | | | 77, 78 | With wheels, two mixers and solidified product in tank |
| T015 | Room 20 | 70 | 20 | Steel tank | Open, with lid | Fair | DBE | | | 79 | Red trough tank with pedal-opener connected to lid |
| T016 | Room 20 | 30 | 20 | Steel tank | Open, with lid | Poor | None | | | 80, 81 | Green tank, solidified product |
| T017 | Room 20 | 30 | 5 | Steel tank | Open, with lid | Poor | None | | | 80, 81 | Green tank, solidified product |
| T018 | Room 20 | 200 | 0 | Steel tank | Open, with lid | Poor | None | | | 82 | Green tank, under hood |
| T019 | Room 31 | 5 | 10 | Steel tank | Open, with lid | Poor | None | | | 85 | OEPA 14; paint mixer |
| T020 | Room 31 | 10 | 10 | Steel tank | Open, with lid | Poor | None | | MAS-T020-S-01 | 85 | OEPA 14; paint mixer, VOC = 8.8 units. |
| T021 | Room 31 | 5 | 10 | Steel tank | Open, with lid | Poor | None | | | 85 | OEPA 14; paint mixer |
| T022 | Room 31 | 5 | 10 | Steel tank | Open, with lid | Poor | None | | | 85 | OEPA 14; paint mixer |
| T023 | Room 31 | 1 | 10 | Steel tank | Open, with lid | Poor | None | | | 85 | OEPA 14; paint mixer |
| T024 | Room 34 | 7 | 0 | Steel tank | Open, with lid | Poor | Component A Promer E67BC17 | | | 86 | OEPA 14 |
| T025 | Room 34 | 5 | 0 | Steel tank | Open, with lid | Poor | None | | | 86 | OEPA 14; Health = 3, Fammability = 3, PPE = B |
| T026 | Room 34 | 7 | 0 | Steel tank | Open, with lid | Poor | None | | | | OEPA 14 |
| T027 | Room 34 | 10 | 0 | Steel tank | Open, with lid | Poor | None | | | | OEPA 14 |
| T028 | Room 35 | 60 | 30 | Poly tote | Open, with lid | Poor | None | | | 87 | On steel cart with wheels |
| T029 | Room 17 | 2,000 | 0 | Poly tank | Closed | Fair | Used oil | | | 89 | Near former press line |
| T030 | Area S | 6,000 | 1 | Insulated tank | Closed | Fair | Resin tank 300 | | | 100 | OEPA 21; secondary containment filled with water |
| T031 | Area S | 10,000 | 0 | Insulated tank | Closed | Fair | Resin tank 200 | | | 101 | OEPA 21; secondary containment filled with water |

Table 3
Tank Inventory
Meridian Automotive Systems Site Assessment
Jackson, Jackson County, Ohio

| ID No. | Location | Size (gallons) | % Full | Container Type | Тор | Condition | Labelling | Manufacturer | Sample No. | Photograph No. | Additional Information |
|--------|----------|-------------------|---------|-------------------|--------|-----------|----------------|--------------|------------|-------------------|---------------------------------------|
| T032 | Area S | 10,000 | 1 | Insulated tank | Closed | Fair | Resin tank 100 | | | 102 | OEPA 21; secondary containment filled |
| | | | | | | | | | | | with water |
| T033 | Area S | 500 | 10 | Steel tank | Closed | Poor | None | | | 103 | |
| T034 | Room 40 | 3,000 | Unknown | Steel tank | Closed | Good | Waste oil | | | 104 | No secondary containment |
| T035 | Room 40 | 5,000 | Unknown | Steel tank | Closed | Good | Used oil | | | 105 | No secondary containment |
| T036 | Room 40 | 5,000 | Unknown | Steel tank | Closed | Good | Used oil | | | 107 | No secondary containment |
| T037 | Room 40 | 6,000 | Unknown | Steel tank | Closed | Good | Used oil | | | 109 | No secondary containment |
| T038 | Room 40 | 6,000 | Unknown | Steel tank | Closed | Good | Used oil | | | 110 | No secondary containment |
| T039 | Room 40 | 5,000 | Unknown | Steel tank | Closed | Good | None | | | 111 | No secondary containment |
| T040 | Room 40 | 5,000 | Unknown | Steel tank | Closed | Good | Hydraulic oil | | | 108 | No secondary containment |
| T041 | Room 40 | 5,000 | Unknown | Steel tank | Closed | Good | Hydraulic oil | | | 106 | No secondary containment |
| T042 | Area S | 1,500 | 20 | Poly tank | Closed | Good | | | | 121 | Oil and water mixture from collection |
| | | | | | | | | | | | pond |
| T043 | Area E | 2,000 | Unknown | Steel tank | Closed | Poor | | | | 123, 124 | OEPA 13; secondary containment filled |
| | | | | | | | | | | | with water |
| T044 | Area E | 2,000 | Unknown | Steel tank | Closed | Poor | | | | 123, 124 | OEPA 13; secondary containment filled |
| | | | | | | | | | | | with water |
| T045 | Area E | 500 | Unknown | Steel tank | Closed | Poor | | | | 123, 124 | OEPA 13; secondary containment filled |
| | | | | | | | | | | | with water |

Notes:

ID = Identification

OEPA = Ohio Envinronmental Protection Agency

SMC = Sheet molding compound

| Location | Quantity | Size | Container Type | Contents or Labeling | Manufacturer | Sample No. | Photograph No. | Additional Information |
|----------|----------|------------|-----------------------|-------------------------------|--------------|------------|----------------|------------------------|
| Room 1 | | | | None | | | | |
| Room 2 | 1 | <5 gallons | Poly | Hydraulic Oil | Unknown | | | |
| Room 2 | 2 | <1 gallon | Cardboard tube | Grease | Unknown | | | |
| Room 2 | 1 | 5 gallons | Poly | PG-6800 Synthetic Lubricant | Unknown | | | |
| Room 2 | 13 | <1 gallon | Aerosol can | Various Aerosols | Various | | | |
| Room 2 | 1 | <1 gallon | Poly | Cutting Fluid | Unknown | | | |
| Room 2 | 1 | <1 gallon | Poly | Polyester Filler | Unknown | | | |
| Room 2 | 1 | <1 gallon | Poly | Transmission Fluid | Unknown | | | |
| Room 2 | 2 | 5 gallons | Mop bucket | Oil | Unknown | | | |
| Room 2 | 1 | 5 gallons | Poly | Purple Power Degreaser | Unknown | | | Trash |
| Room 2 | 1 | 5 gallons | Poly | AW 30 Hydraulic Oil | Unknown | | | |
| Room 2 | 1 | 5 gallons | Poly | Unlabeled | Unknown | | | Trash |
| Room 2 | 1 | <1 gallon | Poly | Anti Seize | Loctite | | | |
| Room 2 | 1 | <1 gallon | Poly | Degreaser | Unknown | | | |
| Room 2 | 1 | <1 gallon | Poly | Oxiderno Urethane Catalyst | Unknown | | | |
| Room 2 | 1 | <1 gallon | Poly | Gas Leak Oil | Unknown | | | |
| Room 2 | 2 | <1 gallon | Poly | Cool Tool | Various | | | |
| Room 2 | 2 | 50 pounds | Cardboard box | Sweeping Compound | Unknown | | | |
| Room 2 | 1 | 1 gallon | Poly | Antifreeze | Unknown | | | |
| Room 2 | 1 | 5 gallons | Poly | Mega Seal Self-Leveling Epoxy | PPG | | | |
| Room 2 | 1 | 50 pounds | Bag | 77-80% Calcium Chloride | DOW | | | |
| Room 2 | 1 | 1 gallon | Steel | Rust Coat Enamel | Rustoleum | | | |
| Room 3 | 2 | 5 gallons | Poly | Purple Power Degreaser | Unknown | | | Empty |
| Room 3 | 1 | 5 gallons | Poly | Purple Power Degreaser | Unknown | | | |
| Room 3 | 1 | 5 gallons | Poly | Chem-Kote Resin | Garland | | | |
| Room 3 | 1 | 5 gallons | Poly | Unlabeled | Unknown | | | Empty |
| Room 3 | 1 | 5 gallons | Poly | Unlabeled | Unknown | | | White / orange solid |
| Room 3 | 1 | 1 gallon | Poly | Drinking Water | Unknown | | | |
| Room 3 | 6 | 5 gallons | Poly | Unlabeled | Unknown | | | Trash |
| Room 3 | 2 | 1 gallon | Steel | Paint | Unknown | | | Trash |
| Room 4 | 2 | <1 gallon | Steel | Magnobond 58 | Magnolia | | | |
| Room 4 | 2 | <1 gallon | Steel | Scotchgrip Contact Adhesive | 3M | | | |
| Room 4 | 3 | <1 gallon | Steel | Epoxy (Part A and Part B) | Garland | | | |
| Room 4 | 1 | <1 gallon | Poly | Lubricant | Unknown | | | |

| Location | Quantity | Size | Container Type | Contents or Labeling | Manufacturer | Sample No. | Photograph No. | Additional Information |
|----------|----------|------------|-----------------------|---|----------------------|------------|----------------|-------------------------------------|
| Room 4 | 2 | <1 gallon | Poly | Unlabeled | Unknown | | | Oil |
| Room 4 | 1 | 50 pounds | Bag | 77-80% Calcium Chloride | DOW | | | |
| Room 4 | 1 | 5 gallons | Poly | Citrusolv 40 Degreaser | Betco | | | |
| Room 4 | 50 | <1 gallon | Aerosol can | Various Aerosols | Various | | | |
| Room 4 | 1 | 5 gallons | Poly | Concrete Finish | Unknown | | | |
| Room 4 | 1 | 5 gallons | Poly | Proplex Red Grease | Unknown | | | |
| Room 4 | 1 | 1 gallon | Poly | Diesel Engine Oil | Unknown | | | |
| Room 4 | 1 | 1 gallon | Poly | Gojo Hand Cleaner | Unknown | | | |
| Room 4 | 1 | <1 gallon | Steel | Fastbond 10 Neutral Contact Adhesive | Unknown | | | |
| Room 4 | 1 | <1 gallon | Poly | Desco Super Soluble Base | Desco | | | |
| Room 5 | 1 | 5 gallons | Steel | Mineral Spirits | Sherwin Williams | | 17 | |
| Room 5 | 1 | <1 gallon | Steel | Grease | Unknown | | | |
| Room 5 | 2 | <1 gallon | Aerosol can | Various Aerosols | Various | | | |
| Room 5 | 1 | <1 gallon | Poly | Anti Seize | Loctite | | | |
| Room 5 | 1 | 5 gallons | Poly | Genglaze Coating / Flammable | Unknown | | | |
| Room 6 | 1 | 5 gallons | Poly | Disinfectant | Betco | | | |
| Room 6 | 1 | 5 gallons | Poly | Joint Compound | Sheetrock | | | |
| Room 6 | 1 | 5 gallons | Poly | Lubriplate | Unknown | | | |
| Room 6 | 1 | <5 gallons | Poly | AGMA EPS | Valvoline | | | |
| Room 6 | 1 | <5 gallons | Poly | Concrete Mender Part A and Part B | Roadway | | | |
| Room 6 | 2 | < 1 gallon | Steel | Paint / Epoxy | Garland | | | |
| Room 6 | 2 | <1 gallon | Aerosol can | Various Aerosols | Various | | | |
| Room 6 | 26 | <1 gallon | Steel | Epoxy Part A and Part B | Garland | | | |
| Room 6 | 1 | <1 gallon | Steel | ICS Part A EPHB Activator Floor Coating | Unknown | | | |
| Room 6 | 1 | 50 pounds | Bag | Ice Melt | Unknown | | | |
| Room 6 | 1 | 50 pounds | Bag | 77-80% Calcium Chloride | DOW | | | |
| Room 7 | 4 | <1 gallon | Poly | Unlabeled | Unknown | | 34 | Oil |
| Room 8 | 1 | <5 gallons | Poly | Trim Clear Cutting and Grinding Fluid | Master Chemocal Corp | | | |
| Room 8 | 1 | <5 gallons | Poly | Pryoplex Red | Castrol | | | |
| Room 9 | 2 | <1 gallon | Aerosol can | Various Aerosols | Various | | | |
| Room 9 | 1 | 5 gallons | Steel | Unlabeled | Unknown | | 53 | Red solid |
| Room 9 | 3 | 5 gallons | Poly | PG-6800 Synthetic Lubricant | Unknown | | | |
| Room 9 | 8 | <1 gallon | Poly | Unlabeled | Unknown | | | Clear liquid; in laboratory cabinet |
| Room 9 | 1 | <5 gallons | Poly | Betz AFS | Betz Dearborn | | | |

Table 4
Small Container Inventory
Meridian Automotive Systems Site Asssessment
Jackson, Jackson County, Ohio

| Location | Quantity | Size | Container Type | Contents or Labeling | Manufacturer | Sample No. | Photograph No. | Additional Information |
|----------|----------|------------|-----------------------|---|----------------|---------------------------------------|----------------|------------------------|
| Room 9 | 1 | 50 pounds | Bag | Oil Dry | Unknown | | | |
| Room 9 | 1 | <1 gallon | Poly | Unlabeled | Unknown | | | Spray bottle |
| Room 9 | 1 | <5 gallons | Poly | Unlabeled | Unknown | | | Oil |
| Room 9 | 1 | 5 gallons | Poly | Unlabeled | Unknown | MAS-S001-S-01, MAS-S001-S-01- D | 40, 41 | White solid |
| Room 9 | 2 | <5 gallons | Poly | Ins-Tuff Ceramic Fiber Rigidizer | Unknown | | | |
| Room 9 | 1 | <5 gallons | Poly | Compressor Lubricant | Unknown | | | |
| Room 9 | 1 | <5 gallons | Poly | Deep Blue | Betco | | | |
| Room 9 | 1 | <1 gallon | Poly | 7.00 pH Buffer Solution | Unknown | | | |
| Room 9 | 1 | <1 gallon | Poly | Unlabeled | Unknown | | | Oil |
| Room 9 | 1 | <5 gallon | Poly | Hybrid | Betco | | | |
| Room 9 | 1 | <1 gallon | Poly | Potassium Iodine-Iodate | Unknown | | 44 | In laboratory cabinet |
| Room 9 | 1 | <1 gallon | Poly | Sulfuric Acid Solution | Unknown | | 44 | In laboratory cabinet |
| Room 9 | 1 | <1 gallon | Poly | Molybdate Reagent | Unknown | | 44 | In laboratory cabinet |
| Room 9 | 14 | <1 gallon | Poly | Various Laboratory Buffers and Reagents | Various | | 44 | In laboratory cabinet |
| Room 9 | 1 | 5 gallons | Poly | Compressor Lubricant | Ingersoll Rand | | | |
| Room 10 | 1 | <1 gallon | Poly | Oxide Inhibitor | Unknown | | 35, 36 | |
| Room 10 | 1 | <1 gallon | Poly | Trade Seal | Unknown | | 36 | |
| Room 10 | 1 | <1 gallon | Steel | Scotchgrip Contact Adhesive | 3M | | 35, 36 | |
| Room 10 | 1 | <1 gallon | Poly | Pipe Dope | Unknown | | 35, 36 | |
| Room 10 | 1 | <1 gallon | Poly | Unlabeled | Unknown | | 35, 36 | Spray bottle |
| Room 10 | 15 | <1 gallon | Poly | Various Lubricants and Oils | Various | | 35, 36 | |
| Room 10 | 2 | <1 gallon | Cardboard tube | Special grease | Unknown | | | |
| Room 10 | 1 | <1 gallon | Poly | Belzona Super Metal | Belzona | | 36 | |
| Room 10 | 3 | <1 gallon | Poly | Petroleum Jelly | Unknown | | | |
| Room 10 | 1 | <1 gallon | Steel | Penetrating Fluid | Unknown | | 35, 36 | |
| Room 10 | 2 | <1 gallon | Cardboard tube | Grease | Unknown | | | |
| Room 10 | 1 | <1 gallon | Poly | Cleaner | Unknown | | 35, 36 | Spray bottle |
| Room 11 | None | | | | | | | Switch gear room |
| Room 12 | 4 | 5 gallons | Poly | PG-6800 Synthetic Lubricant | Unknown | | | |
| Room 12 | 1 | 50 pounds | Bag | Thrifty Sorb Absorbent | Unknown | | | |
| Room 13 | 1 | 5 gallons | Poly | AW 32 Hydraulic Oil | Unknown | | | |
| Room 13 | 1 | 5 gallons | Poly | Unlabeled | Unknown | | | Oil |

| Location | Quantity | Size | Container Type | Contents or Labeling | Manufacturer | Sample No. | Photograph No. | Additional Information |
|----------|----------|------------------------------|-----------------------|---|------------------|------------|----------------|------------------------|
| Room 14 | 30 | <1 gallon | Poly | Various Laboratory Buffers and Reagents | Various | | 48, 49, 50 | |
| Room 14 | 4 | <1 gallon | Poly | Cleaner | Unknown | | | Spray bottle |
| Room 14 | 3 | <1 gallon | Aerosol can | Various Aerosols | Unknown | | | |
| Room 15 | 1 | 1 gallon | Steel | Paint | Unknown | | | |
| Room 15 | 1 | 50 pounds | Bag | Sweeping Compound | Unknown | | | |
| Room 16 | | Hazardous materials building | | | | | | |
| Room 17 | 1 | 5 gallons | Poly | Unlabeled | Unknown | | | Oil / oily parts |
| Room 17 | 12 | <1 gallon | Aerosol can | Various Aerosols | Various | | | |
| Room 17 | 1 | 1 gallon | Poly | Unlabeled | Unknown | | | Liquid |
| Room 17 | 1 | Unknown | Cardboard box | PCB Ballasts | Unknown | | | |
| Room 17 | 1 | Unknown | Cardboard box | Weed Killer / Poison | Unknown | | | |
| Room 17 | 1 | <5 gallons | Poly | Tile Clad High Solids | Unknown | | | |
| Room 17 | 1 | 50 pounds | Bag | Sweeping Compound | Unknown | | | |
| Room 18 | 1 | 1 gallon | Steel | Industrial Enamel | Sherwin Williams | | | |
| Room 18 | 1 | <1 gallon | Steel | Penetrating Fluid | Unknown | | | |
| Room 18 | 1 | <1 gallon | Poly | Inhibitor | Unknown | | | Empty |
| Room 18 | 2 | <5 gallon | Steel | Styrene | Unknown | | 63, 68 | Red dispensing cans |
| Room 18 | 2 | <1 gallon | Aerosol can | Various Aerosols | Various | | | |
| Room 18 | 1 | <1 gallon | Poly | Unlabeled | Unknown | | | Oil |
| Room 19 | 1 | <1 gallon | Poly | Ink | Unknown | | | |
| Room 19 | 1 | <1 gallon | Poly | Oil | Unknown | | | |
| Room 20 | 2 | <5 gallons | Poly | Plasticolors Aropol | Unknown | | | |
| Room 20 | 1 | 1 gallon | Steel | Unlabeled | Unknown | | | Oil |
| Room 20 | 1 | 1 gallon | Steel | DBE (Dibasic Ester) | Unknown | | | |
| Room 20 | 1 | <1 gallon | Steel | DBE (Dibasic Ester) | Unknown | | | |
| Room 21 | 2 | <1 gallon | Aerosol can | Various Aerosols | Various | | | |
| Room 22 | 1 | <1 gallon | Poly | Unlabeled | Unknown | | | Oil |
| Room 23 | 1 | <1 gallon | Steel | Epoxy Part C | Garland | | | |
| Room 23 | 2 | <1 gallon | Aerosol can | Various Aerosols | Various | | | |
| Room 24 | | Office | | | | | | |
| Room 25 | 2 | <1 gallon | Aerosol can | Various Aerosols | Various | | | |
| Room 26 | Unknown | | | | | | | Office; locked |
| Room 27 | Unknown | | | | | | | Office; locked |
| Room 28 | 2 | <1 gallon | Poly | Cleaner | Unknown | | | Spray bottle |

| Location | Quantity | Size | Container Type | Contents or Labeling | Manufacturer | Sample No. | Photograph No. | Additional Information |
|----------|----------|-----------|-----------------------|---|------------------|------------|----------------|------------------------|
| Room 28 | 2 | <1 gallon | Aerosol can | Various Aerosols | Various | | | |
| Room 29 | 1 | 5 gallons | Poly | Ax-It Plus Stripper | Betco | | | |
| Room 29 | 13 | <1 gallon | Aerosol can | Various Aerosols | Various | | | |
| Room 29 | 1 | <1 gallon | Steel | Scotchgrip Contact Adhesive | 3M | | | |
| Room 29 | 1 | <1 gallon | Poly | Partell Film #10 | Unknown | | | |
| Room 29 | 1 | <1 gallon | Poly | Cream Hardener | Unknown | | | |
| Room 29 | 1 | <1 gallon | Poly | High Heat Resistant Rigid Filler | Adtech | | | |
| Room 29 | 1 | 5 gallons | Poly | Hybrid | Betco | | | |
| Room 29 | 1 | 1 gallon | Steel | Unlabeled | Unknown | | | Paint can |
| Room 29 | 1 | <1 gallon | Poly | Eradicator | Michlin | | | |
| Room 29 | 2 | <1 gallon | Cylinder | Propane Calibration Gas | Unknown | | | |
| Room 29 | 2 | <1 gallon | Cylinder | Carbon Monoxide Calibration Gas | Unknown | | | |
| Room 29 | 1 | <1 gallon | Cylinder | Zero Air Calibration Gas | Unknown | | | |
| Room 29 | 1 | <1 gallon | Poly | Isopropyl Alcohol | Unknown | | | |
| Room 29 | 1 | <1 gallon | Poly | Unlabeled | Unknown | | | Spray bottle |
| Room 29 | 1 | 1 gallon | Steel | Unlabeled | Unknown | | | Paint can |
| Room 29 | 1 | <1 gallon | Cylinder | Propane | Coleman | | | |
| Room 30 | 7 | <1 gallon | Various | Various Spray Bottles and Aerosols | Various | | | |
| Room 31 | 1 | 5 gallons | Poly | PG-6800 Synthetic Lubricant | Unknown | | | |
| Room 31 | 1 | 5 gallons | Poly | Unlabeled | Unknown | | | Oil |
| Room 31 | 1 | 5 gallons | Poly | AE PG-6800-5 | Unknown | | | |
| Room 31 | 2 | 5 gallons | Poly | Glas Clad Molded Coating | Sherwin Williams | | | |
| Room 32 | | | • | None | • | • | • | Office |
| Room 33 | 1 | 1 gallon | Poly | Unlabeled | Unknown | | | |
| Room 33 | 1 | 1 gallon | Poly | Unlabeled | Unknown | | | Oil |
| Room 33 | 1 | <1 gallon | Poly | Indicator 3 | Unknown | | | |
| Room 33 | 1 | <1 gallon | Poly | XM-0228 | Unknown | | | Leaking |
| Room 33 | 1 | 5 gallons | Poly | Unlabeled | Unknown | | | Empty |
| Room 33 | 1 | <1 gallon | Poly | Unlabeled | Unknown | | | Clear liquid |
| Room 34 | 5 | 5 gallons | Poly | Various | Various | | | Empty |
| Room 34 | 1 | 1 gallon | Poly | Unlabeled | Unknown | | | Empty |
| Room 35 | 2 | 1 gallon | Poly | Unlabeled | Unknown | | | Empty |
| Room 35 | 1 | 5 gallons | Poly | Organic Peroxide / Trigonex C / UN 3103 | Akzo Nobel | | | |
| Room 36 | | | | | | | | Dust room |

Table 4 Small Container Inventory Meridian Automotive Systems Site Asssessment Jackson, Jackson County, Ohio

| Location | Quantity | Size | Container Type | Contents or Labeling | Manufacturer | Sample No. | Photograph No. | Additional Information |
|----------|----------|------------|-----------------------|--|---------------------------|------------|----------------|-----------------------------------|
| Room 37 | 1 | <1 gallon | Poly | Step Surfacing Putty Unknown | | | | |
| Room 38 | | None | | | | | | |
| Room 39 | 1 | 5 gallons | Steel | Unlabeled | Unknown | | | Petroleum product |
| Room 39 | 1 | >5 gallons | Poly | Unlabeled | Unknown | | | Solid |
| Room 39 | 1 | 5 gallon | Poly | Unlabeled | Unknown | | | Oil |
| Room 40 | 9 | 5 gallon | Poly | Various | Various | | | Empty |
| Room 40 | 1 | 1 gallon | Poly | Antifreeze | Unknown | | | |
| Room 40 | 6 | 5 gallon | Poly | Various | Various | | | Oil |
| Room 40 | 1 | 1 gallon | Steel | Unlabeled | Unknown | | | Solvent can |
| Room 40 | 2 | <5 gallons | Poly | Unlabeled | Unknown | | | Oil |
| Room 40 | 1 | 5 gallons | Poly | Ecosorb | Unknown | | | |
| Room 40 | 1 | 5 gallons | Mop bucket | Unlabeled | Unknown | | | Oil |
| Room 41 | 1 | 1 gallon | Poly | Antifreeze | Unknown | | | |
| Room 41 | 1 | 5 gallons | Poly | Ultra Coolant | Unknown | | | |
| Room 41 | 3 | 5 gallons | Poly | Various | Various | | | Trash |
| Room 41 | 1 | <1 gallon | Poly | Ideal Wire Pulling Lubricant | Unknown | | | |
| Room 41 | 1 | <1 gallon | Steel | Penetrating Fluid | Pen | | | |
| Room 41 | 1 | <1 gallon | Poly | Trimming Fluid | Unknown | | | |
| Room 41 | 1 | <1 gallon | Poly | Motor oil | Unknown | | | |
| Room 41 | 1 | 5 gallons | Poly | Unlabeled | Unknown | | | |
| Room 41 | 1 | 5 gallons | Poly | Setfast Premium Alkyd Zone Marking Paint | Sherwin Williams | | | |
| Room 42 | 60 | <1 gallon | Glass | Material Samples (Hardened) | Meridian Automotive Syste | ems | | |
| Room 43 | • | | | None | | | | |
| Room 44 | | | | None | | | | Office |
| Room 45 | | | | None | | | | Diesel fire pumphouse building |
| Room 46 | 10 | 5 gallons | Poly | Various | Various | | | Fuel oil pumphouse |
| Room 47 | , | | | Unknown | | | | Peroxide storage building; locked |
| Room 48 | | | | Unknown | | | | Yard gang building; locked |
| Room 49 | | | | None | | | | Gas main shutoff building |
| Room 50 | | | | None | | | | Water main shutoff building |
| Area S | 1 | 5 gallons | Poly | Hydraulic Fluid | Unknown | | | |
| Area S | 2 | 5 gallons | Poly | Unlabeled | Unknown | | | Oil |
| Area S | 1 | 90 pounds | Cylinder | Propane | Unknown | | | |
| Area S | 1 | Unknown | Cylinder | Oxygen | Unknown | | | |

Table 4

Small Container Inventory Meridian Automotive Systems Site Asssessment Jackson, Jackson County, Ohio

| Location | Quantity | Size | Container Type | Contents or Labeling | Manufacturer | Sample No. | Photograph No. | Additional Information |
|----------|----------|---------|----------------|----------------------|--------------|------------|----------------|------------------------|
| Area S | 1 | Unknown | Cylinder | Oxygen | Unknown | | | On trailer |

Note:

Poly = Polyethylene

Table 5
Sub-Floor Pit Sample Analytical Results
Meridian Automotive Systems Site Assessment
Jackson, Jackson County, Ohio

| | Container ID P001 P004 P007 P009 P012 P012 | | | | | | | | |
|----------------------------------|--|-----------------|-----------------------|-----------------------|---------------|---------------|---------------|-----------------|--|
| | | Field Sample ID | MAS-P001-L-01 | MAS-P004-L-01 | MAS-P007-L-01 | MAS-P009-L-01 | MAS-P012-L-01 | MAS-P012-L-01-D | |
| | Analytical | Sample Date | 10/29/2009 | 10/29/2009 | 10/29/2009 | 10/29/2009 | 10/29/2009 | 10/29/2009 | |
| Parameters | Method | Units | 10/29/2009 | 10/27/2009 | 10/27/2007 | 10/23/2003 | 10/27/2007 | 10/27/2007 | |
| TCLP Metals | Michiga | Cints | | | | | | | |
| Arsenic | SW846-6010A | mg/L | <0.10, U | <0.10, U | <0.10, U | <0.10, U | <0.10, U | <0.10, U | |
| Barium | SW846-6010A | mg/L | <0.10, U | <0.10, U | <0.10, U | <0.10, U | <0.10, U | <0.10, U | |
| Cadmium | SW846-6010A | mg/L | <0.10, U | <0.10, U | <0.10, U | <0.10, U | <0.10, U | <0.10, U | |
| Chromium | SW846-6010A | mg/L | <0.10, U | <0.10, U | <0.10, U | <0.10, U | <0.10, U | <0.10, U | |
| Lead | SW846-6010A | mg/L | <0.10, U | <0.10, U | <0.10, U | <0.10, U | <0.10, U | <0.10, U | |
| Mercury | SW846-7470A | mg/L | <0.0050, U | <0.0050, U | <0.0050, U | <0.0050, U | <0.0050, U | <0.0050, U | |
| Selenium | SW846-6010A | mg/L | <0.10, U | <0.10, U | <0.10, U | <0.10, U | <0.10, U | <0.10, U | |
| Silver | SW846-6010A | mg/L | <0.10, U | <0.10, U | <0.10, U | <0.10, U | <0.10, U | <0.10, U | |
| PCBs | | | | | | | | | |
| Aroclor 1016 | SW846-8081 | mg/kg | <0.50, U ^a | $<0.50, U^a$ | <1.0, U | <1.0, U | <1.0, U | <1.0, U | |
| Aroclor 1221 | SW846-8081 | mg/kg | <0.50, U ^a | <0.50, U ^a | <1.0, U | <1.0, U | <1.0, U | <1.0, U | |
| Aroclor 1232 | SW846-8081 | mg/kg | <0.50, U ^a | <0.50, U ^a | <1.0, U | <1.0, U | <1.0, U | <1.0, U | |
| Aroclor 1242 | SW846-8081 | mg/kg | <0.50, U ^a | <0.50, U ^a | <1.0, U | <1.0, U | <1.0, U | <1.0, U | |
| Aroclor 1248 | SW846-8081 | mg/kg | <0.50, U ^a | <0.50, U ^a | <1.0, U | <1.0, U | <1.0, U | <1.0, U | |
| Aroclor 1254 | SW846-8081 | mg/kg | <0.50, U ^a | <0.50, U ^a | <1.0, U | <1.0, U | <1.0, U | <1.0, U | |
| Aroclor 1260 | SW846-8081 | mg/kg | <0.50, U ^a | <0.50, U ^a | <1.0, U | <1.0, U | <1.0, U | <1.0, U | |
| Aroclor 1268 | SW846-8081 | mg/kg | <0.50, U ^a | <0.50, U ^a | <1.0, U | <1.0, U | <1.0, U | <1.0, U | |
| TCLP VOCs | | | | | | | | | |
| Benzene | SW846-8260A | mg/L | <0.10, U | <0.10, U | | | | | |
| Carbon tetrachloride | SW846-8260A | mg/L | <0.10, U | <0.10, U | | | | | |
| Chlorobenzene | SW846-8260A | mg/L | <0.10, U | <0.10, U | | | | | |
| Chloroform | SW846-8260A | mg/L | <0.10, U | <0.10, U | | | | | |
| 1,2-Dichloroethane | SW846-8260A | mg/L | <0.10, U | <0.10, U | | | | | |
| 1,1-Dichloroethene | SW846-8260A | mg/L | <0.10, U | <0.10, U | | | | | |
| Methyl ethyl ketone (2-butanone) | SW846-8260A | mg/L | <1.0, U | <1.0, U | | | | | |
| Tetrachloroethylene | SW846-8260A | mg/L | <0.10, U | <0.10, U | | | | | |
| Trichloroethylene | SW846-8260A | mg/L | <0.10, U | <0.10, U | | | | | |
| Vinyl chloride | SW846-8260A | mg/L | <0.10, U | <0.10, U | | | | | |

Table 5
Sub-Floor Pit Sample Analytical Results
Meridian Automotive Systems Site Assessment
Jackson, Jackson County, Ohio

| | | T | 1 | | | | | |
|----------------------------------|-------------|-----------------|---------------|---------------|---------------|---------------|---------------|-----------------|
| | | Container ID | P001 | P004 | P007 | P009 | P012 | P012 |
| | | Field Sample ID | MAS-P001-L-01 | MAS-P004-L-01 | MAS-P007-L-01 | MAS-P009-L-01 | MAS-P012-L-01 | MAS-P012-L-01-D |
| | Analytical | Sample Date | 10/29/2009 | 10/29/2009 | 10/29/2009 | 10/29/2009 | 10/29/2009 | 10/29/2009 |
| Parameters | Method | Units | | | | | | |
| Total VOCs | | | _ | | | | | |
| Acetone | SW846-8260A | mg/kg | | | <6.0, U | <5.4, U | <10, U | <9.2, U |
| Acrolein | SW846-8260A | mg/kg | | | <6.0, U | <5.4, U | <10, U | <9.2, U |
| Acrylonitrile | SW846-8260A | mg/kg | | | <6.0, U | <5.4, U | <10, U | <9.2, U |
| Benzene | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <37, U |
| Bromochloromethane | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| Bromodichloromethane | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| Bromoform | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <37, U |
| Bromomethane | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| Carbon disulfide | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| Carbon tetrachloride | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| Chlorobenzene | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <37, U |
| Chloroethane | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| Chloroform | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| Chloromethane | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | 9.8 |
| Dibromochloromethane | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <37, U |
| 1,1-Dichloroethane | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| 1,2-Dichloroethane | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| 1,1-Dichloroethene | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| 1,2-Dichloropropane | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| cis-1,2-Dichloroethene | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| trans-1,2-Dichloroethene | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| cis-1,3-Dichloropropene | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| Ethylbenzene | SW846-8260A | mg/kg | | | 1.6 | <1.1, U | <2.0, U | <37, U |
| 2-Hexanone (MBK) | SW846-8260A | mg/kg | | | <6.0, U | <5.4, U | <10, U | <190, U |
| N-hexane | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| Methylene chloride | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| Methyl ethyl ketone (2-butanone) | SW846-8260A | mg/kg | | | <6.0, U | <5.4, U | <10, U | <9.2, U |
| Methyl methacrylate | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |

Table 5
Sub-Floor Pit Sample Analytical Results
Meridian Automotive Systems Site Assessment
Jackson, Jackson County, Ohio

| | | Container ID | P001 | P004 | P007 | P009 | P012 | P012 |
|--------------------------------|-------------|-----------------|---------------|---------------|---------------|---------------|---------------|-----------------|
| | | Field Sample ID | MAS-P001-L-01 | MAS-P004-L-01 | MAS-P007-L-01 | MAS-P009-L-01 | MAS-P012-L-01 | MAS-P012-L-01-D |
| 1 | Analytical | Sample Date | 10/29/2009 | 10/29/2009 | 10/29/2009 | 10/29/2009 | 10/29/2009 | 10/29/2009 |
| Parameters | Method | Units | | | | | | |
| Total VOCs | | | | | | | | |
| 2-Nitropropane | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| Pentachloroethane | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <37, U |
| Propionitrile | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| Styrene | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | 2.7 | 510 J |
| 1,1,1,2-Tetrachloroethane | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| 1,1,2,2-Tetrachloroethane | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <37, U |
| Tetrachloroethylene | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <37, U |
| Toluene | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <37, U |
| 1,2,4-Trichlorobenzene | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| 1,1,1-Trichloroethane | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| 1,1,2-Trichloroethane | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| Trichloroethylene | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| Trichlorofluoromethane | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| 1,2,3-Trichloropropane | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <37, U |
| 1,1,2-Trichlorotrifluoroethane | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| 1,2,4-Trimethylbenzene | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | 4.2 | <37, U |
| Vinyl acetate | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| Vinyl chloride | SW846-8260A | mg/kg | | | <1.2, U | <1.1, U | <2.0, U | <1.9, U |
| Xylenes (total) | SW846-8260A | mg/kg | | · | <1.2, U | <2.2, U | <4.0, U | <74, U |

Notes:

Bold results indicate detected compounds.

ID = Identification

J = Estimated

mg/kg = Milligram per kilogram

mg/L = Milligram per liter

PCB = Polychlorinated biphenyl

TCLP = Toxicity characteristic leaching procedure

U = Undetected

VOC = Volatile organic compound

* Units of PCB sample results for MAS-P001-L-01 and MAS-P004-L-01 are in mg/L.

Table 6 **Drum Sample Analytical Results Meridian Automotive Systems Site Assessment** Jackson, Jackson County, Ohio

| Īr . | T | Container ID | D036 | D041 | D047 | D050 |
|----------------------------------|-------------------|-----------------|------------------|---------------|---------------|-----------------|
| | | Field Sample ID | MAS-D036-L-01-MS | MAS-D041-L-01 | MAS-D047-L-01 | MAS-D050-S-01-M |
| | | Sample Date | 10/29/2009 | 10/29/2009 | 10/29/2009 | 10/29/2009 |
| Parameters | Analytical Method | Units | | ! | | |
| Characteristic | | | | | | |
| Flashpoint | SW846-1010M/D93 | °F | | 92 | < 70 | |
| Corrosivity | SW846-9045C | pH SUs | | | | 8.8 |
| TCLP Metals | | | | | | |
| Arsenic | SW846-6010A | mg/L | <0.10, U | | | |
| Barium | SW846-6010A | mg/L | <0.10, U | | | |
| Cadmium | SW846-6010A | mg/L | <0.10, U | | | |
| Chromium | SW846-6010A | mg/L | <0.10, U | | | |
| Lead | SW846-6010A | mg/L | <0.10, U | | | |
| Mercury | SW846-7470A | mg/L | <0.0050, U | | | |
| Selenium | SW846-6010A | mg/L | <0.10, U | | | |
| Silver | SW846-6010A | mg/L | <0.10, U | | | |
| PCBs | | | | | | |
| Aroclor 1016 | SW846-8081 | mg/kg | <1.0, U | | | |
| Aroclor 1221 | SW846-8081 | mg/kg | <1.0, U | | | |
| Aroclor 1232 | SW846-8081 | mg/kg | <1.0, U | | | |
| Aroclor 1242 | SW846-8081 | mg/kg | <1.0, U | | | |
| Aroclor 1248 | SW846-8081 | mg/kg | <1.0, U | | | |
| Aroclor 1254 | SW846-8081 | mg/kg | <1.0, U | | | |
| Aroclor 1260 | SW846-8081 | mg/kg | <1.0, U | | | |
| Aroclor 1268 | SW846-8081 | mg/kg | <1.0, U | | | |
| TCLP VOCs | | | | | | |
| Benzene | SW846-8260A | mg/L | | | | <0.10, UJ |
| Carbon tetrachloride | SW846-8260A | mg/L | | | | <0.10, UJ |
| Chlorobenzene | SW846-8260A | mg/L | | | | <0.10, UJ |
| Chloroform | SW846-8260A | mg/L | | | | <0.10, UJ |
| 1,2-Dichloroethane | SW846-8260A | mg/L | | | | <0.10, UJ |
| 1,1-Dichloroethene | SW846-8260A | mg/L | | | | <0.10, UJ |
| Methyl ethyl ketone (2-butanone) | SW846-8260A | mg/L | | | | <1.0, UJ |
| Tetrachloroethylene | SW846-8260A | mg/L | | | | <0.10, UJ |
| Trichloroethylene | SW846-8260A | mg/L | | | | <0.10, UJ |
| Vinyl chloride | SW846-8260A | mg/L | | | | <0.10, UJ |

Table 6
Drum Sample Analytical Results
Meridian Automotive Systems Site Assessment
Jackson, Jackson County, Ohio

| | | Container ID | D036 | D041 | D047 | D050 |
|----------------------------------|-------------------|-----------------|------------------|---------------|---------------|-----------------|
| | | Field Sample ID | MAS-D036-L-01-MS | MAS-D041-L-01 | MAS-D047-L-01 | MAS-D050-S-01-M |
| | | Sample Date | 10/29/2009 | 10/29/2009 | 10/29/2009 | 10/29/2009 |
| Parameters | Analytical Method | Units | 10/2//2002 | 10/2/12/07 | 10/2/1200/ | 10/2//2009 |
| Total VOCs | | | | | | |
| Acetone | SW846-8260A | mg/kg | <7.2, U | <4,100, U | <120, U | |
| Acrolein | SW846-8260A | mg/kg | <7.2, U | <4,100, U | <120, U | |
| Acrylonitrile | SW846-8260A | mg/kg | <7.2, U | <4,100, U | <120, U | |
| Benzene | SW846-8260A | mg/kg | <1.5, U | <82,000, U | <23, U | |
| Bromochloromethane | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| Bromodichloromethane | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| Bromoform | SW846-8260A | mg/kg | <1.5, U | <82,000, U | <23, U | |
| Bromomethane | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| Carbon disulfide | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| Carbon tetrachloride | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| Chlorobenzene | SW846-8260A | mg/kg | <1.5, U | <82,000, U | <23, U | |
| Chloroethane | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| Chloroform | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| Chloromethane | SW846-8260A | mg/kg | <1.5, U | 2,400 | <23, U | |
| Dibromochloromethane | SW846-8260A | mg/kg | <1.5, U | <82,000, U | <23, U | |
| 1,1-Dichloroethane | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| 1,2-Dichloroethane | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| 1,1-Dichloroethene | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| 1,2-Dichloropropane | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| cis-1,2-Dichloroethene | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| trans-1,2-Dichloroethene | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| cis-1,3-Dichloropropene | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| Ethylbenzene | SW846-8260A | mg/kg | 34 | <82,000, U | <23, U | |
| 2-Hexanone (MBK) | SW846-8260A | mg/kg | <7.2, U | <410,000, U | <120, U | |
| N-hexane | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| Methylene chloride | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| Methyl ethyl ketone (2-butanone) | SW846-8260A | mg/kg | <7.2, U | <4,100, U | <120, U | |
| Methyl methacrylate | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| 4-Methyl-2-pentanone | SW846-8260A | mg/kg | <7.2, U | <4,100, U | <120, U | |
| 2-Nitropropane | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |

Table 6
Drum Sample Analytical Results
Meridian Automotive Systems Site Assessment

Jackson, Jackson County, Ohio

| | | Container ID | D036 | D041 | D047 | D050 |
|--------------------------------|-------------------|-----------------|------------------|---------------|---------------|-----------------|
| | | Field Sample ID | MAS-D036-L-01-MS | MAS-D041-L-01 | MAS-D047-L-01 | MAS-D050-S-01-M |
| | | Sample Date | 10/29/2009 | 10/29/2009 | 10/29/2009 | 10/29/2009 |
| Parameters | Analytical Method | Units | | | | |
| Total VOCs | | | | | | |
| Pentachloroethane | SW846-8260A | mg/kg | <1.5, U | <82,000, U | <23, U | |
| Propionitrile | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| Styrene | SW846-8260A | mg/kg | 2.2 | 170,000 | 170 | |
| 1,1,1,2-Tetrachloroethane | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| 1,1,2,2-Tetrachloroethane | SW846-8260A | mg/kg | <1.5, U | <82,000, U | <23, U | |
| Tetrachloroethylene | SW846-8260A | mg/kg | <1.5, U | <82,000, U | <23, U | |
| Toluene | SW846-8260A | mg/kg | <1.5, U | <82,000, U | <23, U | |
| 1,2,4-Trichlorobenzene | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| 1,1,1-Trichloroethane | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| 1,1,2-Trichloroethane | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| Trichloroethylene | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| Trichlorofluoromethane | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| 1,2,3-Trichloropropane | SW846-8260A | mg/kg | <1.5, U | <82,000, U | <23, U | |
| 1,1,2-Trichlorotrifluoroethane | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| 1,2,4-Trimethylbenzene | SW846-8260A | mg/kg | <1.5, U | <82,000, U | <23, U | |
| Vinyl acetate | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| Vinyl chloride | SW846-8260A | mg/kg | <1.5, U | <820, U | <23, U | |
| Xylenes (total) | SW846-8260A | mg/kg | <3.0, U | <170,000, U | <47, U | |

Notes:

Bold results indicate detected compounds.

°F = Degree Fahrenheit

ID = Identification

J = Estimated

mg/kg = Milligram per kilogram

mg/L = Milligram per liter

PCB = Polychlorinated biphenyl

SU = Standard unit

TCLP = Toxicity characteristic leaching procedure

U = Undetected

VOC = Volatile organic compound

Table 7
Tank Sample Analytical Results
Meridian Automotive Systems Site Assessment
Jackson, Jackson County, Ohio

| | | Container ID | T004 | T020 |
|----------------------------------|-------------------|-----------------|---------------|---------------|
| Parameters | Analytical Method | Field Sample ID | MAS-T004-L-01 | MAS-T020-S-01 |
| rarameters | Analytical Method | Sample Date | 10/29/2009 | 10/29/2009 |
| | | | | |
| Characteristic | | | | |
| Flashpoint | SW846-1010M/D93 | °F | 82 | |
| Corrosivity | SW846-9045C | pH SUs | | 4.0 |
| TCLP VOCs | | | | |
| Benzene | SW846-8260A | mg/L | <0.10, U | <0.10, U |
| Carbon tetrachloride | SW846-8260A | mg/L | <0.10, U | <0.10, U |
| Chlorobenzene | SW846-8260A | mg/L | <0.10, U | <0.10, U |
| Chloroform | SW846-8260A | mg/L | <0.10, U | <0.10, U |
| 1,2-Dichloroethane | SW846-8260A | mg/L | <0.10, U | <0.10, U |
| 1,1-Dichloroethene | SW846-8260A | mg/L | <0.10, U | <0.10, U |
| Methyl ethyl ketone (2-butanone) | SW846-8260A | mg/L | <1.0, U | <1.0, U |
| Tetrachloroethylene | SW846-8260A | mg/L | <0.10, U | <0.10, U |
| Trichloroethylene | SW846-8260A | mg/L | <0.10, U | <0.10, U |
| Vinyl chloride | SW846-8260A | mg/L | <0.10, U | <0.10, U |

Notes:

°F = Degree Fahrenheit

ID = Identification

mg/L = Milligram per liter

SU = Standard unit

TCLP = Toxicity characteristic leaching procedure

U = Undetected

VOC = Volatile organic compound

Table 8
Small Container Sample Analytical Results
Meridian Automotive Systems Site Assessment
Jackson, Jackson County, Ohio

| | | Container ID | S001 | S001 |
|----------------------------------|-------------|-----------------|---------------|-----------------|
| | | Field Sample ID | MAS-S001-S-01 | MAS-S001-S-01-D |
| | Analytical | Sample Date | 10/29/2009 | 10/29/2009 |
| Parameters | Method | Units | | |
| Characteristic | | | | |
| Corrosivity | SW846-9045C | pH SUs | 10.0 | 10.0 |
| TCLP VOCs | | | | |
| Benzene | SW846-8260A | mg/L | <0.10, U | <0.10, U |
| Carbon tetrachloride | SW846-8260A | mg/L | <0.10, U | <0.10, U |
| Chlorobenzene | SW846-8260A | mg/L | <0.10, U | <0.10, U |
| Chloroform | SW846-8260A | mg/L | <0.10, U | <0.10, U |
| 1,2-Dichloroethane | SW846-8260A | mg/L | <0.10, U | <0.10, U |
| 1,1-Dichloroethene | SW846-8260A | mg/L | <0.10, U | <0.10, U |
| Methyl ethyl ketone (2-butanone) | SW846-8260A | mg/L | <1.0, U | <1.0, U |
| Tetrachloroethylene | SW846-8260A | mg/L | <0.10, U | <0.10, U |
| Trichloroethylene | SW846-8260A | mg/L | <0.10, U | <0.10, U |
| Vinyl chloride | SW846-8260A | mg/L | <0.10, U | <0.10, U |

Notes:

ID = Identification

mg/L = Milligram per liter

SU = Standard unit

TCLP = Toxicity characteristic leaching procedure

U = Undetected

VOC = Volatile organic compound

APPENDIX C PHOTOGRAPHIC DOCUMENTATION



Photograph No.: 1 **Direction:** East

Subject: Sub-floor pit P001 in Room 1

Date: 10/28/2009

Photographer: Ryan Green



Site: Meridian Automotive Systems Site

Photograph No.: 2 **Direction:** Down

Subject: Sub-floor pit P002 in Room 2

Date: 10/28/2009



Photograph No.: 3 **Date:** 10/28/2009

Direction: South **Photographer:** Ryan Green

Subject: Sub-floor pit P003 in Room 2



Site: Meridian Automotive Systems Site

Photograph No.: 4 **Date:** 10/28/2009

Direction: South **Photographer:** Ryan Green


Subject: Sub-floor pit P004 in Room 3, with an abandoned hydraulic press



Photograph No.: 5 **Date:** 10/28/2009

Direction: West **Photographer:** Ryan Green


Subject: Sub-floor pit P005 in Room 3, with an abandoned hydraulic press



Site: Meridian Automotive Systems Site

Photograph No.: 6 **Date:** 10/28/2009

Direction: Down **Photographer:** Ryan Green



Photograph No.: 7 **Date:** 10/28/2009

Direction: Down **Photographer:** Ryan Green

Subject: Animal remains (opossum) in the center of sub-floor pit P006




Site: Meridian Automotive Systems Site

Photograph No.: 8 **Direction:** Down

Subject: Sub-floor pit P007 in Room 3

Date: 10/28/2009



Photograph No.: 9 **Direction:** Down

Subject: Sub-floor pit P008 in Room 3

Date: 10/28/2009

Photographer: Ryan Green



Site: Meridian Automotive Systems Site

Photograph No.: 10 **Direction:** Down

Subject: Sub-floor pit P009 in Room 3

Date: 10/28/2009



Photograph No.: 11 **Direction:** Down

Subject: Sub-floor pit P010 in Room 3

Date: 10/28/2009

Photographer: Ryan Green



Site: Meridian Automotive Systems Site

Photograph No.: 12 **Direction:** Down

Subject: Sub-floor pit P011 in Room 3

Date: 10/28/2009



Photograph No.: 13

Direction: Down

Subject: Sub-floor pit P012 in Room 3

Date: 10/28/2009

Photographer: Ryan Green



Site: Meridian Automotive Systems Site

Photograph No.: 14 **Date:** 10/28/2009

Direction: North **Photographer:** Ryan Green

Subject: Sub-floor pit P013 in Room 3; partially filled




Photograph No.: 15

Direction: Down **Subject:** Sub-floor pit P014 in Room 3

Date: 10/28/2009

Photographer: Ryan Green



Site: Meridian Automotive Systems Site

Photograph No.: 16 **Direction:** West

Subject: Sub-floor pit P015 in Room 3

Date: 10/28/2009




Photograph No.: 17

Direction: East **Subject:** Drum D001 in Room 5

Date: 10/28/2009

Photographer: Ryan Green



Site: Meridian Automotive Systems Site

Photograph No.: 18 **Direction:** North

Subject: Drum D002 in Room 5

Date: 10/28/2009



Photograph No.: 19 **Date:** 10/28/2009

Direction: North **Photographer:** Ryan Green **Subject:** Drum D003 in Room 2; labeled with spray paint because of excessively oily exterior



Site: Meridian Automotive Systems Site

Photograph No.: 20 **Date:** 10/28/2009

Direction: Northwest **Photographer:** Ryan Green

Subject: Drums D004, D005 and D006 in Room 2; suspected waste hydraulic oil



Photograph No.: 21 **Date:** 10/28/2009

Direction: North **Photographer:** Ryan Green

Subject: Drums D007, D008 and D009 in Room 2; suspected waste hydraulic oil



Site: Meridian Automotive Systems Site

Photograph No.: 22 Direction: North

Subject: Drums D010 and D011 in Room 2

Date: 10/28/2009



Photograph No.: 23 **Date:** 10/28/2009

Direction: North **Photographer:** Ryan Green

Subject: Drum D012 in Room 2; contains oil waste shown in Photograph No. 24



Site: Meridian Automotive Systems Site

Photograph No.: 24 **Date:** 10/28/2009

Direction: Down **Photographer:** Ryan Green

Subject: Oil waste inside drum D012 in Room 2



Photograph No.: 25 **Date:** 10/28/2009

Direction: South **Photographer:** Ryan Green

Subject: Drum D013 in Room 6 with hand pump installed in top; OEPA 6



Site: Meridian Automotive Systems Site

Photograph No.: 26 **Date:** 10/28/2009

Direction: South **Photographer:** Ryan Green

Subject: Drum D013 in Room 6; Pliogrip 9100 Adhesive label



Photograph No.: 27 **Date:** 10/28/2009

Direction: South **Photographer:** Ryan Green **Subject:** Drum D014 in Room 6 with hazardous waste and flammable labels; OEPA 6



Site: Meridian Automotive Systems Site

Photograph No.: 28 **Date:** 10/28/2009

Direction: South **Photographer:** Ryan Green

Subject: Drum D015 in Room 6; Shell Tellus Oil 32 label; OEPA 6



Photograph No.: 29 **Date:** 10/28/2009

Direction: South **Photographer:** Ryan Green

Subject: Drum D016 in Room 6; Shell Tellus Oil 32 label; OEPA 6



Site: Meridian Automotive Systems Site

Photograph No.: 30 **Date:** 10/28/2009

Direction: South **Photographer:** Ryan Green **Subject:** Drum D017 in Room 6 containing aerosol cans in Photograph No. 31; OEPA 6



Photograph No.: 31 **Date:** 10/28/2009

Direction: Down **Photographer:** Ryan Green

Subject: Aerosol cans inside Drum D017



Site: Meridian Automotive Systems Site

Photograph No.: 32 **Date:** 10/28/2009

Direction: South **Photographer:** Ryan Green **Subject:** Drum D018 on cart in Room 6; Frequency 64 disinfectant cleaner label; OEPA 6



Photograph No.: 33 **Date:** 10/28/2009

Direction: South **Photographer:** Ryan Green

Subject: Drum D019 in Room 6 with hand pump installed in top; OEPA 6



Site: Meridian Automotive Systems Site

Photograph No.: 34 **Date:** 10/28/2009

Direction: North **Photographer:** Ryan Green **Subject:** Small poly containers with unknown dark liquids on window sill in Room 7



Photograph No.: 35 **Date:** 10/28/2009

Direction: West **Photographer:** Ryan Green

Subject: Miscellaneous small containers on shelf in Room 10



Site: Meridian Automotive Systems Site

Photograph No.: 36 **Date:** 10/28/2009

Direction: West **Photographer:** Ryan Green

Subject: Miscellaneous small containers on shelf in Room 10



Photograph No.: 37 **Date:** 10/28/2009

Direction: North **Photographer:** Ryan Green

Subject: Drum D020 in Room 9 with Nalsperse 7308 Dispersant label



Site: Meridian Automotive Systems Site

Photograph No.: 38 **Date:** 10/28/2009

Direction: North **Photographer:** Ryan Green

Subject: Drum D021 in Room 9 attached to drum cart; reciprocating compressor lubricant label



Photograph No.: 39 **Date:** 10/28/2009

Direction: South **Photographer:** Ryan Green



Site: Meridian Automotive Systems Site

Photograph No.: 40 **Date:** 10/28/2009


Direction: South **Photographer:** Ryan Green **Subject:** Drums D023 and D024 in Room 9; labeled as dispersant and unknown solvent



Photograph No.: 41 **Date:** 10/28/2009

Direction: Southeast **Photographer:** Ryan Green **Subject:** Drum D025 labeled Breakthrough in Room 9; unknown white powder in 5-gallon

bucket on left was source of samples MAS-S001-S-01 and MAS-S001-S-01-DP



Site: Meridian Automotive Systems Site

Photograph No.: 42 **Date:** 10/28/2009

Direction: South **Photographer:** Ryan Green

Subject: Drums D026 and D027 in Room 9; Nalco Nexguard 22352 and 7330



Photograph No.: 43 **Date:** 10/28/2009

Direction: West **Photographer:** Ryan Green **Subject:** Drum D028 in Room 9 with Spectrus NX108 labeling; Health hazard = 3



Site: Meridian Automotive Systems Site

Photograph No.: 44 **Date:** 10/28/2009

Direction: East **Photographer:** Ryan Green **Subject:** Small containers in a laboratory cabinet in Room 9; contents include sulfuric acid


I:\WO\START3\813\41216APP-C.DOC C-22 813-2A-AFED



Photograph No.: 45 **Date:** 10/28/2009

Direction: West **Photographer:** Ryan Green


Subject: Drum D029 in Room 9 with Nalco 3D Trasar 3DT288 label



Site: Meridian Automotive Systems Site

Photograph No.: 46 **Date:** 10/28/2009

Direction: North **Photographer:** Ryan Green **Subject:** Drum D030 in Room 9 labeled Limsol water scale solvent; odor near drum



Photograph No.: 47 **Date:** 10/28/2009

Direction: Northwest **Photographer:** Ryan Green

Subject: Drum D031 in Room 12 labeled Endura air tool oil



Site: Meridian Automotive Systems Site

Photograph No.: 48 **Date:** 10/28/2009

Direction: West **Photographer:** Ryan Green

Subject: Miscellaneous small containers in Room 14; former laboratory



Photograph No.: 49 **Date:** 10/28/2009

Direction: Down **Photographer:** Ryan Green

Subject: Miscellaneous small containers in Room 14; former laboratory



Site: Meridian Automotive Systems Site

Photograph No.: 50 **Date:** 10/28/2009

Direction: South **Photographer:** Ryan Green

Subject: Miscellaneous small containers in Room 14; former laboratory



Photograph No.: 51 **Date:** 10/28/2009

Direction: North **Photographer:** Ryan Green **Subject:** Drum D032 in Room 13 with hazardous waste label; contains used aerosol cans



Site: Meridian Automotive Systems Site

Photograph No.: 52 **Date:** 10/28/2009

Direction: Northeast **Photographer:** Ryan Green

Subject: Tanks T001 and T002 in Room 9; empty



Photograph No.: 53 **Date:** 10/28/2009

Direction: Down **Photographer:** Ryan Green **Subject:** Unknown red powder released from corroded 5-gallon bucket in Room 9; Ahura

FirstDefender unit in foreground analyzing powder; no positive identification made



Site: Meridian Automotive Systems Site

Photograph No.: 54 **Date:** 10/29/2009

Direction: Southeast **Photographer:** Ryan Green **Subject:** Drum D033 in Room 3 with styrene monomer and flammable labeling; OEPA 18



Photograph No.: 55 **Date:** 10/29/2009

Direction: Northwest **Photographer:** Ryan Green **Subject:** Drum D033 in Room 3 with styrene monomer and flammable labeling; OEPA 18



Site: Meridian Automotive Systems Site

Photograph No.: 56 **Date:** 10/29/2009


Direction: East **Photographer:** Ryan Green **Subject:** Drum D034 inside a waste bin in Room 3, labeled Pliogrip 9100 adhesive



Photograph No.: 57 **Date:** 10/29/2009

Direction: South

Photographer: Ryan Green
Subject: Days D024 incide a weste him in Pages 2: labeled Plicagin 0100 of having



Site: Meridian Automotive Systems Site

Photograph No.: 58 **Date:** 10/29/2009

Direction: North **Photographer:** Ryan Green **Subject:** Drums D035 and D036 in Room 3; OEPA 17; unknown oily waste collected from

D036 source of sample MAS-D036-L-01-MS



Photograph No.: 59 **Date:** 10/29/2009

Direction: Down **Photographer:** Ryan Green

Subject: Interior of drum D036 in Room 3; OEPA 17; unknown oily waste collected from D036

source of sample MAS-D036-L-01-MS



Site: Meridian Automotive Systems Site

Photograph No.: 60 **Date:** 10/29/2009

Direction: North **Photographer:** Ryan Green

Subject: Drum D038 in Room 17 with "DGE" written on top; OEPA 2



Photograph No.: 61 **Date:** 10/29/2009

Direction: Southeast **Photographer:** Ryan Green

Subject: Drum D037 in Room 3 containing 1 inch of waste oil




Site: Meridian Automotive Systems Site

Photograph No.: 62 **Date:** 10/29/2009

Direction: Down **Photographer:** Ryan Green


Subject: Drum D037 in Room 3 containing 1 inch of waste oil



Photograph No.: 63 **Date:** 10/29/2009

Direction: Southeast **Photographer:** Ryan Green **Subject:** Drum D039 in Room 18, former SMC mix room, with styrene monomer and

flammable labeling; OEPA 16; fiber drum D040 on right



Site: Meridian Automotive Systems Site

Photograph No.: 64 **Date:** 10/29/2009


Direction: Down **Photographer:** Ryan Green

Subject: Drum D040 interior with plastic bag containing white powder



Photograph No.: 65 **Date:** 10/29/2009

Direction: Down **Photographer:** Ryan Green





Site: Meridian Automotive Systems Site

Photograph No.: 66 **Date:** 10/29/2009

Direction: Down **Photographer:** Ryan Green

Subject: Drum D040 in Room 18



Photograph No.: 67 **Date:** 10/29/2009

Direction: West **Photographer:** Ryan Green **Subject:** Drum D041 in Room 18 with styrene monomer and flammable labeling; OEPA 16;

clear liquid collected from D041 source of sample MAS-D041-L-01



Site: Meridian Automotive Systems Site

Photograph No.: 68 **Date:** 10/29/2009

Direction: East **Photographer:** Ryan Green

Subject: Rolling tank T003 in former SMC mix room, Room 18

C-34



Photograph No.: 69 **Date:** 10/29/2009

Direction: East **Photographer:** Ryan Green

Subject: Rolling tanks T004 and T005 in former SMC mix room, Room 18



Site: Meridian Automotive Systems Site

Photograph No.: 70 **Date:** 10/29/2009

Direction: Northwest **Photographer:** Ryan Green

Subject: Rolling tanks T004 and T006 in former SMC mix room, Room 18



Photograph No.: 71 **Date:** 10/29/2009

Direction: West **Photographer:** Ryan Green

Subject: Rolling tanks T007 and T008 in former SMC mix room, Room 18



Site: Meridian Automotive Systems Site

Photograph No.: 72 **Date:** 10/29/2009

Direction: West **Photographer:** Ryan Green

Subject: Rolling tank T009 in former SMC mix room, Room 18



Photograph No.: 73 **Date:** 10/29/2009

Direction: West **Photographer:** Ryan Green

Subject: Rolling tanks T009 and T010 in former SMC mix room, Room 18



Site: Meridian Automotive Systems Site

Photograph No.: 74 **Date:** 10/29/2009

Direction: West **Photographer:** Ryan Green

Subject: Rolling tanks T010 and T011 in former SMC mix room, Room 18



Photograph No.: 75 **Date:** 10/29/2009

Direction: Northwest **Photographer:** Ryan Green

Subject: Rolling tanks T012 and T013 in former SMC mix room, Room 18



Site: Meridian Automotive Systems Site

Photograph No.: 76 **Date:** 10/29/2009

Direction: North **Photographer:** Ryan Green

Subject: Drum D042 in northwest corner of Room 20



Photograph No.: 77 **Date:** 10/29/2009

Direction: East **Photographer:** Ryan Green **Subject:** Tank T014 in Room 20 with two mixers and gray solidified product in bottom



Site: Meridian Automotive Systems Site

Photograph No.: 78 **Date:** 10/29/2009

Direction: Down **Photographer:** Ryan Green

Subject: Interior of tank T014 in Room 20 with gray solidified product in bottom



Photograph No.: 79 **Direction:** South

Subject: Tank T015 in Room 20

Date: 10/29/2009

Photographer: Ryan Green



Site: Meridian Automotive Systems Site

without the express written permission of U.S. EPA.

Photograph No.: 80 **Date:** 10/29/2009

Direction: Southwest **Photographer:** Ryan Green **Subject:** Open tops of tanks T016 and T017 containing solidified black product in Room 20



Photograph No.: 81 **Direction:** Southwest

Subject: Tanks T016 and T017 in Room 20

Date: 10/29/2009

Photographer: Ryan Green



Site: Meridian Automotive Systems Site

Photograph No.: 82 **Direction:** South

Subject: Tank T018 under hood in Room 20

Date: 10/29/2009

Photographer: Ryan Green

I:\WO\START3\813\41216APP-C.DOC C-41 813-2A-AFED



Photograph No.: 83 **Date:** 10/29/2009

Direction: North **Photographer:** Ryan Green

Subject: Drum D043 in Room 17 with hazardous waste label; OEPA 15



Site: Meridian Automotive Systems Site

Photograph No.: 84 **Date:** 10/29/2009

Direction: Down **Photographer:** Ryan Green

Subject: Interior of Drum D043 containing mixed oil waste and trash



Photograph No.: 85 **Date:** 10/29/2009

Direction: Northwest **Photographer:** Ryan Green **Subject:** Paint mixing tanks T019, T020, T021, T022, and T023 in Room 31; OEPA 14



Site: Meridian Automotive Systems Site

Photograph No.: 86 **Date:** 10/29/2009

Direction: Down **Photographer:** Ryan Green

Subject: Paint mixing tanks T024, T025, T026 and T027 in Room 31; OEPA 14


813-2A-AFED



Photograph No.: 87 **Date:** 10/29/2009

Direction: Down **Photographer:** Ryan Green

Subject: Tank T028 on cart in Room 35 with cut lid and clear liquid contents




Site: Meridian Automotive Systems Site

Photograph No.: 88 **Date:** 10/29/2009

Direction: East **Photographer:** Ryan Green

Subject: Drum D044 in Room 17 with Pliogrip 9100 adhesive label



Photograph No.: 89 **Date:** 10/29/2009

Direction: Southeast **Photographer:** Ryan Green **Subject:** Tank T029 in Room 17; labeled used oil and located next to the former press line



Site: Meridian Automotive Systems Site

Photograph No.: 90 **Date:** 10/29/2009

Direction: South **Photographer:** Ryan Green **Subject:** Drum D045 in Room 38 with styrene monomer and flammable labeling; OEPA 10



Photograph No.: 91 **Date:** 10/29/2009

Direction: East **Photographer:** Ryan Green

Subject: Drum D046 in Room 38 with Pliogrip 9100 label; OEPA 10



Site: Meridian Automotive Systems Site

Photograph No.: 92 **Date:** 10/29/2009

Direction: East **Photographer:** Ryan Green

Subject: Drum D047 in Room 38 with Pliogrip 9115 label; source of sample MAS-D047-L-01;

OEPA 10



Photograph No.: 93 **Date:** 10/29/2009

Direction: Down **Photographer:** Ryan Green

Subject: Drum D048 in Room 38 with Pliogrip 9115 label; OEPA 10



Site: Meridian Automotive Systems Site

Photograph No.: 94 **Date:** 10/29/2009

Direction: Down **Photographer:** Ryan Green

Subject: Drum D049 in Room 38 with Pliogrip 9100 label; OEPA 10




Photograph No.: 95 **Date:** 10/29/2009

Direction: East **Photographer:** Ryan Green

Subject: Drum D050 in Room 38 with unknown white powder; source of sample MAS-D050-

S-01-MS; OEPA 11



Site: Meridian Automotive Systems Site

Photograph No.: 96 **Date:** 10/29/2009

Direction: North **Photographer:** Ryan Green

Subject: Drum D051 in Area N; hazardous waste storage area in background; kerosene marking I:\WO\START3\813\41216APP-C.DOC C-48 813-2A-AFED



Photograph No.: 97 **Date:** 10/29/2009

Direction: North **Photographer:** Ryan Green

Subject: Drum 052 in poly tub in former hazardous waste storage area; Room 39



Site: Meridian Automotive Systems Site

Photograph No.: 98 **Date:** 10/29/2009

Direction: Down **Photographer:** Ryan Green

Subject: Drum D053 in Room 39 with Pliogrip 9100 adhesive label; OEPA 12



Photograph No.: 99 **Date:** 10/29/2009

Direction: South **Photographer:** Ryan Green

Subject: Drum D054 in Area N marked do not drink; empty and upside down



Site: Meridian Automotive Systems Site

Photograph No.: 100 **Date:** 10/29/2009

Direction: East **Photographer:** Ryan Green

Subject: Insulated tank T030 marked Resin Tank 300, with water-filled secondary containment I:\WO\START3\813\41216APP-C.DOC C-50 813-2A-AFED



Photograph No.: 101 **Date:** 10/29/2009

Direction: South **Photographer:** Ryan Green

Subject: Insulated tank T031 in Area S marked Resin Tank 200; OEPA 21



Site: Meridian Automotive Systems Site

Photograph No.: 102 **Date:** 10/29/2009

Direction: South **Photographer:** Ryan Green

Subject: Insulated tank T032 in Area S marked Resin Tank 100; OEPA 21



Photograph No.: 103 **Date:** 10/29/2009

Direction: West **Photographer:** Ryan Green

Subject: Tank T033 in Area S; no markings; content level marked in white



Site: Meridian Automotive Systems Site

Photograph No.: 104 **Date:** 10/29/2009

Direction: Southwest **Photographer:** Ryan Green

Subject: Tank T034 in Room 40 tank farm marked waste oil



Photograph No.: 105 **Date:** 10/29/2009

Direction: West **Photographer:** Ryan Green

Subject: Tank T034 in Room 40 tank farm marked waste oil



Site: Meridian Automotive Systems Site

Photograph No.: 106 **Date:** 10/29/2009

Direction: Southwest **Photographer:** Ryan Green

Subject: Tank T041 in Room 40 tank farm marked hydraulic oil



Photograph No.: 107 **Date:** 10/29/2009

Direction: West **Photographer:** Ryan Green

Subject: Tank T036 in Room 40 tank farm marked used oil



Site: Meridian Automotive Systems Site

Photograph No.: 108 **Date:** 10/29/2009

Direction: West **Photographer:** Ryan Green

Subject: Tank T040 in Room 40 tank farm marked hydraulic oil



Photograph No.: 109 **Date:** 10/29/2009

Direction: West **Photographer:** Ryan Green

Subject: Insulated tank T037 in Room 40 tank farm marked used oil



Site: Meridian Automotive Systems Site

Photograph No.: 110 **Date:** 10/29/2009

Direction: West **Photographer:** Ryan Green


Subject: Insulated tank T038 in Room 40 tank farm marked used oil



Photograph No.: 111 **Date:** 10/29/2009

Direction: West **Photographer:** Ryan Green

Subject: Insulated tank T039 in Room 40 tank farm; no markings



Site: Meridian Automotive Systems Site

Photograph No.: 112 **Date:** 10/29/2009

Direction: South **Photographer:** Ryan Green

Subject: Drum D055 in Room 40 with Ecosorb odor management label



Photograph No.: 113 **Date:** 10/29/2009

Direction: Northwest **Photographer:** Ryan Green

Subject: Drum D056 in Room 40; residual oil in bottom



Site: Meridian Automotive Systems Site

Photograph No.: 114 **Date:** 10/29/2009

Direction: North **Photographer:** Ryan Green

Subject: Drum D057 in Room 41 with oil waste; OEPA 23



Photograph No.: 115 **Date:** 10/29/2009

Direction: West **Photographer:** Ryan Green

Subject: Drums D058 and D059 connected on rack in Room 41; OEPA 23



Site: Meridian Automotive Systems Site

Photograph No.: 116 **Date:** 10/29/2009

Direction: East **Photographer:** Ryan Green

Subject: Drums D060 and D061 connected on rack in Room 41; OEPA 23



Photograph No.: 117 **Date:** 10/29/2009

Direction: Northwest **Photographer:** Ryan Green

Subject: Drum D062 in Room 41 with unknown white solid inside; OEPA 23



Site: Meridian Automotive Systems Site

Photograph No.: 118 **Date:** 10/29/2009

Direction: South **Photographer:** Ryan Green

Subject: Drum D063 in an overpack drum in Area S; contains oil waste from containment pond



Photograph No.: 119 **Date:** 10/29/2009

Direction: South **Photographer:** Ryan Green

Subject: Drum D064 in an overpack drum in Area S; contains oil waste from containment pond



Site: Meridian Automotive Systems Site

Photograph No.: 120 **Date:** 10/29/2009

Direction: South **Photographer:** Ryan Green

Subject: Drum D065 in an overpack drum in Area S; contains oil waste from containment pond



Photograph No.: 121 **Date:** 10/29/2009

Direction: Northwest **Photographer:** Ryan Green

Subject: Tank T042 on a trailer in Area S; suspected oil/water mixture from containment pond



Site: Meridian Automotive Systems Site

Photograph No.: 122 **Date:** 10/29/2009

Direction: South **Photographer:** Ryan Green

Subject: Drum D066 in Area S with combustible label; OEPA 9



Site: Meridian Automotive Systems Site

Photograph No.: 123 **Date:** 10/29/2009

Direction: East **Photographer:** Ryan Green

Subject: Fuel oil tanks T043, T04,4 and T045 right-to-left in overgrown secondary containment



Site: Meridian Automotive Systems Site

Photograph No.: 124 **Date:** 10/29/2009

Direction: Southeast **Photographer:** Ryan Green

Subject: Fuel oil tanks T043, T044, and T045 right-to-left in overgrown secondary containment

APPENDIX D VALIDATED LABORATORY ANALYTICAL REPORT

MERIDIAN AUTOMOTIVE SERVICES SITE JACKSON, OHIO DATA VALIDATION REPORT

Date: November 18, 2009

Laboratory: EA Group, Mentor, Ohio **Laboratory Project #:** 091000420

Data Validation Performed By: Lisa Graczyk, Weston Solutions, Inc. (WESTON) Superfund

Technical Assessment and Response Team (START)

Weston Analytical Work Order #/TDD #: 20405.016.001.0814.00/S05-0001-0910-022

This data validation report has been prepared by WESTON START under the START III Region V contract. This report documents the data validation for four solid and ten liquid waste samples collected for the Meridian Automotive Services Site that were analyzed for the following parameters and U.S. Environmental Protection Agency (U.S. EPA) methods:

- Volatile Organic Compounds (VOC) by SW-846 Method 8260B
- Toxicity Characteristic Leaching Procedure (TCLP) VOCs by SW-846 Methods 1311 and 8260B
- Polychlorinated Biphenyls (PCB) by SW-846 Method 8081
- TCLP Metals by SW-846 Methods 1311, 6010A, and 7470A
- Ignitability by SW-846 Method 1010
- Corrosivity by Standard Method 9045C

A level II data package was requested from EA Group. The data validation was conducted in general accordance with the U.S. EPA "Contract Laboratory Program National Functional Guidance for Superfund Organic Methods Data Review" dated June 2008 and "Contract Laboratory Program National Functional Guidelines for Inorganic Data Review" dated October 2004. The Attachment contains the results summary sheets with the hand-written qualifiers applied during data validation.

Data Validation Report Meridian Automotive Services Site EA Group

Laboratory Project #: 091000420

VOCs by SW-846 METHOD 8260B AND TCLP VOCs BY SW-846 METHODS 1311 AND 8260B

1. <u>Samples</u>

The following table summarizes the samples for which this data validation is being conducted.

| | | | Date | Date |
|------------------|---------------|--------|------------|-----------|
| Samples | Lab ID | Matrix | Collected | Analyzed |
| MAS-P012-L-01-D | 091000420-001 | Liquid | 10/29/2009 | 11/6/2009 |
| MAS-T020-S-01 | 091000420-002 | Solid | 10/29/2009 | 11/6/2009 |
| MAS-P004-L-01 | 091000420-003 | Liquid | 10/29/2009 | 11/4/2009 |
| MAS-P001-L-01 | 091000420-004 | Liquid | 10/29/2009 | 11/4/2009 |
| MAS-P012-L-01 | 091000420-005 | Liquid | 10/29/2009 | 11/7/2009 |
| MAS-D036-L-01-MS | 091000420-006 | Liquid | 10/29/2009 | 11/7/2009 |
| MAS-P007-L-01 | 091000420-007 | Liquid | 10/29/2009 | 11/7/2009 |
| MAS-P009-L-01 | 091000420-008 | Liquid | 10/29/2009 | 11/7/2009 |
| MAS-D041-L-01 | 091000420-009 | Liquid | 10/29/2009 | 11/8/2009 |
| MAS-T004-L-01 | 091000420-010 | Liquid | 10/29/2009 | 11/6/2009 |
| MAS-D047-L-01 | 091000420-011 | Liquid | 10/29/2009 | 11/6/2009 |
| MAS-S001-S-01-DP | 091000420-012 | Solid | 10/29/2009 | 11/3/2009 |
| MAS-S001-S-01 | 091000420-013 | Solid | 10/29/2009 | 11/4/2009 |
| MAS-D050-S-01-MS | 091000420-014 | Solid | 10/29/2009 | 11/3/2009 |

2. <u>Holding Times</u>

The samples were analyzed within the required holding time limit of 14 days from sample collection.

3. Blanks

Method blanks were analyzed with the VOC analyses. The method blanks were free of target compound contamination above the reporting limit.

Data Validation Report
Meridian Automotive Services Site
EA Group

Laboratory Project #: 091000420

4. <u>Surrogate Results</u>

The surrogate recovery results were within the laboratory-established quality control (QC) limits except for as follows.

In sample MAS-D041-L-01, all three surrogates were diluted out and could not be recovered. No qualification is required.

In samples MAS-D036-L-01-MS and MAS-D047-L-01, the surrogate toluene-d8 was detected slightly above the QC limit. The other two surrogates were within QC limits in these samples. No qualification was applied for this slight discrepancy.

In sample MAS-P012-L-01-D, EA Group reported that toluene-d8 could not be quantified due to matrix interference. The other two surrogates had excellent recoveries. Because styrene is associated with the surrogate toluene-d8, the detected result was flagged "J" as estimated due to potential matrix interferences.

In sample MAS-D050-D-01-MS, the surrogates toluene-d8 and 4-bromofluorobenze could not be quantified due to matrix interference. In this sample, the quantitation limits were flagged "UJ" as estimated because of apparent matrix interference.

5. <u>Laboratory Control Sample (LCS) Results</u>

The LCS and LCS duplicate (LCSD) recoveries were within laboratory QC limits. The relative percent differences (RPD) between the LCS and LCSD were within QC limits.

6. Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Results

EA Group analyzed an MS and MSD using sample MAS-P004-L-01 as a spiked sample. The recoveries and RPDs were within QC limits.

7. <u>Field Duplicate Results</u>

Waste sample MAS-P012-L-01-D is a field duplicate of sample MAS-P012-L-01 and sample MAS-S001-S-01-DP is a field duplicate of sample MAS-S001-S-01.

The correlation between MAS-P012-L-01 and its field duplicate was somewhat poor. Styrene was detected at 2.7 milligrams per kilogram (mg/kg) in the investigative sample and 510 mg/kg in the field duplicate. Chloromethane was detected at 9.8 mg/kg in the field duplicate but was not detected in the parent sample. 1,2,4-Trimethylbenzene was detected in the parent sample at 4.2 mg/kg but was not detected in the field duplicate sample. This indicates that the material in the container from which this sample was collected is heterogeneous.

Laboratory Project #: 091000420

For the field duplicate pair associated with sample MAS-S001-S-01, the results were all non-detect for VOCs indicating a good correlation between the parent and its field duplicate sample.

8. Overall Assessment

The VOC data are acceptable for use as qualified based on the information received.

PCBs BY U.S. EPA SW-846 METHOD 8081

1. <u>Samples</u>

The following table summarizes the samples for which this data validation was conducted.

| | | | Date | Date | Date |
|------------------|---------------|--------|------------|-----------|-----------|
| Samples | Lab ID | Matrix | Collected | Prepared | Analyzed |
| MAS-P012-L-01-D | 091000420-001 | Liquid | 10/29/2009 | 11/4/2009 | 11/4/2009 |
| MAS-P004-L-01 | 091000420-003 | Liquid | 10/29/2009 | 11/5/2009 | 11/5/2009 |
| MAS-P001-L-01 | 091000420-004 | Liquid | 10/29/2009 | 11/5/2009 | 11/5/2009 |
| MAS-P012-L-01 | 091000420-005 | Liquid | 10/29/2009 | 11/4/2009 | 11/4/2009 |
| MAS-D036-L-01-MS | 091000420-006 | Liquid | 10/29/2009 | 11/4/2009 | 11/4/2009 |
| MAS-P007-L-01 | 091000420-007 | Liquid | 10/29/2009 | 11/4/2009 | 11/4/2009 |
| MAS-P009-L-01 | 091000420-008 | Liquid | 10/29/2009 | 11/4/2009 | 11/4/2009 |

2. <u>Holding Times</u>

The sample was analyzed within the required holding time limit of 14 days from sample collection to extraction and 40 days from extraction to analysis.

3. Blanks

Method blanks were analyzed with the PCB analyses. The method blanks were free of target compound contamination.

4. Surrogates

The surrogate recoveries were within the laboratory-established QC limits for percent recovery.

5. <u>LCS Results</u>

The LCS results were within the laboratory-established QC limits.

Laboratory Project #: 091000420

6. MS and MSD Results

EA Group analyzed an MS and MSD using sample MAS-D036-L-01-MS as a spiked sample. The recoveries and RPDs were within QC limits.

7. Field Duplicate Results

Waste sample MAS-P012-L-01-D is a field duplicate of sample MAS-P012-L-01. PCBs were not detected in both these samples indicating good correlation.

8. Overall Assessment

The data are acceptable for use based on the information received.

TCLP METALS BY METHODS 1311, 6010A, AND 7470A

1. <u>Samples</u>

The following table summarizes the samples for which this data validation is being conducted.

| | | | Date | Date |
|------------------|---------------|--------|------------|-----------|
| Samples | Lab ID | Matrix | Collected | Analyzed |
| MAS-P012-L-01-D | 091000420-001 | Liquid | 10/29/2009 | 11/4/2009 |
| MAS-P004-L-01 | 091000420-003 | Liquid | 10/29/2009 | 11/4/2009 |
| MAS-P001-L-01 | 091000420-004 | Liquid | 10/29/2009 | 11/4/2009 |
| MAS-P012-L-01 | 091000420-005 | Liquid | 10/29/2009 | 11/4/2009 |
| MAS-D036-L-01-MS | 091000420-006 | Liquid | 10/29/2009 | 11/4/2009 |
| MAS-P007-L-01 | 091000420-007 | Liquid | 10/29/2009 | 11/4/2009 |
| MAS-P009-L-01 | 091000420-008 | Liquid | 10/29/2009 | 11/4/2009 |

2. Holding Times

The samples were analyzed within the required holding time limit of 28 days from sample collection to analysis for mercury and 180 days from sample collection to analysis for all other metals.

3. Blank Results

A method blank was analyzed with the TCLP metals analysis. The blank was free of target analyte contamination above the reporting limits.

Data Validation Report Meridian Automotive Services Site EA Group

Laboratory Project #: 091000420

4. LCS Results

The LCS recoveries were within the laboratory-established QC limits for target analytes.

5. MS and MSD Results

EA Group analyzed an MS and MSD using sample MAS-D036-L-01-MS as a spiked sample. The recoveries and RPDs were within QC limits.

6. <u>Field Duplicate Results</u>

Waste sample MAS-P012-L-01-D is a field duplicate of sample MAS-P012-L-01. TCLP metals were not detected in both these samples indicating good correlation.

7. Overall Assessment

The TCLP metals data are acceptable for use based on the information received.

GENERAL CHEMISTRY PARAMETERS (ignitability by SW-846 1010 and pH by SW-846 9045C)

1. <u>Samples</u>

The following table summarizes the samples for which this data validation is being conducted.

| | | | Date | |
|------------------|---------------|--------|------------|---------------|
| Samples | Lab ID | Matrix | Collected | Date Analyzed |
| MAS-T020-S-01 | 091000420-002 | Solid | 10/29/2009 | 11/6/2009 |
| MAS-D041-L-01 | 091000420-009 | Liquid | 10/29/2009 | 11/5/2009 |
| MAS-T004-L-01 | 091000420-010 | Liquid | 10/29/2009 | 11/5/2009 |
| MAS-D047-L-01 | 091000420-011 | Liquid | 10/29/2009 | 11/5/2009 |
| MAS-S001-S-01-DP | 091000420-012 | Solid | 10/29/2009 | 11/6/2009 |
| MAS-S001-S-01 | 091000420-013 | Solid | 10/29/2009 | 11/6/2009 |
| MAS-D050-S-01-MS | 091000420-014 | Solid | 10/29/2009 | 11/6/2009 |

Data Validation Report Meridian Automotive Services Site EA Group Laboratory Project #: 091000420

2. <u>Holding Times</u>

All holding time limits for ignitability and pH were acceptable. There is no specific holding time limit for these analyses. The methods state that they are to be analyzed as soon as possible.

3. Field Duplicate Results

Waste sample MAS-S001-S-01-DP is a field duplicate of sample MAS-S001-S-01. The pH result was the same in both samples indicating excellent correlation.

4. <u>Laboratory Duplicate Results</u>

A laboratory duplicate was analyzed with the pH analyses. The duplicate RPDs were within QC limits.

5. Overall Assessment

The ignitability and pH data are acceptable for use based on the information received.

Data Validation Report Meridian Automotive Services Site EA Group Laboratory Project #: 091000420

ATTACHMENT

EA GROUP RESULTS SUMMARY WITH QUALIFIERS



Weston Solutions 20 North Wacker St., #1210 Chicago, IL 60606 Lisa Graczyk/Frank Beodray

Client Project Meridian Auto Services SA EA Group Project Number: 091000420 Received on October 30, 2009

The following analytical report contains results as requested for samples submitted to EA Group. The results included in this report have been reviewed for compliance with the analytical methods indicated in this report. All data has been found to be compliant with accepted laboratory protocol, except as noted in the QC narrative. Industrial hygiene reports, air and/or surface concentrations results are based upon sampling information provided by the client. Industrial hygiene results will not be blank corrected. Analyst initials of REF indicate analysis performed at a subcontract facility.

If you have questions, comments or require further assistance regarding this report, please contact your client services representative or one of the individuals listed below.

Data or reporting:

Jeff Herbert - Lab Manager jherbert@eagroupohio.com

Debbie Lauer - Lab Supervisor dlauer@eagroupohio.com

Sample tracking, supplies:

Lisa Foose - Sample Control sreceiving@eagroupohio.com

Mike Herbert - Supervisor mherbert@eagroupohio.com

Invoice Related:

Bonnie Renbarger - Office Manager brenbarger@eagroupohio.com

Reproduction of this report is prohibited except in its entirety. Unless noted, soil, sludge and sediment results are reported on dry weight basis. The "Sample Reporting Limit" is based on the method used for analysis and does not refer to any regulatory limit. These results relate only to the items tested.



Laboratory Analytical Report

Weston Solutions

20 North Wacker St., #1210 Chicago, IL 60606

Attention: Lisa Graczyk/Frank Beodray

Project Identification

Meridian Auto Services SA

Purchase Order: 0068936

EA Group Order Number 0910-00420

Jeffrey A. Herbert

Laboratory Manager

November 9, 2009



Sample Receive Date 10/30/2009

Sample Listing

| EAG | Client | EAG | Client |
|-----------------------|-----------------------|-----------------------|-----------------------|
| Sample Identification | Sample Identification | Sample Identification | Sample Identification |
| 091000420 - 001 | MAS-P012-L-01-D | 091000420 - 002 | MAS-T020-S-01 |
| 091000420 - 003 | MAS-P004-L-01- | 091000420 - 004 | MAS-P001-L-01- |
| 091000420 - 005 | MAS-P012-L-01 | 091000420 - 006 | MAS-D036-L-01-MS |
| 091000420 - 007 | MAS-P007-L-01 | 091000420 - 008 | MAS-P009-L-01 |
| 091000420 - 009 | MAS-D041-L-01 | 091000420 - 010 | MAS-T004-L-01 |
| 091000420 - 011 | MAS-D047-L-01 | 091000420 - 012 | MAS-S001-S-01-DP |
| 091000420 - 013 | MAS-S001-S-01 | 091000420 - 014 | MAS-D050-S-01-MS |



Project Narrative 0910-00420

All analyses performed by EA Group were done using established laboratory SOPs. Management has reviewed the data for compliance with the laboratory QA/QC plan and data have been found to be compliant with the laboratory protocols unless otherwise noted below. All results listed for this report relate only to the samples submitted on this work order.

The temperature of sample(s) upon receipt was 4.1 °C

GC/MS Volatiles

Samples 001, 005, 006, 007, 008, 009 & 011 were tested for full VOC 's rather than TCLP VOC's because the samples were basically oils rather than solids or liquids.

Inorganic Analyses

The pH (corrosivity) was tested using test strips due to the strong odor of the samples also being tested for the presence of VOC's. Any solvent that may have been present could compromise the pH probe had it been used.

Misc. QC Comments

Percent Moisture is used to report results on a dry weight basis.

When necessary, reporting limits of individual samples may be raised due to high concentration of interfering compounds or target analytes, or quantity of sample available for analysis.

pH method note: If this analysis was performed in the laboratory, it may not meet the "immediate analysis" requirement that applies to most wastewater monitoring samples. In such cases, analysis for pH should be done at the time of sampling.

The results listed in this report relate only to the samples submitted to EA Group per the chain of custody.



Project Narrative 0910-00420

Data Flag Table

- B The method blank contained a standard laboratory contaminant (Methylene Chloride, Acetone, Hexane, Phthalates, etc.) above the standard laboratory method detection limit. If the analyte is present in the sample at a concentration up to ten times the blank level, the result is reported with a "B" indicating method blank contamination. Samples will be reported without a "B" if the analyte concentration in the sample is greater than ten times the blank level.
- E An analytical result marked with an "E" indicates the result reported is above the high end limit of the calibration curve and should be considered an estimated concentration.
- DIL Due to matrix interference or high analyte concentration, a dilution was required. The spikes and/or surrogates results could not be quantitated and therefore marked "DIL".
- J An analytical result marked with a "J" indicates the result reported was below the standard reporting limit and above the method detection limit. As the observed level approaches the MDL there is an increasing probability of a false positive response.
- MI Analytical results marked as "MI" indicate that due to inherent matrix interference, the result could not be quantitated.
- # Results flagged "#" indicate the reported result may be outside allowable permit levels as provided by the client, when applicable.
- NA A result or field marked as "NA" indicates that it was not applicable for this project.



Client Project: Meridian Auto Services SA

EAG ID: 0910-00420-1

| | | | Reporting | | Prep | Analysis | |
|-----------------------------|-----------|----------|--------------|--------------|-------------|------------|----------------|
| <u>Parameter</u> | CAS# | Result | <u>Limit</u> | <u>Units</u> | <u>Date</u> | Date | Analyst |
| Arsenic, TCLP: SW846-6010A | 7440-38-2 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Barium, TCLP: SW846-6010A | 7440-39-3 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Cadmium, TCLP: SW846-6010A | 7440-43-9 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Chromium, TCLP: SW846-6010A | 7440-47-3 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Lead, TCLP: SW846-6010A | 7439-92-1 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Mercury, TCLP: SW846-7470A | 7439-97-6 | < 0.0050 | 0.0050 | mg/liter | 11/04/2009 | 11/04/2009 | CMB |
| Selenium, TCLP: SW846-6010A | 7782-49-2 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Silver, TCLP: SW846-6010A | 7440-22-4 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| SW846 1311: TCLP Extraction | | Complete | | | | 11/02/2009 | CMB |

EAG ID: 0910-00420-2

Reporting **Analysis** Prep **Parameter** CAS# Result <u>Limit</u> Units Date Date **Analyst** 4.0 pH units 11/06/2009 11/06/2009 Corrosivity: SW846-9045C SLD

Client ID: MAS-P004-L-01- Date/Time Sampled: 10/29/2009/ 1310 Received: 10/30/2009

EAG ID: 0910-00420-3

| | | | Reporting | | Prep | Analysis | |
|-----------------------------|-----------|----------|--------------|--------------|------------|------------|--------|
| <u>Parameter</u> | CAS# | Result | <u>Limit</u> | <u>Units</u> | Date | Date A | nalyst |
| Arsenic, TCLP: SW846-6010A | 7440-38-2 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Barium, TCLP: SW846-6010A | 7440-39-3 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Cadmium, TCLP: SW846-6010A | 7440-43-9 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Chromium, TCLP: SW846-6010A | 7440-47-3 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Lead, TCLP: SW846-6010A | 7439-92-1 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Mercury, TCLP: SW846-7470A | 7439-97-6 | < 0.0050 | 0.0050 | mg/liter | 11/04/2009 | 11/04/2009 | CMB |
| Selenium, TCLP: SW846-6010A | 7782-49-2 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Silver, TCLP: SW846-6010A | 7440-22-4 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| SW846 1311: TCLP Extraction | | Complete | | | | 11/02/2009 | CMB |



Client Project: Meridian Auto Services SA

Client ID: MAS-P001-L-01- Date/Time Sampled: 10/29/2009/ 1250 Received: 10/30/2009

EAG ID: 0910-00420-4

| | | | Reporting | | Prep | Analysis | |
|-----------------------------|-----------|----------|--------------|--------------|-------------|------------|----------------|
| <u>Parameter</u> | CAS# | Result | <u>Limit</u> | <u>Units</u> | <u>Date</u> | Date | <u>Analyst</u> |
| Arsenic, TCLP: SW846-6010A | 7440-38-2 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Barium, TCLP: SW846-6010A | 7440-39-3 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Cadmium, TCLP: SW846-6010A | 7440-43-9 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Chromium, TCLP: SW846-6010A | 7440-47-3 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Lead, TCLP: SW846-6010A | 7439-92-1 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Mercury, TCLP: SW846-7470A | 7439-97-6 | < 0.0050 | 0.0050 | mg/liter | 11/04/2009 | 11/04/2009 | CMB |
| Selenium, TCLP: SW846-6010A | 7782-49-2 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Silver, TCLP: SW846-6010A | 7440-22-4 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| SW846 1311: TCLP Extraction | | Complete | | | | 11/02/2009 | CMB |

EAG ID: 0910-00420-5

| | | | Reporting | | Prep | Analysis | |
|-----------------------------|-----------|----------|--------------|----------|-------------|------------|----------------|
| <u>Parameter</u> | CAS# | Result | <u>Limit</u> | Units | <u>Date</u> | Date | <u>Analyst</u> |
| Arsenic, TCLP: SW846-6010A | 7440-38-2 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Barium, TCLP: SW846-6010A | 7440-39-3 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Cadmium, TCLP: SW846-6010A | 7440-43-9 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Chromium, TCLP: SW846-6010A | 7440-47-3 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Lead, TCLP: SW846-6010A | 7439-92-1 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Mercury, TCLP: SW846-7470A | 7439-97-6 | < 0.0050 | 0.0050 | mg/liter | 11/04/2009 | 11/04/2009 | CMB |
| Selenium, TCLP: SW846-6010A | 7782-49-2 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Silver, TCLP: SW846-6010A | 7440-22-4 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| SW846 1311: TCLP Extraction | | Complete | | | | 11/02/2009 | CMB |

EAG ID: 0910-00420-6

| | | | Reporting | | Prep | Analysis | |
|-----------------------------|-----------|----------|--------------|--------------|-------------|------------|----------------|
| <u>Parameter</u> | CAS# | Result | <u>Limit</u> | <u>Units</u> | <u>Date</u> | Date A | <u>Analyst</u> |
| Arsenic, TCLP: SW846-6010A | 7440-38-2 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Barium, TCLP: SW846-6010A | 7440-39-3 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Cadmium, TCLP: SW846-6010A | 7440-43-9 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Chromium, TCLP: SW846-6010A | 7440-47-3 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Lead, TCLP: SW846-6010A | 7439-92-1 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Mercury, TCLP: SW846-7470A | 7439-97-6 | < 0.0050 | 0.0050 | mg/liter | 11/04/2009 | 11/04/2009 | CMB |
| Selenium, TCLP: SW846-6010A | 7782-49-2 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Silver, TCLP: SW846-6010A | 7440-22-4 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| SW846 1311: TCLP Extraction | | Complete | | | | 11/02/2009 | CMB |



Flashpoint: SW846-1010M/D93

| Client Project: Meridian Auto Servi | ces SA | | | | | P-1/181-1-1 | |
|---|--|----------------|-----------------|---------------------------|-----------------------------|------------------------|----------------|
| Client ID: MAS-P007-L-01 EAG ID: 0910-00420-7 | Date/Time Sampled: 10/29/2009/ 1315 | | | | Received: 10/30/2009 | | |
| | | | Reporting | | Prep | Analysis | |
| <u>Parameter</u> | CAS# | Result | Limit | <u>Units</u> | <u>Date</u> | Date A | nalyst |
| Arsenic, TCLP: SW846-6010A | 7440-38-2 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Barium, TCLP: SW846-6010A | 7440-39-3 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Cadmium, TCLP: SW846-6010A | 7440-43-9 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Chromium, TCLP: SW846-6010A | 7440-47-3 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Lead, TCLP: SW846-6010A | 7439-92-1 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Mercury, TCLP: SW846-7470A | 7439-97-6 | < 0.0050 | 0.0050 | mg/liter | 11/04/2009 | 11/04/2009 | CMB |
| Selenium, TCLP: SW846-6010A | 7782-49-2 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| Silver, TCLP: SW846-6010A | 7440-22-4 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | 11/04/2009 | CP |
| SW846 1311: TCLP Extraction | | Complete | | | | 11/02/2009 | CMB |
| Client ID: MAS-P009-L-01 EAG ID: 0910-00420-8 | Dat | te/Time Sample | ed: 10/29/2009/ | 1320 | Red | ceived: 10/30 | /2009 |
| EAG ID: 0910-00420-8 | | | Donoutina | | 70 | A I | |
| Dawamatan | CAS# | D | Reporting | TT:4 | Prep | Analysis | |
| Parameter COLOA | <u>CAS#</u> | Result | <u>Limit</u> | Units | <u>Date</u> | | nalyst |
| Arsenic, TCLP: SW846-6010A | 7440-38-2 | <0.10 | 0.10 | mg/liter | 11/03/2009 | | CP |
| Barium, TCLP: SW846-6010A | 7440-39-3 | <0.10 | 0.10 | mg/liter | 11/03/2009 | | CP |
| Cadmium, TCLP: SW846-6010A | 7440-43-9 | <0.10 | 0.10 | mg/liter | | 11/04/2009 | CP |
| Chromium, TCLP: SW846-6010A | 7440-47-3 | <0.10 | 0.10 | mg/liter | 11/03/2009 | | CP |
| Lead, TCLP: SW846-6010A | 7439-92-1 | <0.10 | 0.10 | mg/liter | | 11/04/2009 | CP |
| Mercury, TCLP: SW846-7470A | 7439-97-6 | <0.0050 | 0.0050 | mg/liter | 11/04/2009 | | CMB |
| Selenium, TCLP: SW846-6010A | 7782-49-2 | <0.10 | 0.10 | mg/liter | 11/03/2009 | | CP |
| Silver, TCLP: SW846-6010A | 7440-22-4 | <0.10 | 0.10 | mg/liter | 11/03/2009 | | CP |
| SW846 1311: TCLP Extraction | | Complete | | | | 11/02/2009 | CMB |
| Client ID: MAS-D041-L-01 | Dat | te/Time Sample | ed: 10/29/2009/ | 1425 | Rec | ceived: 10/30 | /2009 |
| EAG ID: 0910-00420-9 | | | | | | | |
| | | | Reporting | | Prep | Analysis | |
| Parameter Parameter | CAS# | Result | <u>Limit</u> | Units | <u>Date</u> | | <u>Analyst</u> |
| Flashpoint: SW846-1010M/D93 | | 92 | | degrees F | | 11/05/2009 | LJM |
| Client ID: MAS-T004-L-01 EAG ID: 0910-00420-10 | Dat | te/Time Sample | ed: 10/29/2009/ | 1445 | Red | ceived: 10/30 |)/2009 |
| EAG 1B. 0910-00420-10 | | | D | | _ | | |
| Domomoton | CAS " | YD 14 | Reporting | TT 1 4 | Prep | Analysis | |
| Parameter Flashpoint: SW846-1010M/D93 | CAS# | Result 82 | <u>Limit</u> | <u>Units</u> degrees F | <u>Date</u> | <u>Date</u> 11/05/2009 | Analyst LJM |
| Client ID: MAS-D047-L-01 EAG ID: 0910-00420-11 | Dat | æ/Time Sample | ed: 10/29/2009/ | 1515 | Rec | ceived: 10/3(|)/2009 |
| | | | Reporting | | Prep | Analysis | |
| Parameter Electroint SW946 1010M/D02 | CAS# | Result | <u>Limit</u> | Units | Date | Date A | Analyst |

< 70

degrees F

11/05/2009 LJM



Client Project: Meridian Auto Services SA

EAG ID: 0910-00420-12

| | | | Reporting | | Prep | Analysis | |
|--------------------------|------|--------|--------------|--------------|-------------|-------------|----------------|
| <u>Parameter</u> | CAS# | Result | <u>Limit</u> | <u>Units</u> | Date | Date | Analyst |
| Corrosivity: SW846-9045C | | 10.0 | | pH units | 11/06/2009 | 11/06/2009 | SLD |

EAG ID: 0910-00420-13

Reporting **Analysis** Prep **Parameter** CAS# <u>Limit</u> **Units Date** Result <u>Date</u> Analyst Corrosivity: SW846-9045C 10.0 11/06/2009 11/06/2009 pH units SLD

EAG ID: 0910-00420-14

Reporting Prep Analysis

Parameter CAS# Result Limit Units Date Date Analyst

Corrosivity: SW846-9045C 8.8 pH units 11/06/2009 11/06/2009 SLD



EAG ID: 0910-00420-001

Client ID: MAS-P012-L-01-D

Client Project: Meridian Auto Services SA

Matrix: Liquid

Analyst LJM

Date Sampled: 10/29/2009

Time Sampled:1325

| | | | Reporting | | <u>Date</u> |
|---------------------------------------|------------|---------------------|--------------|---------------------------|-------------|
| <u>Parameter</u> | CAS# | Result | <u>Limit</u> | <u>Units</u> | Analyzed |
| Polychlorinated Biphenyls: SW846-8081 | | | | | |
| Aroclor 1016 | 12674-11-2 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1221 | 11104-28-2 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1232 | 11141-16-5 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1242 | 53469-21-9 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1248 | 12672-29-6 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1254 | 11097-69-1 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1260 | 11096-82-5 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1268 | 11100-14-4 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Extraction: SW846-3580 | | Complete | | | 11/04/2009 |
| Surrogate | | Percent Recovery | | Recovery <u>Limits</u> | |
| Tetrachloro-m-xylene | | 130 | | (30 - 150) | |
| Decachlorobiphenyl | | 100 | | (15 - 150) | |



EAG ID: 0910-00420-001

Client ID: MAS-P012-L-01-D

Client Project: Meridian Auto Services SA

Matrix: Liquid
Analyst REC

Date Sampled: 10/29/2009

Time Sampled: 1325

Date Received:10/30/2009

| | | | Reporting | | <u>Date</u> |
|---|------------|--------|--------------|--------------|-----------------|
| Parameter | CAS# | Result | <u>Limit</u> | <u>Units</u> | Analyzed |
| Volatile Organic Compounds: SW846-8260A | | | | | |
| Acetone | 67-64-1 | <9.2 | 9.2 | mg/kg | 11/06/2009 |
| Acrolein | 107-02-8 | <9.2 | 9.2 | mg/kg | 11/06/2009 |
| Acrylonitrile | 107-13-1 | <9.2 | 9.2 | mg/kg | 11/06/2009 |
| Benzene | 71-43-2 | <37 | 37 | mg/kg | 11/06/2009 |
| Bromochloromethane | 74-97-5 | <1.9 | 1.9 | mg/kg | 11/06/2009 |
| Bromodichloromethane | 75-27-4 | <1.9 | 1.9 | mg/kg | 11/06/2009 |
| Bromoform | 75-25-2 | <37 | 37 | mg/kg | 11/06/2009 |
| Bromomethane | 74-83-9 | <1.9 | 1.9 | mg/kg | 11/06/2009 |
| Carbon disulfide | 75-15-0 | <1.9 | 1.9 | mg/kg | 11/06/2009 |
| Carbon Tetrachloride | 56-23-5 | <1.9 | 1.9 | mg/kg | 11/06/2009 |
| Chlorobenzene | 108-90-7 | <37 | 37 | mg/kg | 11/06/2009 |
| Chloroethane | 75-00-3 | <1.9 | 1.9 | mg/kg | 11/06/2009 |
| Chloroform | 67-66-3 | <1.9 | 1.9 | mg/kg | 11/06/2009 |
| Chloromethane | 74-87-3 | 9.8 | 1.9 | mg/kg | 11/06/2009 |
| Dibromochloromethane | 124-48-1 | <37 | 37 | mg/kg | 11/06/2009 |
| 1,1-Dichloroethane | 75-34-3 | <1.9 | 1.9 | mg/kg | 11/06/2009 |
| 1,2-Dichloroethane | 107-06-2 | <1.9 | 1.9 | mg/kg | 11/06/2009 |
| 1,1-Dichloroethene | 75-35-4 | <1.9 | 1.9 | mg/kg | 11/06/2009 |
| 1,2-Dichloropropane | 78-87-5 | <1.9 | 1.9 | mg/kg | 11/06/2009 |
| cis-1,2-Dichloroethene | 156-59-2 | <1.9 | 1.9 | mg/kg | 11/06/2009 |
| trans-1,2-Dichloroethene | 156-60-5 | <1.9 | 1.9 | mg/kg | 11/06/2009 |
| cis-1,3-Dichloropropene | 10061-01-5 | <1.9 | 1.9 | mg/kg | 11/06/2009 |
| trans-1,3-Dichloropropene | 10061-02-6 | <1.9 | 1.9 | mg/kg | 11/06/2009 |
| Ethylbenzene | 100-41-4 | <37 | 37 | mg/kg | 11/06/2009 |
| 2-Hexanone (MBK) | 591-78-6 | <190 | 190 | mg/kg | 11/06/2009 |
| n-Hexane | 110-54-3 | <1.9 | 1.9 | mg/kg | 11/06/2009 |
| Methylene Chloride | 75-09-2 | <1.9 | 1.9 | mg/kg | 11/06/2009 |
| Methyl Ethyl Ketone (2-butanone) | 78-93-3 | <9.2 | 9.2 | mg/kg | 11/06/2009 |
| Methyl Methacrylate | 80-62-6 | <1.9 | 1.9 | mg/kg | 11/06/2009 |
| 4-Methyl-2-Pentanone | 108-10-1 | <9.2 | 9.2 | mg/kg | 11/06/2009 |
| 2-Nitropropane | 79-46-9 | <1.9 | 1.9 | mg/kg | 11/06/2009 |
| Pentachloroethane | 76-01-7 | <37 | 37 | mg/kg | 11/06/2009 |
| Propionitrile | 107-12-0 | <1.9 | 1.9 | mg/kg | 11/06/2009 |
| Styrene | 100-42-5 | 510 🎞 | 37 | mg/kg | 11/06/2009 |
| 1,1,1,2-Tetrachloroethane | 630-20-6 | <1.9 | 1.9 | mg/kg | 11/06/2009 |
| 1,1,2,2-Tetrachloroethane | 79-34-5 | <37 | 37 | mg/kg | 11/06/2009 |
| Tetrachloroethene (Tetrachloroethylene) | 127-18-4 | <37 | 37 | mg/kg | 11/06/2009 |
| Toluene | 108-88-3 | <37 | 37 | mg/kg | 11/06/2009 |
| 1,2,4-Trichlorobenzene | 120-82-1 | <1.9 | 1.9 | mg/kg | 11/06/2009 |
| 1,1,1-Trichloroethane | 71-55-6 | <1.9 | 1.9 | mg/kg | 11/06/2009 |
| 1,1,2-Trichloroethane | 79-00-5 | <1.9 | 1.9 | mg/kg | 11/06/2009 |
| | | | | 0 0 | , |

11/18/10



EAG ID: 0910-00420-001

Client ID: MAS-P012-L-01-D

Client Project: Meridian Auto Services SA

Matrix: Liquid
Analyst REC

Date Sampled: 10/29/2009

Time Sampled: 1325

| <u>Date</u> |
|-------------|
| Analyzed |
| 11/06/2009 |
| 11/06/2009 |
| 11/06/2009 |
| 11/06/2009 |
| 11/06/2009 |
| 11/06/2009 |
| 11/06/2009 |
| 11/06/2009 |
| |

| Surrogate | Percent <u>Recovery</u> | Recovery <u>Limits</u> |
|-----------------------|----------------------------|---------------------------|
| 4-Bromofluorobenzene | 116 | (76 - 119) |
| 1,2-Dichloroethane-d4 | 110 | (80 - 120) |
| Toluene-d8 | MI | (83 - 118) |



EAG ID: 0910-00420-002

Client ID: MAS-T020-S-01

Client Project: Meridian Auto Services SA

Matrix: Solid

Analyst REC

Date Sampled: 10/29/2009

Time Sampled:1500

| | | | Reporting | | <u>Date</u> |
|------------------------------------|----------|----------------------------|--------------|---------------------------|-------------|
| <u>Parameter</u> | CAS# | Result | <u>Limit</u> | <u>Units</u> | Analyzed |
| Volatile Organic TCLP: SW846-8260A | | | | | |
| Benzene | 71-43-2 | < 0.10 | 0.10 | mg/liter | 11/06/2009 |
| Carbon tetrachloride | 56-23-5 | < 0.10 | 0.10 | mg/liter | 11/06/2009 |
| Chlorobenzene | 108-90-7 | < 0.10 | 0.10 | mg/liter | 11/06/2009 |
| Chloroform | 67-66-3 | < 0.10 | 0.10 | mg/liter | 11/06/2009 |
| 1,2-Dichloroethane | 107-06-2 | < 0.10 | 0.10 | mg/liter | 11/06/2009 |
| 1,1-Dichloroethene | 75-35-4 | < 0.10 | 0.10 | mg/liter | 11/06/2009 |
| Methyl ethyl ketone(2-butanone) | 78-93-3 | <1.0 | 1.0 | mg/liter | 11/06/2009 |
| Tetrachloroethylene | 127-18-4 | < 0.10 | 0.10 | mg/liter | 11/06/2009 |
| Trichloroethylene | 79-01-6 | < 0.10 | 0.10 | mg/liter | 11/06/2009 |
| Vinyl chloride | 75-01-4 | < 0.10 | 0.10 | mg/liter | 11/06/2009 |
| Surrogate | | Percent <u>Recovery</u> | | Recovery <u>Limits</u> | |
| 1,2-Dichloroethane-d4 | | 90.2 | | (80 - 117) | |
| Toluene-d8 | | 112 | | (85 - 119) | |
| 4-Bromofluorobenzene | | 95.5 | | (79 - 112) | |



EAG ID: 0910-00420-003

Client ID: MAS-P004-L-01-

Client Project: Meridian Auto Services SA

Matrix: Liquid

Analyst LJM

Date Sampled: 10/29/2009

Time Sampled:1310

| | | | Reporting | | <u>Date</u> |
|---------------------------------------|------------|---------------------|--------------|---------------------------|-----------------|
| <u>Parameter</u> | CAS# | Result | <u>Limit</u> | <u>Units</u> | Analyzed |
| Polychlorinated Biphenyls: SW846-8081 | | | | | |
| Aroclor 1016 | 12674-11-2 | < 0.50 | 0.50 | ug/liter | 11/05/2009 |
| Aroclor 1221 | 11104-28-2 | < 0.50 | 0.50 | ug/liter | 11/05/2009 |
| Aroclor 1232 | 11141-16-5 | < 0.50 | 0.50 | ug/liter | 11/05/2009 |
| Aroclor 1242 | 53469-21-9 | < 0.50 | 0.50 | ug/liter | 11/05/2009 |
| Aroclor 1248 | 12672-29-6 | < 0.50 | 0.50 | ug/liter | 11/05/2009 |
| Aroclor 1254 | 11097-69-1 | < 0.50 | 0.50 | ug/liter | 11/05/2009 |
| Aroclor 1260 | 11096-82-5 | < 0.50 | 0.50 | ug/liter | 11/05/2009 |
| Aroclor 1268 | 11100-14-4 | < 0.50 | 0.50 | ug/liter | 11/05/2009 |
| Extraction: SW846-3510 | | Complete | | | 11/05/2009 |
| Surrogate | | Percent Recovery | | Recovery <u>Limits</u> | |
| Tetrachloro-m-Xylene | | 71.0 | | (30 - 130) | |
| Decachlorobiphenyl | | 56.2 | | (15 - 140) | |



EAG ID: 0910-00420-003

Client ID: MAS-P004-L-01-

Client Project: Meridian Auto Services SA

Matrix: Liquid
Analyst REC

Date Sampled: 10/29/2009

Time Sampled:1310

| | | | Reporting | | Date |
|------------------------------------|----------|--------|-----------|--------------|------------|
| Parameter | CAS# | Result | Limit | Units | Analyzed |
| Volatile Organic TCLP: SW846-8260A | | | | | |
| Benzene | 71-43-2 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |
| Carbon tetrachloride | 56-23-5 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |
| Chlorobenzene | 108-90-7 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |
| Chloroform | 67-66-3 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |
| 1,2-Dichloroethane | 107-06-2 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |
| 1,1-Dichloroethene | 75-35-4 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |
| Methyl ethyl ketone(2-butanone) | 78-93-3 | <1.0 | 1.0 | mg/liter | 11/04/2009 |
| Tetrachloroethylene | 127-18-4 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |
| Trichloroethylene | 79-01-6 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |
| Vinyl chloride | 75-01-4 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |

| Surrogate | Percent <u>Recovery</u> | Recovery <u>Limits</u> | |
|-----------------------|----------------------------|---------------------------|--|
| 1,2-Dichloroethane-d4 | 90.3 | (80 - 117) | |
| Toluene-d8 | 111 | (85 - 119) | |
| 4-Bromofluorobenzene | 106 | (79 - 112) | |



EAG ID: 0910-00420-004

Client ID: MAS-P001-L-01-

Client Project: Meridian Auto Services SA

Matrix: Liquid

Analyst LJM

Date Sampled: 10/29/2009

Time Sampled:1250

| | | | Reporting | | Date |
|---------------------------------------|------------|----------|--------------|--------------|------------|
| Parameter | CAS# | Result | <u>Limit</u> | <u>Units</u> | Analyzed |
| Polychlorinated Biphenyls: SW846-8081 | | | | | |
| Aroclor 1016 | 12674-11-2 | < 0.50 | 0.50 | ug/liter | 11/05/2009 |
| Aroclor 1221 | 11104-28-2 | < 0.50 | 0.50 | ug/liter | 11/05/2009 |
| Aroclor 1232 | 11141-16-5 | < 0.50 | 0.50 | ug/liter | 11/05/2009 |
| Aroclor 1242 | 53469-21-9 | < 0.50 | 0.50 | ug/liter | 11/05/2009 |
| Aroclor 1248 | 12672-29-6 | < 0.50 | 0.50 | ug/liter | 11/05/2009 |
| Aroclor 1254 | 11097-69-1 | < 0.50 | 0.50 | ug/liter | 11/05/2009 |
| Aroclor 1260 | 11096-82-5 | < 0.50 | 0.50 | ug/liter | 11/05/2009 |
| Aroclor 1268 | 11100-14-4 | < 0.50 | 0.50 | ug/liter | 11/05/2009 |
| Extraction: SW846-3510 | | Complete | | - | 11/05/2009 |
| Summa cata | | Percent | | Recovery | |
| Surrogate | *3 | Recovery | | Limits | |
| Tetrachloro-m-Xylene | | 85.0 | | (30 - 130) | |
| Decachlorobiphenyl | | 85.3 | | (15 - 140) | |



EAG ID: 0910-00420-004

Client ID: MAS-P001-L-01-

Client Project: Meridian Auto Services SA

Matrix: Liquid

Analyst REC

Date Sampled: 10/29/2009

Time Sampled: 1250

| | | | Reporting | | <u>Date</u> |
|------------------------------------|----------|---------------------|--------------|---------------------------|-------------|
| Parameter | CAS# | Result | <u>Limit</u> | <u>Units</u> | Analyzed |
| Volatile Organic TCLP: SW846-8260A | | | | | |
| Benzene | 71-43-2 | < 0.10 | 0.10 | mg/liter · | 11/04/2009 |
| Carbon tetrachloride | 56-23-5 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |
| Chlorobenzene | 108-90-7 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |
| Chloroform | 67-66-3 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |
| 1,2-Dichloroethane | 107-06-2 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |
| 1,1-Dichloroethene | 75-35-4 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |
| Methyl ethyl ketone(2-butanone) | 78-93-3 | <1.0 | 1.0 | mg/liter | 11/04/2009 |
| Tetrachloroethylene | 127-18-4 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |
| Trichloroethylene | 79-01-6 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |
| Vinyl chloride | 75-01-4 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |
| <u>Surrogate</u> | | Percent Recovery | | Recovery <u>Limits</u> | |
| 1,2-Dichloroethane-d4 | | 98.3 | | (80 - 117) | |
| Toluene-d8 | | 109 | | (85 - 119) | |
| 4-Bromofluorobenzene | | 104 | | (79 - 112) | |



EAG ID: 0910-00420-005

Client ID: MAS-P012-L-01

Client Project: Meridian Auto Services SA

Matrix: Liquid

Analyst LJM

Date Sampled: 10/29/2009

Time Sampled:1325

| | | | Reporting | | <u>Date</u> |
|---------------------------------------|------------|----------|--------------|---------------|-------------|
| <u>Parameter</u> | CAS# | Result | <u>Limit</u> | <u>Units</u> | Analyzed |
| Polychlorinated Biphenyls: SW846-8081 | | | | | |
| Aroclor 1016 | 12674-11-2 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1221 | 11104-28-2 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1232 | 11141-16-5 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1242 | 53469-21-9 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1248 | 12672-29-6 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1254 | 11097-69-1 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1260 | 11096-82-5 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1268 | 11100-14-4 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Extraction: SW846-3580 | | Complete | | | 11/04/2009 |
| S | | Percent | | Recovery | |
| Surrogate | | Recovery | | <u>Limits</u> | |
| Tetrachloro-m-xylene | | 115 | | (30 - 150) | |
| Decachlorobiphenyl | | 97.7 | | (15 - 150) | |



EAG ID: 0910-00420-005

Client ID: MAS-P012-L-01

Client Project: Meridian Auto Services SA

Matrix: Liquid
Analyst REC

Date Sampled: 10/29/2009

Time Sampled: 1325

| | | | Reporting | | <u>Date</u> |
|--|------------|--------|--------------|--------------|-----------------|
| Parameter Video Company Compan | CAS# | Result | <u>Limit</u> | <u>Units</u> | Analyzed |
| Volatile Organic Compounds: SW846-8260A | 67.64.1 | -10 | 10 | | 11/07/2000 |
| Accetone | 67-64-1 | <10 | 10 | mg/kg | 11/07/2009 |
| Acrolein | 107-02-8 | <10 | 10 | mg/kg | 11/07/2009 |
| Acrylonitrile | 107-13-1 | <10 | 10 | mg/kg | 11/07/2009 |
| Benzene | 71-43-2 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| Bromochloromethane | 74-97-5 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| Bromodichloromethane | 75-27-4 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| Bromoform | 75-25-2 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| Bromomethane | 74-83-9 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| Carbon disulfide | 75-15-0 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| Carbon Tetrachloride | 56-23-5 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| Chlorobenzene | 108-90-7 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| Chloroethane | 75-00-3 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| Chloroform | 67-66-3 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| Chloromethane | 74-87-3 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| Dibromochloromethane | 124-48-1 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| 1,1-Dichloroethane | 75-34-3 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| 1,2-Dichloroethane | 107-06-2 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| 1,1-Dichloroethene | 75-35-4 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| 1,2-Dichloropropane | 78-87-5 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| cis-1,2-Dichloroethene | 156-59-2 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| trans-1,2-Dichloroethene | 156-60-5 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| cis-1,3-Dichloropropene | 10061-01-5 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| trans-1,3-Dichloropropene | 10061-02-6 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| Ethylbenzene | 100-41-4 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| 2-Hexanone (MBK) | 591-78-6 | <10 | 10 | mg/kg | 11/07/2009 |
| n-Hexane | 110-54-3 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| Methylene Chloride | 75-09-2 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| Methyl Ethyl Ketone (2-butanone) | 78-93-3 | <10 | 10 | mg/kg | 11/07/2009 |
| Methyl Methacrylate | 80-62-6 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| 4-Methyl-2-Pentanone | 108-10-1 | <10 | 10 | mg/kg | 11/07/2009 |
| 2-Nitropropane | 79-46-9 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| Pentachloroethane | 76-01-7 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| Propionitrile | 107-12-0 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| Styrene | 100-42-5 | 2.7 | 2.0 | mg/kg | 11/07/2009 |
| 1,1,1,2-Tetrachloroethane | 630-20-6 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| 1,1,2,2-Tetrachloroethane | 79-34-5 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| Tetrachloroethene (Tetrachloroethylene) | 127-18-4 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| Toluene | 108-88-3 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| 1,2,4-Trichlorobenzene | 120-82-1 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| 1,1,1-Trichloroethane | 71-55-6 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| 1,1,2-Trichloroethane | 79-00-5 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| | | | | 0 0 | · · · · · |



EAG ID: 0910-00420-005

Client ID: MAS-P012-L-01

Client Project: Meridian Auto Services SA

Matrix: Liquid

Analyst REC

Date Sampled: 10/29/2009

Time Sampled:1325

| | | | Reporting | | <u>Date</u> |
|-------------------------------------|-----------|--------|--------------|--------------|-------------|
| <u>Parameter</u> | CAS# | Result | <u>Limit</u> | <u>Units</u> | Analyzed |
| Trichloroethene (Trichloroethylene) | 79-01-6 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| Trichlorofluoromethane | 75-69-4 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| 1,2,3-Trichloropropane | 96-18-4 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| 1,1,2 Trichlorotrifluoroethane | 76-13-1 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| 1,2,4-Trimethylbenzene | 95-63-6 | 4.2 | 2.0 | mg/kg | 11/07/2009 |
| Vinyl Acetate | 108-05-4 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| Vinyl Chloride | 75-01-4 | <2.0 | 2.0 | mg/kg | 11/07/2009 |
| Xylenes (Total) | 1330-20-7 | <4.0 | 4.0 | mg/kg | 11/07/2009 |

| Surrogate | Percent <u>Recovery</u> | Recovery <u>Limits</u> |
|-----------------------|----------------------------|---------------------------|
| 4-Bromofluorobenzene | 95.8 | (76 - 119) |
| 1,2-Dichloroethane-d4 | 79.2 | (80 - 120) |
| Toluene-d8 | 96.7 | (83 - 118) |



EAG ID: 0910-00420-006

Client ID: MAS-D036-L-01-MS

Client Project: Meridian Auto Services SA

Matrix: Liquid

Analyst LJM

Date Sampled: 10/29/2009

Time Sampled: 1335

Date Received:10/30/2009

| | | | Reporting | | <u>Date</u> |
|---------------------------------------|------------|---------------------|--------------|--------------------|-------------|
| <u>Parameter</u> | CAS# | Result | <u>Limit</u> | <u>Units</u> | Analyzed |
| Polychlorinated Biphenyls: SW846-8081 | | | | | |
| Aroclor 1016 | 12674-11-2 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1221 | 11104-28-2 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1232 | 11141-16-5 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1242 | 53469-21-9 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1248 | 12672-29-6 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1254 | 11097-69-1 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1260 | 11096-82-5 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1268 | 11100-14-4 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Extraction: SW846-3580 | | Complete | | | 11/04/2009 |
| Surrogate | | Percent Recovery | | Recovery Limits | |
| Tetrachloro-m-xylene | | 111 | | (30 - 150) | |
| Decachlorobiphenyl | | 96.2 | | (15 - 150) | |



Analyst REC

EAG Workorder 0910-00420

EAG ID: 0910-00420-006

Client ID: MAS-D036-L-01-MS

Client Project: Meridian Auto Services SA

Matrix: Liquid Date Sampled: 10/29/2009

Reporting

Time Sampled: 1335

Date Received:10/30/2009

Date

| Parameter | CAS# | Result | Limit | <u>Units</u> | <u>Analyzed</u> |
|---|------------|---------|----------|--------------|-----------------|
| Volatile Organic Compounds: SW846-8260A | <u> </u> | Atosuit | <u> </u> | Onits | 1 tital y 2 ca |
| Acetone | 67-64-1 | <7.2 | 7.2 | mg/kg | 11/07/2009 |
| Acrolein | 107-02-8 | <7.2 | 7.2 | mg/kg | 11/07/2009 |
| Acrylonitrile | 107-13-1 | <7.2 | 7.2 | mg/kg | 11/07/2009 |
| Benzene | 71-43-2 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| Bromochloromethane | 74-97-5 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| Bromodichloromethane | 75-27-4 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| Bromoform | 75-25-2 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| Bromomethane | 74-83-9 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| Carbon disulfide | 75-15-0 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| Carbon Tetrachloride | 56-23-5 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| Chlorobenzene | 108-90-7 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| Chloroethane | 75-00-3 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| Chloroform | 67-66-3 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| Chloromethane | 74-87-3 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| Dibromochloromethane | 124-48-1 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| 1,1-Dichloroethane | 75-34-3 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| 1,2-Dichloroethane | 107-06-2 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| 1,1-Dichloroethene | 75-35-4 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| 1,2-Dichloropropane | 78-87-5 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| cis-1,2-Dichloroethene | 156-59-2 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| trans-1,2-Dichloroethene | 156-60-5 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| cis-1,3-Dichloropropene | 10061-01-5 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| trans-1,3-Dichloropropene | 10061-02-6 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| Ethylbenzene | 100-41-4 | 34 | 1.5 | mg/kg | 11/07/2009 |
| 2-Hexanone (MBK) | 591-78-6 | <7.2 | 7.2 | mg/kg | 11/07/2009 |
| n-Hexane | 110-54-3 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| Methylene Chloride | 75-09-2 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| Methyl Ethyl Ketone (2-butanone) | 78-93-3 | <7.2 | 7.2 | mg/kg | 11/07/2009 |
| Methyl Methacrylate | 80-62-6 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| 4-Methyl-2-Pentanone | 108-10-1 | <7.2 | 7.2 | mg/kg | 11/07/2009 |
| 2-Nitropropane | 79-46-9 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| Pentachloroethane | 76-01-7 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| Propionitrile | 107-12-0 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| Styrene | 100-42-5 | 2.2 | 1.5 | mg/kg | 11/07/2009 |
| 1,1,1,2-Tetrachloroethane | 630-20-6 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| 1,1,2,2-Tetrachloroethane | 79-34-5 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| Tetrachloroethene (Tetrachloroethylene) | 127-18-4 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| Toluene | 108-88-3 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| 1,2,4-Trichlorobenzene | 120-82-1 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| 1,1,1-Trichloroethane | 71-55-6 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| 1,1,2-Trichloroethane | 79-00-5 | <1.5 | 1.5 | mg/kg | 11/07/2009 |



EAG ID: 0910-00420-006

Client ID: MAS-D036-L-01-MS

Client Project: Meridian Auto Services SA

Matrix: Liquid

Analyst REC

Date Sampled: 10/29/2009

Time Sampled:1335

| | | | Reporting | | <u>Date</u> |
|-------------------------------------|-----------|--------|--------------|--------------|-------------|
| <u>Parameter</u> | CAS# | Result | <u>Limit</u> | <u>Units</u> | Analyzed |
| Trichloroethene (Trichloroethylene) | 79-01-6 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| Trichlorofluoromethane | 75-69-4 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| 1,2,3-Trichloropropane | 96-18-4 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| 1,1,2 Trichlorotrifluoroethane | 76-13-1 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| 1,2,4-Trimethylbenzene | 95-63-6 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| Vinyl Acetate | 108-05-4 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| Vinyl Chloride | 75-01-4 | <1.5 | 1.5 | mg/kg | 11/07/2009 |
| Xylenes (Total) | 1330-20-7 | <3.0 | 3.0 | mg/kg | 11/07/2009 |

| Surrogate | Percent <u>Recovery</u> | Recovery <u>Limits</u> |
|-----------------------|----------------------------|---------------------------|
| 4-Bromofluorobenzene | 89.2 | (76 - 119) |
| 1,2-Dichloroethane-d4 | 95.8 | (80 - 120) |
| Toluene-d8 | 123 | (83 - 118) |



EAG ID: 0910-00420-007

Client ID: MAS-P007-L-01

Client Project: Meridian Auto Services SA

Matrix: Liquid

Analyst LJM

Date Sampled: 10/29/2009

Time Sampled:1315

| | | | Reporting | | <u>Date</u> |
|---------------------------------------|------------|----------------------------|--------------|---------------------------|-----------------|
| <u>Parameter</u> | CAS# | <u>Result</u> | <u>Limit</u> | <u>Units</u> | Analyzed |
| Polychlorinated Biphenyls: SW846-8081 | | | | | |
| Aroclor 1016 | 12674-11-2 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1221 | 11104-28-2 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1232 | 11141-16-5 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1242 | 53469-21-9 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1248 | 12672-29-6 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1254 | 11097-69-1 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1260 | 11096-82-5 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1268 | 11100-14-4 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Extraction: SW846-3580 | | Complete | | | 11/04/2009 |
| <u>Surrogate</u> | | Percent <u>Recovery</u> | | Recovery <u>Limits</u> | |
| Tetrachloro-m-xylene | | 108 | | (30 - 150) | |
| Decachlorobiphenyl | | 94.8 | | (15 - 150) | |



EAG Workorder 0910-00420 Matrix: Liquid Date Sampled: 10/29/2009

EAG ID: 0910-00420-007 Analyst REC Time Sampled:1315

Client ID: MAS-P007-L-01 Date Received:10/30/2009

| Client Project: Meridian | Auto Services SA |
|--------------------------|------------------|
|--------------------------|------------------|

| Parameter Volatile Organic Compounds: SW846-8260A | CAS# | Result | Reporting Limit | <u>Units</u> | Date Analyzed |
|---|------------|--------|-----------------|--------------|------------------|
| Acetone | 67-64-1 | <6.0 | 6.0 | mg/kg | 11/07/2009 |
| Acrolein | 107-02-8 | <6.0 | 6.0 | mg/kg | 11/07/2009 |
| Acrylonitrile | 107-13-1 | <6.0 | 6.0 | mg/kg | 11/07/2009 |
| Benzene | 71-43-2 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| Bromochloromethane | 74-97-5 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| Bromodichloromethane | 75-27-4 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| Bromoform | 75-25-2 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| Bromomethane | 74-83-9 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| Carbon disulfide | 75-15-0 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| Carbon Tetrachloride | 56-23-5 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| Chlorobenzene | 108-90-7 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| Chloroethane | 75-00-3 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| Chloroform | 67-66-3 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| Chloromethane | 74-87-3 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| Dibromochloromethane | 124-48-1 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| 1,1-Dichloroethane | 75-34-3 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| 1,2-Dichloroethane | 107-06-2 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| 1,1-Dichloroethene | 75-35-4 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| 1,2-Dichloropropane | 78-87-5 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| cis-1,2-Dichloroethene | 156-59-2 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| trans-1,2-Dichloroethene | 156-60-5 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| cis-1,3-Dichloropropene | 10061-01-5 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| trans-1,3-Dichloropropene | 10061-02-6 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| Ethylbenzene | 100-41-4 | 1.6 | 1.2 | mg/kg | 11/07/2009 |
| 2-Hexanone (MBK) | 591-78-6 | <6.0 | 6.0 | mg/kg | 11/07/2009 |
| n-Hexane | 110-54-3 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| Methylene Chloride | 75-09-2 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| Methyl Ethyl Ketone (2-butanone) | 78-93-3 | <6.0 | 6.0 | mg/kg | 11/07/2009 |
| Methyl Methacrylate | 80-62-6 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| 4-Methyl-2-Pentanone | 108-10-1 | <6.0 | 6.0 | mg/kg | 11/07/2009 |
| 2-Nitropropane | 79-46-9 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| Pentachloroethane | 76-01-7 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| Propionitrile | 107-12-0 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| Styrene | 100-42-5 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| 1,1,1,2-Tetrachloroethane | 630-20-6 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| 1,1,2,2-Tetrachloroethane | 79-34-5 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| Tetrachloroethene (Tetrachloroethylene) | 127-18-4 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| Toluene | 108-88-3 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| 1,2,4-Trichlorobenzene | 120-82-1 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| 1,1,1-Trichloroethane | 71-55-6 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| 1,1,2-Trichloroethane | 79-00-5 | <1.2 | 1.2 | mg/kg | 11/07/2009 |



EAG ID: 0910-00420-007

Client ID: MAS-P007-L-01

Client Project: Meridian Auto Services SA

Matrix: Liquid

Analyst REC

Date Sampled: 10/29/2009

Time Sampled:1315

| | | | Reporting | | <u>Date</u> |
|-------------------------------------|-----------|--------|--------------|--------------|-------------|
| <u>Parameter</u> | CAS# | Result | <u>Limit</u> | <u>Units</u> | Analyzed |
| Trichloroethene (Trichloroethylene) | 79-01-6 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| Trichlorofluoromethane | 75-69-4 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| 1,2,3-Trichloropropane | 96-18-4 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| 1,1,2 Trichlorotrifluoroethane | 76-13-1 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| 1,2,4-Trimethylbenzene | 95-63-6 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| Vinyl Acetate | 108-05-4 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| Vinyl Chloride | 75-01-4 | <1.2 | 1.2 | mg/kg | 11/07/2009 |
| Xylenes (Total) | 1330-20-7 | <2.4 | 2.4 | mg/kg | 11/07/2009 |

| | Percent | Recovery |
|-----------------------|----------|---------------|
| Surrogate | Recovery | <u>Limits</u> |
| 4-Bromofluorobenzene | 106 | (76 - 119) |
| 1,2-Dichloroethane-d4 | 87.1 | (80 - 120) |
| Toluene-d8 | 107 | (83 - 118) |



EAG ID: 0910-00420-008

Client ID: MAS-P009-L-01

Client Project: Meridian Auto Services SA

Matrix: Liquid

Analyst LJM

Date Sampled: 10/29/2009

Time Sampled: 1320

| | | | Reporting | | Date |
|---------------------------------------|------------|----------|-----------|---------------|------------|
| <u>Parameter</u> | CAS# | Result | Limit | <u>Units</u> | Analyzed |
| Polychlorinated Biphenyls: SW846-8081 | | | | | |
| Aroclor 1016 | 12674-11-2 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1221 | 11104-28-2 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1232 | 11141-16-5 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1242 | 53469-21-9 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1248 | 12672-29-6 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1254 | 11097-69-1 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1260 | 11096-82-5 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Aroclor 1268 | 11100-14-4 | <1.0 | 1.0 | mg/kg | 11/04/2009 |
| Extraction: SW846-3580 | | Complete | | | 11/04/2009 |
| S.,,,,,, | | Percent | | Recovery | |
| Surrogate | | Recovery | | <u>Limits</u> | |
| Tetrachloro-m-xylene | | 109 | | (30 - 150) | |
| Decachlorobiphenyl | | 93.2 | | (15 - 150) | |



EAG ID: 0910-00420-008

Client ID: MAS-P009-L-01

Client Project: Meridian Auto Services SA

Matrix: Liquid

Time Sampled:1320 Analyst REC

Date Received:10/30/2009

Date Sampled: 10/29/2009

| • | | | Reporting | | Date |
|---|------------|--------|-----------|--------------|------------|
| Parameter | CAS# | Result | Limit | <u>Units</u> | Analyzed |
| Volatile Organic Compounds: SW846-8260A | | | | | |
| Acetone | 67-64-1 | <5.4 | 5.4 | mg/kg | 11/07/2009 |
| Acrolein | 107-02-8 | <5.4 | 5.4 | mg/kg | 11/07/2009 |
| Acrylonitrile | 107-13-1 | <5.4 | 5.4 | mg/kg | 11/07/2009 |
| Benzene | 71-43-2 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| Bromochloromethane | 74-97-5 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| Bromodichloromethane | 75-27-4 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| Bromoform | 75-25-2 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| Bromomethane | 74-83-9 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| Carbon disulfide | 75-15-0 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| Carbon Tetrachloride | 56-23-5 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| Chlorobenzene | 108-90-7 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| Chloroethane | 75-00-3 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| Chloroform | 67-66-3 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| Chloromethane | 74-87-3 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| Dibromochloromethane | 124-48-1 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| 1,1-Dichloroethane | 75-34-3 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| 1,2-Dichloroethane | 107-06-2 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| 1,1-Dichloroethene | 75-35-4 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| 1,2-Dichloropropane | 78-87-5 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| cis-1,2-Dichloroethene | 156-59-2 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| trans-1,2-Dichloroethene | 156-60-5 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| cis-1,3-Dichloropropene | 10061-01-5 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| trans-1,3-Dichloropropene | 10061-02-6 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| Ethylbenzene | 100-41-4 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| 2-Hexanone (MBK) | 591-78-6 | <5.4 | 5.4 | mg/kg | 11/07/2009 |
| n-Hexane | 110-54-3 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| Methylene Chloride | 75-09-2 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| Methyl Ethyl Ketone (2-butanone) | 78-93-3 | <5.4 | 5.4 | mg/kg | 11/07/2009 |
| Methyl Methacrylate | 80-62-6 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| 4-Methyl-2-Pentanone | 108-10-1 | <5.4 | 5.4 | mg/kg | 11/07/2009 |
| 2-Nitropropane | 79-46-9 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| Pentachloroethane | 76-01-7 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| Propionitrile | 107-12-0 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| Styrene | 100-42-5 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| 1,1,1,2-Tetrachloroethane | 630-20-6 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| 1,1,2,2-Tetrachloroethane | 79-34-5 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| Tetrachloroethene (Tetrachloroethylene) | 127-18-4 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| Toluene | 108-88-3 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| 1,2,4-Trichlorobenzene | 120-82-1 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| 1,1,1-Trichloroethane | 71-55-6 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| 1,1,2-Trichloroethane | 79-00-5 | <1.1 | 1.1 | mg/kg | 11/07/2009 |



EAG ID: 0910-00420-008

Client ID: MAS-P009-L-01

Client Project: Meridian Auto Services SA

Matrix: Liquid

Analyst REC

Date Sampled: 10/29/2009

Time Sampled:1320

| | | | Reporting | | <u>Date</u> |
|-------------------------------------|-----------|--------|-----------|--------------|-------------|
| <u>Parameter</u> | CAS# | Result | Limit | <u>Units</u> | Analyzed |
| Trichloroethene (Trichloroethylene) | 79-01-6 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| Trichlorofluoromethane | 75-69-4 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| 1,2,3-Trichloropropane | 96-18-4 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| 1,1,2 Trichlorotrifluoroethane | 76-13-1 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| 1,2,4-Trimethylbenzene | 95-63-6 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| Vinyl Acetate | 108-05-4 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| Vinyl Chloride | 75-01-4 | <1.1 | 1.1 | mg/kg | 11/07/2009 |
| Xylenes (Total) | 1330-20-7 | <2.2 | 2.2 | mg/kg | 11/07/2009 |

| Surrogate | Percent <u>Recovery</u> | Recovery <u>Limits</u> |
|-----------------------|----------------------------|---------------------------|
| 4-Bromofluorobenzene | 95.6 | (76 - 119) |
| 1,2-Dichloroethane-d4 | 85.6 | (80 - 120) |
| Toluene-d8 | 106 | (83 - 118) |



EAG ID: 0910-00420-009

Client ID: MAS-D041-L-01

Client Project: Meridian Auto Services SA

Matrix: Liquid

Analyst REC

Reporting

Date Sampled: 10/29/2009

Time Sampled:1425

Date Received:10/30/2009

Date

| | | | Kehorung | | Date |
|--|------------------|---------|----------|--------------|-----------------|
| Parameter Valetile Organic Compounds: SW846-8260A | CAS# | Result | Limit | <u>Units</u> | Analyzed |
| Volatile Organic Compounds: SW846-8260A Acetone | 67-64-1 | <4100 | 4100 | mg/kg | 11/08/2009 |
| Acrolein | 107-02-8 | <4100 | 4100 | mg/kg | 11/08/2009 |
| Acrylonitrile | 107-13-1 | <4100 | 4100 | mg/kg | 11/08/2009 |
| Benzene | 71-43-2 | <82000 | 82000 | mg/kg | 11/06/2009 |
| Bromochloromethane | 74-97-5 | <820 | 820 | mg/kg | 11/08/2009 |
| Bromodichloromethane | 75-27-4 | <820 | 820 | mg/kg | 11/08/2009 |
| Bromoform | 75-25-2 | <82000 | 82000 | mg/kg | 11/06/2009 |
| Bromomethane | 74-83-9 | <820 | 820 | mg/kg | 11/08/2009 |
| Carbon disulfide | 75-15-0 | <820 | 820 | mg/kg | 11/08/2009 |
| Carbon Tetrachloride | 56-23-5 | <820 | 820 | mg/kg | 11/08/2009 |
| Chlorobenzene | 108-90-7 | <82000 | 82000 | mg/kg | 11/06/2009 |
| Chloroethane | 75-00-3 | <820 | 820 | mg/kg | 11/08/2009 |
| Chloroform | 67-66-3 | <820 | 820 | mg/kg | 11/08/2009 |
| Chloromethane | 74-87-3 | 2400 | 820 | mg/kg | 11/08/2009 |
| Dibromochloromethane | 124-48-1 | <82000 | 82000 | mg/kg | 11/06/2009 |
| 1,1-Dichloroethane | 75-34-3 | <820 | 820 | mg/kg | 11/08/2009 |
| 1,2-Dichloroethane | 107-06-2 | <820 | 820 | mg/kg | 11/08/2009 |
| 1,1-Dichloroethene | 75-35 - 4 | <820 | 820 | mg/kg | 11/08/2009 |
| 1,2-Dichloropropane | 78-87-5 | <820 | 820 | mg/kg | 11/08/2009 |
| cis-1,2-Dichloroethene | 156-59-2 | <820 | 820 | mg/kg | 11/08/2009 |
| trans-1,2-Dichloroethene | 156-60-5 | <820 | 820 | mg/kg | 11/08/2009 |
| cis-1,3-Dichloropropene | 10061-01-5 | <820 | 820 | mg/kg | 11/08/2009 |
| trans-1,3-Dichloropropene | 10061-02-6 | <820 | 820 | mg/kg | 11/08/2009 |
| Ethylbenzene | 100-41-4 | <82000 | 82000 | mg/kg | 11/06/2009 |
| 2-Hexanone (MBK) | 591-78-6 | <410000 | 410000 | mg/kg | 11/06/2009 |
| n-Hexane | 110-54-3 | <820 | 820 | mg/kg | 11/08/2009 |
| Methylene Chloride | 75-09-2 | <820 | 820 | mg/kg | 11/08/2009 |
| Methyl Ethyl Ketone (2-butanone) | 78-93-3 | <4100 | 4100 | mg/kg | 11/08/2009 |
| Methyl Methacrylate | 80-62-6 | <820 | 820 | mg/kg | 11/08/2009 |
| 4-Methyl-2-Pentanone | 108-10-1 | <4100 | 4100 | mg/kg | 11/08/2009 |
| 2-Nitropropane | 79-46-9 | <820 | 820 | mg/kg | 11/08/2009 |
| Pentachloroethane | 76-01-7 | <82000 | 82000 | mg/kg | 11/06/2009 |
| Propionitrile | 107-12-0 | <820 | 820 | mg/kg | 11/08/2009 |
| Styrene | 100-42-5 | 170000 | 82000 | mg/kg | 11/06/2009 |
| 1,1,1,2-Tetrachloroethane | 630-20-6 | <820 | 820 | mg/kg | 11/08/2009 |
| 1,1,2,2-Tetrachloroethane | 79-34-5 | <82000 | 82000 | mg/kg | 11/06/2009 |
| Tetrachloroethene (Tetrachloroethylene) | 127-18-4 | <82000 | 82000 | mg/kg | 11/06/2009 |
| Toluene | 108-88-3 | <82000 | 82000 | mg/kg | 11/06/2009 |
| 1,2,4-Trichlorobenzene | 120-82-1 | <820 | 820 | mg/kg | 11/08/2009 |
| 1,1,1-Trichloroethane | 71-55-6 | <820 | 820 | mg/kg | 11/08/2009 |
| 1,1,2-Trichloroethane | 79-00-5 | <820 | 820 | mg/kg | 11/08/2009 |



EAG ID: 0910-00420-009

Client ID: MAS-D041-L-01

Client Project: Meridian Auto Services SA

Matrix: Liquid

Analyst REC

Date Sampled: 10/29/2009

Time Sampled: 1425

| | | | Reporting | | <u>Date</u> |
|-------------------------------------|-----------|---------|-------------|--------------|-------------|
| <u>Parameter</u> | CAS# | Result | Limit | <u>Units</u> | Analyzed |
| Trichloroethene (Trichloroethylene) | 79-01-6 | <820 | 820 | mg/kg | 11/08/2009 |
| Trichlorofluoromethane | 75-69-4 | <820 | 820 | mg/kg | 11/08/2009 |
| 1,2,3-Trichloropropane | 96-18-4 | <82000 | 82000 | mg/kg | 11/06/2009 |
| 1,1,2 Trichlorotrifluoroethane | 76-13-1 | <820 | 820 | mg/kg | 11/08/2009 |
| 1,2,4-Trimethylbenzene | 95-63-6 | <82000 | 82000 | mg/kg | 11/06/2009 |
| Vinyl Acetate | 108-05-4 | <820 | 8 20 | mg/kg | 11/08/2009 |
| Vinyl Chloride | 75-01-4 | <820 | 820 | mg/kg | 11/08/2009 |
| Xylenes (Total) | 1330-20-7 | <170000 | 170000 | mg/kg | 11/06/2009 |

| Surrogate | Percent <u>Recovery</u> | Recovery <u>Limits</u> |
|-----------------------|----------------------------|---------------------------|
| 4-Bromofluorobenzene | DIL | (76 - 119) |
| 1,2-Dichloroethane-d4 | DIL | (80 - 120) |
| Toluene-d8 | DIL | (83 - 118) |



EAG ID: 0910-00420-010

Client ID: MAS-T004-L-01

Client Project: Meridian Auto Services SA

Matrix: Liquid

Analyst REC

Date Sampled: 10/29/2009

Time Sampled: 1445

| | | | Reporting | | Date |
|------------------------------------|----------|--------|-----------|--------------|------------|
| <u>Parameter</u> | CAS# | Result | Limit | <u>Units</u> | Analyzed |
| Volatile Organic TCLP: SW846-8260A | | | | | |
| Benzene | 71-43-2 | < 0.10 | 0.10 | mg/liter | 11/06/2009 |
| Carbon tetrachloride | 56-23-5 | < 0.10 | 0.10 | mg/liter | 11/06/2009 |
| Chlorobenzene | 108-90-7 | < 0.10 | 0.10 | mg/liter | 11/06/2009 |
| Chloroform | 67-66-3 | < 0.10 | 0.10 | mg/liter | 11/06/2009 |
| 1,2-Dichloroethane | 107-06-2 | < 0.10 | 0.10 | mg/liter | 11/06/2009 |
| 1,1-Dichloroethene | 75-35-4 | < 0.10 | 0.10 | mg/liter | 11/06/2009 |
| Methyl ethyl ketone(2-butanone) | 78-93-3 | <1.0 | 1.0 | mg/liter | 11/06/2009 |
| Tetrachloroethylene | 127-18-4 | < 0.10 | 0.10 | mg/liter | 11/06/2009 |
| Trichloroethylene | 79-01-6 | < 0.10 | 0.10 | mg/liter | 11/06/2009 |
| Vinyl chloride | 75-01-4 | <0.10 | 0.10 | mg/liter | 11/06/2009 |

| Surrogate | Percent <u>Recovery</u> | Recovery <u>Limits</u> |
|-----------------------|----------------------------|---------------------------|
| 1,2-Dichloroethane-d4 | 91.8 | (80 - 117) |
| Toluene-d8 | 114 | (85 - 119) |
| 4-Bromofluorobenzene | 91.4 | (79 - 112) |



EAG ID: 0910-00420-011

Client ID: MAS-D047-L-01

Client Project: Meridian Auto Services SA

Matrix: Liquid Date Sampled: 10/29/2009

Analyst REC Time Sampled:1515

| <u>Parameter</u> | CAS# | Result | Reporting Limit | <u>Units</u> | <u>Date</u> <u>Analyzed</u> |
|---|------------|--------|--------------------|--------------|--------------------------------|
| Volatile Organic Compounds: SW846-8260A | CT (1.1 | | 100 | | 11/05/2000 |
| Acetone | 67-64-1 | <120 | 120 | mg/kg | 11/06/2009 |
| Acrolein | 107-02-8 | <120 | 120 | mg/kg | 11/06/2009 |
| Acrylonitrile | 107-13-1 | <120 | 120 | mg/kg | 11/06/2009 |
| Benzene | 71-43-2 | <23 | 23 | mg/kg | 11/06/2009 |
| Bromochloromethane | 74-97-5 | <23 | 23 | mg/kg | 11/06/2009 |
| Bromodichloromethane | 75-27-4 | <23 | 23 | mg/kg | 11/06/2009 |
| Bromoform | 75-25-2 | <23 | 23 | mg/kg | 11/06/2009 |
| Bromomethane | 74-83-9 | <23 | 23 | mg/kg | 11/06/2009 |
| Carbon disulfide | 75-15-0 | <23 | 23 | mg/kg | 11/06/2009 |
| Carbon Tetrachloride | 56-23-5 | <23 | 23 | mg/kg | 11/06/2009 |
| Chlorobenzene | 108-90-7 | <23 | 23 | mg/kg | 11/06/2009 |
| Chloroethane | 75-00-3 | <23 | 23 | mg/kg | 11/06/2009 |
| Chloroform | 67-66-3 | <23 | 23 | mg/kg | 11/06/2009 |
| Chloromethane | 74-87-3 | <23 | 23 | mg/kg | 11/06/2009 |
| Dibromochloromethane | 124-48-1 | <23 | 23 | mg/kg | 11/06/2009 |
| 1,1-Dichloroethane | 75-34-3 | <23 | 23 | mg/kg | 11/06/2009 |
| 1,2-Dichloroethane | 107-06-2 | <23 | 23 | mg/kg | 11/06/2009 |
| 1,1-Dichloroethene | 75-35-4 | <23 | 23 | mg/kg | 11/06/2009 |
| 1,2-Dichloropropane | 78-87-5 | <23 | 23 | mg/kg | 11/06/2009 |
| cis-1,2-Dichloroethene | 156-59-2 | <23 | 23 | mg/kg | 11/06/2009 |
| trans-1,2-Dichloroethene | 156-60-5 | <23 | 23 | mg/kg | 11/06/2009 |
| cis-1,3-Dichloropropene | 10061-01-5 | <23 | 23 | mg/kg | 11/06/2009 |
| trans-1,3-Dichloropropene | 10061-02-6 | <23 | 23 | mg/kg | 11/06/2009 |
| Ethylbenzene | 100-41-4 | <23 | 23 | mg/kg | 11/06/2009 |
| 2-Hexanone (MBK) | 591-78-6 | <120 | 120 | mg/kg | 11/06/2009 |
| n-Hexane | 110-54-3 | <23 | 23 | mg/kg | 11/06/2009 |
| Methylene Chloride | 75-09-2 | <23 | 23 | mg/kg | 11/06/2009 |
| Methyl Ethyl Ketone (2-butanone) | 78-93-3 | <120 | 120 | mg/kg | 11/06/2009 |
| Methyl Methacrylate | 80-62-6 | <23 | 23 | mg/kg | 11/06/2009 |
| 4-Methyl-2-Pentanone | 108-10-1 | <120 | 120 | mg/kg | 11/06/2009 |
| 2-Nitropropane | 79-46-9 | <23 | 23 | mg/kg | 11/06/2009 |
| Pentachloroethane | 76-01-7 | <23 | 23 | mg/kg | 11/06/2009 |
| Propionitrile | 107-12-0 | <23 | 23 | mg/kg | 11/06/2009 |
| Styrene | 100-42-5 | 170 | 23 | mg/kg | 11/06/2009 |
| 1,1,1,2-Tetrachloroethane | 630-20-6 | <23 | 23 | mg/kg | 11/06/2009 |
| 1,1,2,2-Tetrachloroethane | 79-34-5 | <23 | 23 | mg/kg | 11/06/2009 |
| Tetrachloroethene (Tetrachloroethylene) | 127-18-4 | <23 | 23 | mg/kg | 11/06/2009 |
| Toluene | 108-88-3 | <23 | 23 | mg/kg | 11/06/2009 |
| 1,2,4-Trichlorobenzene | 120-82-1 | <23 | 23 | mg/kg | 11/06/2009 |
| 1,1,1-Trichloroethane | 71-55-6 | <23 | 23 | mg/kg | 11/06/2009 |
| 1,1,2-Trichloroethane | 79-00-5 | <23 | 23 | mg/kg | 11/06/2009 |



EAG ID: 0910-00420-011

Client ID: MAS-D047-L-01

Client Project: Meridian Auto Services SA

Matrix: Liquid

Analyst REC

Date Sampled: 10/29/2009

Time Sampled:1515

| <u>Date</u> |
|-------------|
| nalyzed |
| 06/2009 |
| 06/2009 |
| 06/2009 |
| 06/2009 |
| 06/2009 |
| 06/2009 |
| 06/2009 |
| 06/2009 |
| |

| Surrogate | Percent <u>Recovery</u> | Recovery <u>Limits</u> |
|-----------------------|----------------------------|---------------------------|
| 4-Bromofluorobenzene | 90.5 | (76 - 119) |
| 1,2-Dichloroethane-d4 | 99.6 | (80 - 120) |
| Toluene-d8 | 119 | (83 - 118) |



EAG ID: 0910-00420-012

Toluene-d8

4-Bromofluorobenzene

Client ID: MAS-S001-S-01-DP

Client Project: Meridian Auto Services SA

Matrix: Solid Analyst REC Date Sampled: 10/29/2009

Time Sampled:1415

(85 - 119)

(79 - 112)

Date Received:10/30/2009

| | | | Reporting | <u>Date</u> | | |
|------------------------------------|----------|----------------------------|--------------|---------------------------|------------|--|
| <u>Parameter</u> | CAS# | Result | <u>Limit</u> | <u>Units</u> | Analyzed | |
| Volatile Organic TCLP: SW846-8260A | | | | | | |
| Benzene | 71-43-2 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | |
| Carbon tetrachloride | 56-23-5 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | |
| Chlorobenzene | 108-90-7 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | |
| Chloroform | 67-66-3 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | |
| 1,2-Dichloroethane | 107-06-2 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | |
| 1,1-Dichloroethene | 75-35-4 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | |
| Methyl ethyl ketone(2-butanone) | 78-93-3 | <1.0 | 1.0 | mg/liter | 11/03/2009 | |
| Tetrachloroethylene | 127-18-4 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | |
| Trichloroethylene | 79-01-6 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | |
| Vinyl chloride | 75-01-4 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | |
| Surrogate | | Percent <u>Recovery</u> | | Recovery <u>Limits</u> | | |
| 1,2-Dichloroethane-d4 | | 95.0 | | (80 - 117) | | |

91.5

102



EAG ID: 0910-00420-013

Client ID: MAS-S001-S-01

Client Project: Meridian Auto Services SA

Matrix: Solid

Analyst REC

Date Sampled: 10/29/2009

Time Sampled:1415

| | | | Reporting | <u>Date</u> | |
|------------------------------------|----------|---------------------|--------------|---------------------------|------------|
| <u>Parameter</u> | CAS# | Result | <u>Limit</u> | <u>Units</u> | Analyzed |
| Volatile Organic TCLP: SW846-8260A | | | | | |
| Benzene | 71-43-2 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |
| Carbon tetrachloride | 56-23-5 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |
| Chlorobenzene | 108-90-7 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |
| Chloroform | 67-66-3 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |
| 1,2-Dichloroethane | 107-06-2 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |
| 1,1-Dichloroethene | 75-35-4 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |
| Methyl ethyl ketone(2-butanone) | 78-93-3 | <1.0 | 1.0 | mg/liter | 11/04/2009 |
| Tetrachloroethylene | 127-18-4 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |
| Trichloroethylene | 79-01-6 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |
| Vinyl chloride | 75-01-4 | < 0.10 | 0.10 | mg/liter | 11/04/2009 |
| <u>Surrogate</u> | | Percent Recovery | | Recovery <u>Limits</u> | |
| 1,2-Dichloroethane-d4 | | 92.3 | | (80 - 117) | |
| Toluene-d8 | | 90.5 | | (85 - 119) | |
| 4-Bromofluorobenzene | | 103 | | (79 - 112) | |



EAG ID: 0910-00420-014

Client ID: MAS-D050-S-01-MS

Client Project: Meridian Auto Services SA

Matrix: Solid Analyst REC **Date Sampled:** 10/29/2009

Time Sampled:1520

| | | | Reporting | <u>Date</u> | | | |
|------------------------------------|----------|----------|--------------|--------------------------|-----------------|--|--|
| <u>Parameter</u> | CAS# | Result | <u>Limit</u> | <u>Units</u> | Analyzed | | |
| Volatile Organic TCLP: SW846-8260A | | - | | | | | |
| Benzene | 71-43-2 | <0.10 UJ | 0.10 | mg/liter | 11/03/2009 | | |
| Carbon tetrachloride | 56-23-5 | <0.10 | 0.10 | mg/liter | 11/03/2009 | | |
| Chlorobenzene | 108-90-7 | <0.10 | 0.10 | mg/liter | 11/03/2009 | | |
| Chloroform | 67-66-3 | <0.10 | 0.10 | mg/liter | 11/03/2009 | | |
| 1,2-Dichloroethane | 107-06-2 | <0.10 | 0.10 | mg/liter | 11/03/2009 | | |
| 1,1-Dichloroethene | 75-35-4 | < 0.10 | 0.10 | mg/liter | 11/03/2009 | | |
| Methyl ethyl ketone(2-butanone) | 78-93-3 | <1.0 | 1.0 | mg/liter | 11/03/2009 | | |
| Tetrachloroethylene | 127-18-4 | <0.10 | 0.10 | mg/liter | 11/03/2009 | | |
| Trichloroethylene | 79-01-6 | <0.10 | 0.10 | mg/liter | 11/03/2009 | | |
| Vinyl chloride | 75-01-4 | <0.10 | 0.10 | mg/liter | 11/03/2009 | | |
| Surrogate | | Percent | | Recovery Limits | 41 | | |
| | | Recovery | | | (ל נ | | |
| 1,2-Dichloroethane-d4 | | 84.0 | | (80 - 117) (85 - 119) | 1 a | | |
| Toluene-d8 | | MI | | 1010 | | | |
| 4-Bromofluorobenzene | | MI | | (79 - 112) | 11/18/2 | | |



0910-00420

Listed below are the TCLP regulatory limits. If you have any questions regarding the results or the regulatory limits, please contact Client Services. Source: 40 CFR 261.

| TCLP Metals: | mg/liter | TCLP Volatiles: | mg/liter |
|------------------------|----------|---------------------|----------|
| Arsenic | 5.0 | Benzene | 0.5 |
| Barium | 100.0 | Carbontetrachloride | 0.5 |
| Cad mium | 1.0 | Chlorobenzene | 100.0 |
| Chromium | 5.0 | Chloroform | 6.0 |
| Lead | 5.0 | 1,2-Dichloroethane | 0.5 |
| Mercury | 0.2 | 1,1-Dichloroethene | 0.7 |
| Selenium | 1.0 | Methyl ethyl ketone | 200.0 |
| Silver | 5.0 | Tetrachloroethene | 0.7 |
| | | Trichloroethene | 0.5 |
| TCLP Semi-volatiles: | mg/liter | Vinyl Chloride | 0.2 |
| 1,4-Dichlorobenzene | 7.5 | | |
| 2,4-Dinitrotoluene | 0.13 | TCLP Pesticides: | mg/liter |
| Hexachlorobenzene | 0.13 | Chlordane | 0.03 |
| Hexachlorobutadiene | 0.5 | Endrin | 0.02 |
| Hexachloroethane | 3.0 | Heptachlor | 0.008 |
| Nitrobenzene | 2.0 | Heptachlor Epoxide | 0.008 |
| Pyridine | 5.0 | Lindane | 0.4 |
| o-Cresol | 200.0 | Methoxychlor | 10.0 |
| m-Cresol | 200.0 | Toxaphene | 0.5 |
| p-Cresol | 200.0 | | |
| Cresol (total) | 200.0 | TCLP Herbicides: | mg/liter |
| Pentach lorophenol | 100.0 | 2,4-D | 10.0 |
| 2,4,5-Trichlorophenol | 400.0 | 2,4,5-TP (Silvex) | 1.0 |
| 2,4,6-Trich lorophenol | 2.0 | | |

| Characterization Parameters: | Acceptable limit |
|--------------------------------|------------------|
| Corrosivity | 2-12.5 pH units |
| Flashpoint | >140 degrees F |
| Ignitability (solid burn rate) | <2.2 mm/second |
| Reactive Cyanide* | <250 mg/kg |
| Reactive Sulfide* | <500 mg/kg |

^{*} EA Group uses the industry standard for the analysis of reactivity. However, the EPA has withdrawn guidance concerning this method. Further evaluation may be required to determine whether a waste is 'reactive'. The generator should contact the waste handler or the EPA for further guidance.

T

7118 INDUSTRIAL PARK BLVD. MENTOR, OHIO 44060-5314 [440] 951-3514 FAX (440) 951-3774 [800] 875-3514 www.eagroup-chio.com customerservice@eagroupohio.com

CHAIN OF CUSTODY

PLEASE DO NOT SEPARATE FORMS

EAG WORK ORDER #____

PAGE_

OF Z

| ANTRIX COLLECTION COLLECTION DATE IN GRAD OF Composite (G/C) Received by (sign) Received by (sign) Received by (sign) Received by (sign) | Engle Rd Blog 2, Sui |
|--|-----------------------------------|
| WORMALS ON Grab or Composite (G/C) | te I |
| TO O O O O O O O Grab or Composite (G/C) | TURNAR RUSH Target Date: |
| | TURNAROUND (/) RUSH Target Date: |
| 0 0 0 1 - 0 1 1 1 0 0 0 0 # of Containers |) |
| XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX | |
| XXXXXX X Total PCBs | # National Control |
| | LA CONTRACTOR |
| Flashpoint Plashpoint Additional Comments / Me BUSTR WAP Additional Comments / Me | A |
| TR ommer described by the second seco | IALYSIS |
| (.pdf) | S REQU |
| Flash Plash Plash Plash Additional Comments / Method Protocol: AND MAY be S | ANALYSIS REQUESTED |
| hod Protocol: be Sty | |
| E = 0 | No Me less |
| Monor Mc Care | |
| SAMPLE REMARKS: CONDITION, ETC Poth Research May be Styrone monomer adar | COOLER TEMP: |

WHITE - FILE

YELLOW - INVOICE

PINK - REPORT

GREEN - CUSTOMER

Rev. 13 3/2006

7118 INDUSTRIAL PARK BLVD.
MENTOR, OHIO 44060-5314
(440) 951-3514
FAX (440) 951-3774
[800] 875-3514
www.eagroup-chio.com
customerservice@eagroupohio.com

CHAIN OF CUSTODY PLEASE DO NOT SEPARATE FORMS

EAG WORK ORDER #____

PAGE 2 OF 2

| EAG Client FedEx UPS Other | | | | | | | MA- DOSO-SOI-MS S K2 | MAS-5001-5-01 5 141 | MR-5001-5-01-DP 5 141 | MAS-DO47-L-01 1 151. | NTIFICATION MATRIX | bridian Ada Service SA | tion L. Bodiewillisa Gracenk | hicago State TL (20606-290) | gAddress Wacker Mine Soite 1510 | South to Blace Suite I | atta Stution buc. | |
|----------------------------|--|---|---|--|--|---|--|--|---|---|--|---|---|---|---|---|--|--|
| MLS O FaxI | | | A-T | | | | 27. | " 613 | 2 = 2 | 10/29/0961 | Grab | or Composite | (G/C) | y: | HENT STAMBON | oget Date: | URNAROUND (/) | |
| Demail Results (.pdf) | | | | | | | X | X | × × | X | +++ | otal elast |) n | Met H. | Sals | TANK TANK | ANALYSIS REQUES | |
| Gaczyte Dynamec . com | | T T | | | | | WS/WSO | | | | CONDITION, ETC | SAMPLE REMARKS: | | Mariana da | | 1000 | | |
| | EAG Client FedEx UPS Other Picked Labyles Fax Results (pdf) Caccyte Dynamac. | EAG Client FedEx UPS Other Picks philes Pax Results Temail Results (.pdf) Gazyte Dynamac. | EAG Client FedEx UPS Other Picks (ph/2/2) | EAG Client FedEx UPS Other Picks Charles Demail Results (.pdf) Carry Copynamics. | EAG Client FedEx UPS Other Picks Uphthat Dear Results Demail Results (pdf) | EAG Client FedEx UPS Other Picks Upt Dear Results Demail Results (.pdf) | EAG Client FedEx UPS Other Pickel Labyles Fax Results Demail Results (.pdf) Gazete Dynamac | DOSO-SOI-MS S 1520 11 G 2% X X X MS/A REAG Client FedEx UPS Other Pickel (1951/45) Fax Results (Pdf) Gazque Dynamac (1951/45) Fax Results (Pdf) Fax Results | DOSO-SOI-MS S 1918 11 G 1 X X X MS/N DOSO-SOI-MS S 1520 11 G 2 X X X MS/N MS/N EAG Client FedEx UPS Other Picked Catallate a Fex Results Definil Results (pdf) Lacay Columnation | 201-5-01-DP S 1415 11 C 1 X X X X DS0-5-01-MS S 1520 11 G 2 X X X X X X X X X X X X X X X X X X | 201-5-01-DP S 1415 11 G 1 X X X DOSO-S-01-MS S 1520 11 G 2 X X X X X X X X X X X X X X X X X X | MATRIX COLLECTION COLLECTION of THE PARTIES | Sold Sold Sold Sold Sold Sold Sold Sold | WATTER STORY OF STORY STORY OF THE STORY OF | CAGCE Fex TL COMMON 2016 CAGCE Fex Water | DACKET MILITED TO TO THE STATE OF THE STATE | DACKE THE SUBJECT TO THORMAL DATE OF THE PROBLEM OF THE PROBLET OF THE PROBLEM OF | ANALYSIS REQUESTED ANALYS |

WHITE - FILE

YELLOW - INVOICE

PINK - REPORT

GREEN - CUSTOMER

Rev. 13 3/2006